

## Schedule 20 Maximum residue limits

**Note** This instrument is a standard under the *Food Standards Australia New Zealand Act 1991* (Cth). The standards together make up the *Australia New Zealand Food Standards Code*. See also section 1.1.1—3.

Maximum residue limits are regulated by subsection 1.1.1—10(6) and Standard 1.4.2. This Standard identifies agvet chemicals, and their permitted residues, for the purpose of section 1.4.2—4.

### S20—1 Name

This Standard is *Australia New Zealand Food Standards Code – Schedule 20 – Maximum residue limits*.

**Note** Commencement:  
This Standard commences on 1 March 2016, being the date specified as the commencement date in notices in the *Gazette* under section 92 of the *Food Standards Australia New Zealand Act 1991* (Cth). See also section 93 of that Act.

**Note 2** This Standard applies in Australia only. In New Zealand, maximum residue limits for agricultural compounds are set out in a Maximum Residue Limits Standard.

### S20—2 Interpretation

In this Schedule:

- (a) an asterisk (\*) indicates that the maximum residue limit is set at the limit of determination; and
- (b) the symbol 'T' indicates that the maximum residue limit is a temporary maximum residue limit; and
- (c) **animal food commodities** means an animal food commodity listed in Schedule 22, including a secondary commodity of animal origin listed in that Schedule.

### S20—3 Maximum residue limits

For section 1.4.2—4, the \*agvet chemicals, permitted residues, and amounts are as follows, expressed in mg per kg:

Maximum residue limits			
<b>Agvet chemical: Abamectin</b>		Custard apple	T0.1
<b>Permitted residue: Avermectin B1a</b>		Dried grapes (currants, raisins and sultanas)	T0.03
Adzuki bean (dry)	T*0.002	Fruiting vegetables, cucurbits [except cucumber; squash, summer]	0.02
Almonds	*0.01	Fruiting vegetables, other than cucurbits [except mushrooms, sweet corn (corn-on-the-cob)]	T0.1
Avocado	T0.05	Goat fat	0.1
Beetroot leaves	0.5	Goat kidney	0.01
Blackberries	T0.1	Goat liver	0.05
Blueberries	T*0.02	Goat milk	0.005
Bulb vegetables	T0.05	Goat muscle	0.01
Cabbages, head	T0.05	Grapes	0.02
Cattle, edible offal of	0.1	Herbs	T0.5
Cattle fat	0.1	Hops, dry	0.2
Cattle meat	0.005	Kaffir lime leaves	T0.5
Cattle milk	0.02	Leafy vegetables [except lettuce, leaf]	T0.5
Celery	T0.05	Legume vegetables [except peas (pods and succulent, immature seeds)]	T0.1
Citrus fruits	0.02	Lemon grass	T0.5
Common bean (dry) (navy bean)	T*0.002	Lettuce, leaf	T1
Coriander (leaves, roots, stems)	T0.5	Litchi	T0.05
Cotton seed	*0.01		
Cucumber	T0.05		
Currant, black	0.02		

Macadamia nuts	T*0.01
Maize	T*0.01
Mung bean (dry)	T*0.002
Mushrooms	T0.05
Papaya (pawpaw)	T0.1
Passionfruit	T0.2
Peanut	T*0.002
Peas	T0.5
Pig kidney	0.01
Pig liver	0.02
Pig meat (in the fat)	0.02
Pineapple	T*0.002
Pome fruits	0.01
Popcorn	T*0.01
Raspberries, red, black	T0.1
Rhubarb	T0.05
Root and tuber vegetables	T*0.01
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.05
Soya bean (dry)	*0.002
Squash, summer	T0.05
Stone fruits	0.09
Strawberry	0.1
Sweet corn (corn-on-the-cob)	T0.05

#### **Agvet chemical: Acephate**

*Permitted residue: Acephate (Note: the metabolite methamidophos has separate MRLs)*

Banana	1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
Edible offal (mammalian)	0.2
Eggs	0.2
Macadamia nuts	*0.1
Meat (mammalian) [except sheep meat]	0.2
Peppers, sweet	5
Potato	0.5
Sheep meat	*0.01
Tomato	5

#### **Agvet chemical: Acequinocyl**

*Permitted residue: Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl*

Cherries	0.5
Citrus fruits	0.2
Grapes	1.6
Hops, dry	4

#### **Agvet chemical: Acetamiprid**

*Permitted residue—commodities of plant origin: Acetamiprid*

*Permitted residue—commodities of animal origin: Sum of acetamiprid and N-demethyl acetamiprid ((E)-N<sup>1</sup>-[(6-chloro-3-pyridyl)methyl]-N<sup>2</sup>-cyanoacetamidine), expressed as acetamiprid*

All other foods except animal food commodities	0.1
Apple	0.2
Blueberries	1.6
Citrus fruits	1
Cotton seed	0.07
Cranberry	0.6
Cucumber	T0.2
Date	T5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Goji berries	2
Grapes	0.35
Herbs	3
Meat (mammalian)	*0.01
Milks	*0.01
Pear	0.3
Plums (including prunes)	0.2
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.01
Spices	0.1
Stone fruits [except plums]	1
Tomato	T0.1

#### **Agvet chemical: Acibenzolar-S-methyl**

*Permitted residue: Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl*

Cotton seed	*0.02
Cucumber	T0.5
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.005
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Squash, summer (including zucchini)	T0.5
Tomato	1

#### **Agvet chemical: Acifluorfen**

*Permitted residue: Acifluorfen*

Chia	T*0.01
Edible offal (mammalian)	0.1
Eggs	*0.01
Legume vegetables	0.1

Meat (mammalian)	*0.01
Milks	*0.01
Peanut	0.05
Poultry, edible offal of	0.1
Poultry meat	*0.01
Pulses	0.1

---

**Agvet chemical: Albendazole**

*Permitted residue: Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	*0.1
Goat meat	*0.1
Sheep, edible offal of	3
Sheep meat	0.2

---

**Agvet chemical: Albendazole sulfoxide**

*see Albendazole*

---

**Agvet chemical: Aldicarb**

*Permitted residue: Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb*

Citrus fruits	0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Sugar cane	*0.02

---

**Agvet chemical: Aldoxycarb**

*Permitted residue: Sum of aldoxycarb and its sulfone, expressed as aldoxycarb*

Cattle, edible offal of	0.2
Cattle meat	*0.02
Eggs	0.1
Milks	*0.02
Poultry, edible offal of	0.2
Poultry meat	*0.02
Wheat	*0.02

---

**Agvet chemical: Aliphatic alcohol ethoxylates**

*Permitted residue: Aliphatic alcohol ethoxylates*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	1

---

**Agvet chemical: Alpha-cypermethrin**

*see Cypermethrin*

---

**Agvet chemical: Altrenogest**

*Permitted residue: Altrenogest*

Pig meat	*0.005
Pig, edible offal of	0.005

---

**Agvet chemical: Aluminium phosphide**

*see Phosphine*

---

**Agvet chemical: Ametoctradin**

*Permitted residue—commodities of plant origin: Ametoctradin*

*Permitted residue—commodities of animal origin: Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid*

All other foods except animal food commodities	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	9
Celery	20
Cucumber	0.4
Dried grapes (currants, raisins and sultanas)	20
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits [except cucumber]	3
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1.5
Garlic	1.5
Grapes [except dried grapes]	6
Hops, dry	30
Leafy vegetables	50
Meat (mammalian)	*0.02
Milks	*0.02
Onion, bulb	1.5
Peppers, chili (dry)	15
Potato	0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Shallot	1.5
Spring onion	20

---

**Agvet chemical: Ametryn**

*Permitted residue: Ametryn*

Cotton seed	0.05
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Pineapple	*0.05
Pome fruits	0.1
Sugar cane	0.05

<b>Agvet chemical: Aminocyclopyrachlor</b>	
<i>Permitted residue: Aminocyclopyrachlor</i>	
Edible offal (mammalian)	0.3
Mammalian fats [except poultry fats]	0.05
Milks	0.01
<b>Agvet chemical: Aminoethoxyvinylglycine</b>	
<i>Permitted residue: Aminoethoxyvinylglycine</i>	
Apple	0.1
Cherries	*0.05
Stone fruits [except cherries]	0.2
Walnuts	*0.05
<b>Agvet chemical: Aminopyralid</b>	
<i>Permitted residue—commodities of plant origin: Sum of aminopyralid and conjugates, expressed as aminopyralid</i>	
<i>Permitted residue—commodities of animal origin: Aminopyralid</i>	
Cereal grains	0.1
Edible offal (mammalian) [except kidney]	0.02
Eggs	*0.01
Kidney (mammalian)	0.3
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat bran, unprocessed	0.3
<b>Agvet chemical: Amisulbrom</b>	
<i>Permitted residue: Amisulbrom</i>	
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
<b>Agvet chemical: Amitraz</b>	
<i>Permitted residue: Sum of amitraz and N-(2,4-dimethylphenyl)-n'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine</i>	
Apple	0.5
Cotton seed	*0.1
Cotton seed oil, crude	1
Edible offal (mammalian)	0.5
Meat (mammalian)	0.1

Milks	0.1
Stone fruits [except cherries]	0.5

<b>Agvet chemical: Amitrole</b>	
<i>Permitted residue: Amitrole</i>	
Avocado	*0.01
Banana	*0.01
Blueberries	T*0.01
Cereal grains	*0.01
Citrus fruits	*0.01
Edible offal (mammalian)	*0.01
Grapes	*0.01
Hops, dry	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.01
Papaya (pawpaw)	*0.01
Passionfruit	*0.01
Pecan	*0.01
Pineapple	*0.01
Pome fruits	*0.01
Potato	*0.05
Pulses	*0.01
Stone fruits	*0.02
Sugar cane	*0.01

<b>Agvet chemical: Amoxycillin</b>	
<i>Permitted residue: Inhibitory substance, identified as amoxycillin</i>	
Cattle milk	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sheep milk	*0.01

<b>Agvet chemical: Ampicillin</b>	
<i>Permitted residue: Inhibitory substance, identified as ampicillin</i>	
Cattle milk	*0.01
Horse, edible offal of	*0.01
Horse meat	*0.01

<b>Agvet chemical: Amprolium</b>	
<i>Permitted residue: Amprolium</i>	
Eggs	4
Poultry, edible offal of	1
Poultry meat	0.5

<b>Agvet chemical: Apramycin</b>	
<i>Permitted residue: Apramycin</i>	
Edible offal (mammalian)	2

Meat (mammalian)	*0.05	Poultry, edible offal of	*0.05
Poultry, edible offal of	1	Poultry meat	*0.05
Poultry meat	*0.05	Wheat bran, unprocessed	0.5
<b>Agvet chemical: Asulam</b>		<b>Agvet chemical: Azaperone</b>	
<i>Permitted residue: Asulam</i>		<i>Permitted residue: Azaperone</i>	
Apple	*0.1	Pig, edible offal of	0.2
Edible offal (mammalian)	*0.1	Pig meat	0.2
Hops, dry	*0.1		
Meat (mammalian)	*0.1	<b>Agvet chemical: Azimsulfuron</b>	
Milks	*0.1	<i>Permitted residue: Azimsulfuron</i>	
Poppy seed	*0.1	Edible offal (mammalian)	*0.02
Potato	0.4	Eggs	*0.02
Sugar cane	*0.1	Meat (mammalian)	*0.02
		Milks	*0.02
<b>Agvet chemical: Atrazine</b>		Poultry, edible offal of	*0.02
<i>Permitted residue: Atrazine</i>		Poultry meat	*0.02
Edible offal (mammalian)	T*0.1	Rice	*0.02
Lupin (dry)	*0.02		
Maize	*0.1	<b>Agvet chemical: Azinphos-methyl</b>	
Meat (mammalian)	T*0.01	<i>Permitted residue: Azinphos-methyl</i>	
Milks	T*0.01	Blueberries	5
Potato	*0.01	Edible offal (mammalian)	*0.05
Rape seed (canola)	*0.02	Grapes	2
Sorghum	*0.1	Litchi	2
Sugar cane	*0.1	Macadamia nuts	*0.01
Sweet corn (corn-on-the-cob)	*0.1	Meat (mammalian)	*0.05
		Milks	*0.05
<b>Agvet chemical: Avermectin B1</b>		Pome fruits	1
see Abamectin		Stone fruits	2
		Strawberry	1
<b>Agvet chemical: Avilamycin</b>			
<i>Permitted residue: Inhibitory substance, identified as avilamycin</i>		<b>Agvet chemical: Azoxystrobin</b>	
Pig fat/skin	0.2	<i>Permitted residue: Azoxystrobin</i>	
Pig kidney	0.2	Adzuki bean (dry)	T0.7
Pig liver	0.3	All other foods except animal food commodities	0.1
Pig meat	0.2	Almonds	*0.01
Poultry, edible offal of	*0.05	Anise myrtle leaves (dried)	T3
Poultry meat	*0.05	Avocado	3
		Banana	T0.5
<b>Agvet chemical: Azaconazole</b>		Barley	0.2
<i>Permitted residue: Azaconazole</i>		Bergamot	T50
Mushrooms	0.1	Blackberries	5
		Blueberries	5
<b>Agvet chemical: Azamethiphos</b>		Boysenberry	5
<i>Permitted residue: Azamethiphos</i>		Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.7
Cereal grains	0.1	Brassica leafy vegetables [except mizuna]	2
Edible offal (mammalian)	*0.05	Broad bean (dry) (fava bean)	T0.05
Eggs	*0.05	Bulb vegetables [except fennel, bulb; onion, bulb]	2
Meat (mammalian)	*0.05	Burnet, salad	T50
Milks	*0.05		

Carrot	0.2	Raspberries, red, black	5
Celery	0.3	Riberry	T1
Chard (silverbeet)	T3	Rice	T7
Chervil	T50	Rose and dianthus (edible flowers)	T50
Chick-pea (dry)	T0.5	Rucola (rocket)	T50
Citrus fruits	10	Spices	*0.1
Cloudberry	T5	Stone fruits	1.5
Common bean (dry) (navy bean)	T0.7	Strawberry	10
Coriander (leaves, roots, stems)	T50	Sweet corn (kernels)	T0.05
Coriander, seed	T50	Tea, green, black	T20
Cotton seed	T0.05	Tomato	T1
Cranberry	0.5	Tree nuts [except almonds]	2
Dewberries (including boysenberry and loganberry)	T5	Turmeric, root	T0.1
Dill, seed	T50	Wheat	0.1
Dried grapes	5		
Edible offal (mammalian)	0.03	<b>Agvet chemical: Bacitracin</b>	
Egg plant	T2	<i>Permitted residue: Inhibitory substance, identified as bacitracin</i>	
Eggs	*0.01		
Fennel, seed	T50	Chicken, edible offal of	*0.5
Fennel, bulb	T0.1	Chicken fat	*0.5
Field pea (dry)	T0.05	Chicken meat	*0.5
Fruiting vegetables, cucurbits	2	Eggs	*0.5
Galangal, Greater	T0.1	Milks	*0.5
Grapes	2		
Herbs [except as otherwise listed under this chemical]	T50	<b>Agvet chemical: Benalaxyl</b>	
Horseradish	0.5	<i>Permitted residue: Benalaxyl</i>	
Kaffir lime leaves	T50	Fruiting vegetables, cucurbits	0.2
Legume vegetables	3	Garlic	0.1
Lupin (dry)	T0.05	Grapes	0.5
Lemon grass	T50	Lettuce, head	*0.01
Lemon myrtle leaves (dried)	T3	Lettuce, leaf	*0.01
Lemon verbena (dry leaves)	T50	Onion, bulb	0.1
Lentil (dry)	T0.5	Shallot	T0.5
Lettuce, head	15	Spring onion	T0.1
Lettuce, leaf	15		
Maize	T*0.01	<b>Agvet chemical: Bendiocarb</b>	
Mango	0.5	<i>Permitted residue—commodities of plant origin:</i>	
Meat (mammalian) (in the fat)	0.02	<i>Unconjugated bendiocarb</i>	
Mexican tarragon	T50	<i>Permitted residue—commodities of animal origin:</i>	
Milks	0.005	<i>Sum of conjugated and unconjugated Bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as Bendiocarb</i>	
Mizuna	T50		
Mung bean (dry)	T0.7	Banana	*0.02
Oats	0.1	Cattle, edible offal of	0.2
Okra	T2	Cattle meat	0.1
Olives	T2	Eggs	0.05
Passionfruit	0.5	Milks	0.1
Peanut	0.05	Poultry, edible offal of	0.1
Peanut oil, crude	0.1	Poultry meat	0.05
Peppers	3		
Poppy seed	*0.02	<b>Agvet chemical: Benfluralin</b>	
Potato	7	<i>Permitted residue: Benfluralin</i>	
Poultry, edible offal of	*0.01		
Poultry meat	*0.01	Lettuce, head	T*0.05
Radish	0.5	Lettuce, leaf	T*0.05
Rape seed (canola)	T*0.01		

<b>Agvet chemical: Benomyl</b>		<b>Agvet chemical: Benzyl G penicillin</b>	
see Carbendazim		Permitted residue: Inhibitory substance, identified as benzyl G penicillin	
<b>Agvet chemical: Bensulfuron-methyl</b>		Edible offal (mammalian)	*0.06
Permitted residue: Bensulfuron-methyl		Meat (mammalian)	*0.06
Rice	*0.02	Milks	*0.0015
Rice bran, processed	*0.05	<b>Agvet chemical: Betacyfluthrin</b>	
<b>Agvet chemical: Bensulide</b>		see Cyfluthrin	
Permitted residue: Bensulide		<b>Agvet chemical: Bicyclopyrone</b>	
Fruiting vegetables, cucurbits	*0.1	Permitted residue: Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone	
<b>Agvet chemical: Bentazone</b>		Barley	0.02
Permitted residue: Bentazone		Edible offal (mammalian)	2
Beans [except soya bean]	0.5	Eggs	*0.02
Edible offal (mammalian)	*0.05	Meat (mammalian)	*0.02
Eggs	*0.05	Milk	*0.02
Meat (mammalian)	*0.05	Poultry, edible offal of	*0.02
Milks	*0.05	Poultry meat	*0.02
Onion, bulb	T0.1	Wheat	0.02
Peanut	*0.1	Wheat bran, unprocessed	0.05
Peas	3	<b>Agvet chemical: Bifenazate</b>	
Poultry, edible offal of	*0.05	Permitted residue: Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate	
Poultry meat	*0.05	Almonds	0.1
Pulses	*0.01	Apricot	0.5
Rice	*0.03	Blackberries	T7
Sweet corn (corn-on-the-cob)	*0.1	Cherries	2.5
<b>Agvet chemical: Benzocaine</b>		Cloudberry	T7
Permitted residue: Benzocaine		Cranberry	1.5
Abalone	*0.05	Dewberries (including boysenberry and loganberry)	T7
Finfish	*0.05	Dried grapes	T2
<b>Agvet chemical: Benzofenap</b>		Edible offal (mammalian)	*0.01
Permitted residue: Sum of benzofenap, benzofenap-OH and Benzofenap-red, expressed as benzofenap		Eggs	*0.01
Rice	*0.01	Fruiting vegetables, cucurbits	1
<b>Agvet chemical: Benzovindiflupyr</b>		Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	1
Permitted residue: Benzovindiflupyr		Grapes [except wine grapes]	T1
Grapes	1	Hops, dry	15
<b>Agvet chemical: Benzyladenine</b>		Lettuce, head	T20
Permitted residue: Benzyladenine		Lettuce, leaf	T20
Apple	0.2	Meat (mammalian) (in the fat)	*0.01
Pear	*0.005	Milks	*0.01
Pistachio nut	T*0.05	Nectarine	0.5
		Papaya (pawpaw)	2
		Peach	2

Podded pea (young pods) (snow and sugar snap)	T1	Milks	0.5
Poultry, edible offal of	*0.01	Mizuna	T0.5
Poultry meat	*0.01	Olives	T0.5
Plums (including prunes)	0.5	Pear	0.5
Pome fruits	2	Peas (pods and succulent, immature seeds)	*0.01
Raspberries, red, black	T7	Pineapple	T*0.01
Strawberry	2	Poppy seed	*0.02
Yard-long bean (pods)	T1	Poultry, edible offal of	*0.05
<b>Agvet chemical: Bifenthrin</b>		Poultry meat (in the fat)	*0.05
<i>Permitted residue: Bifenthrin</i>		Pulses [except field pea (dry); lupin (dry)]	*0.02
All other foods except animal food commodities	0.03	Rape seed (canola)	*0.02
Almonds	T0.1	Raspberries, red, black	T3
Apple	*0.05	Rucola (rocket)	T0.5
Avocado	T0.1	Stone fruits [except cherries]	1
Banana	0.1	Strawberry	1
Blackberries	T3	Sugar cane	*0.01
Blueberries	T3	Sweet potato	*0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T1	Taro	T*0.05
Bulb vegetables [except onion, bulb]	T5	Tea, green, black	5
Celery	T*0.01	Turmeric, root	T10
Cereal grains	*0.02	<b>Agvet chemical: Bioresmethrin</b>	
Cherries	T1	<i>Permitted residue: Bioresmethrin</i>	
Chervil	T0.5	Mango	T0.5
Chia	T0.2	<b>Agvet chemical: Bitertanol</b>	
Citrus fruits	*0.05	<i>Permitted residue: Bitertanol</i>	
Cloudberry	T3	Beans [except broad bean; soya bean]	0.5
Common bean (pods and/or immature seeds)	T1	Edible offal (mammalian)	3
Cotton seed	0.1	Eggs	*0.01
Cucumber	T0.5	Meat (mammalian) (in the fat)	0.3
Dewberries (including boysenberry and loganberry)	T3	Milks	0.2
Edible offal (mammalian)	0.5	Poultry, edible offal of	*0.01
Eggs	*0.05	Poultry meat	*0.01
Field pea (dry)	T*0.01	Strawberry	*0.05
Fruiting vegetables, cucurbits [except cucumber]	0.1	<b>Agvet chemical: Bixafen</b>	
Fruiting vegetables, other than cucurbits	0.5	<i>Permitted residue—commodities of plant origin: Bixafen</i>	
Galangal, rhizomes	T10	<i>Permitted residue—commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen</i>	
Ginger, root	T*0.01	All other foods	0.03
Gooseberry	T3	Barley	T0.02
Grapes	0.2	Cereal grains [except barley; wheat]	*0.01
Herbs [except hops, dry]	T5	Eggs	*0.02
Hops, dry	10	Edible offal (mammalian)	0.7
Kaffir lime leaves	T10	Meat (mammalian) (in the fat)	0.2
Leafy vegetables [except chervil; mizuna; rucola (rocket)]	T2	Milk fats	0.5
Lemon balm	T10	Milks	0.05
Lemon grass	T10	Oilseed	*0.01
Lemon verbena	T10	Poultry, edible offal of	*0.02
Lupin (dry)	T*0.02		
Meat (mammalian) (in the fat)	2		



Poultry meat (in the fat)	*0.02
Pulses	*0.01
Wheat	T0.02

**Agvet chemical: Boscalid**

*Permitted residue—commodities of plant origin:*  
*Boscalid*

*Permitted residue—commodities of animal origin:*  
*Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, expressed as boscalid equivalents*

Adzuki bean	T3
All other foods	0.5
Blackberries	T10
Blueberries	T15
Boysenberry	T10
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Bulb vegetables	5
Celery	T15
Citrus fruits	2
Chervil	T30
Chick-pea (dry)	T3
Cloudberry	T10
Coriander (leaves, roots, stems)	T30
Dewberries (including boysenberry and loganberry and youngberry) [except boysenberry]	T10
Dried grapes	15
Fruiting vegetables, cucurbits	3
Fruiting vegetables, other than cucurbits [except fungi; mushrooms; sweet corn (corn-on-the-cob)]	3
Edible offal (mammalian)	0.3
Fungi	1
Grapes	5
Herbs	T30
Hops, dry	60
Kiwifruit	5
Leafy vegetables	40
Legume vegetables	3
Lentil (dry)	T3
Lupin (dry)	T3
Mango	1.5
Meat (mammalian) (in the fat)	0.3
Milk fats	0.7
Milks	0.1
Mushrooms	1
Oilseed	3.5
Onion, bulb	0.5
Papaya	1.5
Peanut	T0.1
Peanut oil, edible	T0.7
Pistachio nut	T2

Pome fruits	2
Raspberries, red, black	T10
Root and tuber vegetables	1
Silvanberries	T10
Stone fruits	3.5
Strawberry	10
Sweet corn (corn-on-the cob)	1

**Agvet chemical: Bromacil**

*Permitted residue: Bromacil*

Asparagus	*0.04
Citrus fruits	*0.04
Edible offal (mammalian)	*0.04
Meat (mammalian)	*0.04
Milks	*0.04
Pineapple	*0.04

**Agvet chemical: Bromoxynil**

*Permitted residue: Bromoxynil*

Cereal grains	*0.2
Edible offal (mammalian)	T3
Eggs	*0.02
Garlic	T*0.05
Grapes	*0.01
Linseed	*0.02
Meat (mammalian) (in the fat)	T1
Milks	T0.1
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Sugar cane	*0.02

**Agvet chemical: Bupirimate**

*Permitted residue: Bupirimate*

Apple	1
Egg plant	T1
Fruiting vegetables, cucurbits	1
Peppers	0.7
Strawberry	1

**Agvet chemical: Buprofezin**

*Permitted residue: Buprofezin*

Apple	3
Apricot	9
Celery	T5
Chervil	T50
Citrus fruits	2
Coriander (leaves, roots, stems)	T50
Cotton seed	T1
Cotton seed oil, crude	T0.3
Custard apple	0.1
Dried grapes (currants, raisins and sultanas)	1
Edible offal (mammalian)	*0.05

Fruiting vegetables, cucurbits	T2	Ginger, root	0.1
Fruiting vegetables, other than cucurbits [except tomato]	T2	Sugar cane	*0.01
Grapes	2.5	Tomato	*0.01
Herbs	T50	<b>Agvet chemical: Captan</b>	
Lettuce, leaf	T10	<i>Permitted residue: Captan</i>	
Litchi	T0.5	All other foods except animal food commodities	0.1
Mango	0.2	Almonds	0.3
Meat (mammalian) (in the fat)	*0.05	Berries and other small fruits [except blueberries; grapes; strawberry]	T30
Milks	*0.01	Blueberries	20
Mizuna	T50	Chick-pea (dry)	T0.1
Nectarine	9	Cucumber	T5
Olives	T0.5	Dried grapes	15
Olive oil, crude	T2	Edible offal (mammalian)	*0.05
Passionfruit	2	Eggs	*0.02
Peach	9	Grapes	10
Pear	0.2	Lentil (dry)	T0.1
Persimmon, Japanese	1	Lettuce, leaf	T7
Rucola (rocket)	T50	Mandarins	T3
Stone fruits [except apricot; nectarine; peach]	1.9	Meat (mammalian)	*0.05
Tomato	T1	Milks	*0.01
Tree tomato	T1	Peppers, chili	T7
Walnut	T0.05	Peppers, sweet	T7
<b>Agvet chemical: Butafenacil</b>		Pitaya (dragon fruit)	T20
<i>Permitted residue: Butafenacil</i>		Pome fruits	10
Cereal grains [except rice]	*0.02	Poultry, edible offal of	*0.02
Edible offal (mammalian)	*0.02	Poultry meat	*0.02
Eggs	*0.01	Stone fruits	15
Grapes	T*0.02	Strawberry	10
Meat (mammalian)	*0.01	Tree nuts [except almonds]	3
Milks	*0.01	<b>Agvet chemical: Carbaryl</b>	
Pome fruits	T*0.02	<i>Permitted residue: Carbaryl</i>	
Poultry, edible offal of	*0.02	Avocado	2
Poultry meat	*0.01	Barley	15
Stone fruits	T*0.02	Beetroot	0.5
<b>Agvet chemical: Butroxydim</b>		Cassava	T0.1
<i>Permitted residue: Butroxydim</i>		Cereal grains [except barley; rice; sorghum]	5
Edible offal (mammalian)	*0.01	Coconut	*0.01
Eggs	*0.01	Cotton seed	3
Legume vegetables	*0.01	Cranberry	3
Meat (mammalian)	*0.01	Edible offal (mammalian)	3
Milks	*0.01	Eggs	*0.02
Oilseed	*0.01	Feijoa	*0.01
Poultry, edible offal of	*0.01	Fruiting vegetables, cucurbits	*0.01
Poultry meat	*0.01	Grapes	*0.01
Pulses	*0.01	Guava	*0.01
<b>Agvet chemical: Cadusafos</b>		Jaboticaba	*0.01
<i>Permitted residue: Cadusafos</i>		Jackfruit	*0.01
Banana	*0.01	Lemon	3
Citrus fruits	*0.01	Litchi	*0.01
		Longan	*0.01

Macadamia nuts	2
Mango	2
Meat (mammalian)	0.07
Milks	0.1
Oilseed [except cotton seed]	0.1
Oranges, sweet, sour	3
Pecan	2
Pome fruits	0.2
Potato	0.1
Poultry, edible offal of	0.2
Poultry meat	*0.02
Pulses	0.1
Rambutan	*0.01
Raspberries, red, black	15
Rice	7
Sorghum	10
Strawberry	*0.01
Stone fruits [except cherries]	0.5
Swede	2
Sweet potato	0.1
Turnip, garden	2
Wheat bran, unprocessed	10

**Agvet chemical: Carbendazim**

*Permitted residue: Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim*

Apple	0.2
Apricot	2
Cherries	20
Chives	*0.1
Citron	0.7
Edible offal (mammalian)	0.2
Eggs	*0.1
Garlic	T*0.01
Grapefruit	0.2
Grapes	0.3
Lemon	0.7
Lime	0.7
Macadamia nuts	0.1
Mandarins	0.7
Mango	2
Meat (mammalian)	0.2
Milks	*0.1
Mineola	0.7
Mushrooms	T5
Nectarine	0.2
Oranges	0.2
Peach	0.2
Pear	0.2
Peppers	*0.1
Peppers, chili (dry)	20
Podded pea (young pods) (snow and sugar snap)	0.02
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	0.5

Rice, husked	2
Shaddock (pomelo)	0.2
Spices	*0.1
Tangelo [except mineola]	0.2
Tangors	0.7
Tomato	0.5

**Agvet chemical: Carbofuran**

*Permitted residue: Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran*

Barley	0.2
Cotton seed	0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Garlic	T0.1
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	0.2
Sugar cane	*0.1
Sunflower seed	0.1
Wheat	0.2

**Agvet chemical: Carbon disulphide**

*Permitted residue: Carbon disulfide*

Cereal grains	10
Pulses	T10

**Agvet chemical: Carbonyl sulphide**

*Permitted residue: Carbonyl sulphide*

Cereal grains	T0.2
Pulses	T0.2
Rape seed (canola)	T0.2

**Agvet chemical: Carbosulfan**

see Carbofuran

**Agvet chemical: Carboxin**

*Permitted residue: Carboxin*

Cereal grains	0.1
---------------	-----

**Agvet chemical: Carfentrazone-ethyl**

*Permitted residue: Carfentrazone-ethyl*

Assorted tropical and sub-tropical fruits – edible peel	*0.05
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits [except grapes]	T*0.05
Cereal grains	*0.05
Citrus fruits	*0.05

Cotton seed	T*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Grapes	*0.05
Hops, dry	0.1
Meat (mammalian)	*0.05
Milks	*0.025
Pome fruits	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Stone fruits	*0.05
Tree nuts	*0.05

**Agvet chemical: Ceftiofur**

*Permitted residue: Desfuroylceftiofur*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.1

**Agvet chemical: Cefuroxime**

*Permitted residue: Inhibitory substance, identified as cefuroxime*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

**Agvet chemical: Cephalonium**

*Permitted residue: Inhibitory substance, identified as cephalonium*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.02

**Agvet chemical: Cephapirin**

*Permitted residue: Cephapirin and des-acetylcephapirin, expressed as cephapirin*

Cattle, edible offal of	*0.02
Cattle meat	*0.02
Cattle milk	*0.01

**Agvet chemical: Chinomethionat**

see Oxythioquinox

**Agvet chemical: Chlorantraniliprole**

*Permitted residue—plant commodities and animal commodities other than milk: Chlorantraniliprole*

*Permitted residue—milk: Sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole*

Adzuki bean (dry)	T0.5
All other foods	*0.01
Almonds	T0.05
Asparagus	13
Avocado	4
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Berries and other small fruits [except blueberries]	2.5
Blueberries	T3
Celery	5
Cherries	1
Chick-pea (dry)	0.07
Citrus fruits	1.4
Coffee beans	0.4
Cotton seed	0.3
Coriander (leaves, roots, stems)	T20
Dried fruits	2
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.03
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits [except peppers, chili; sweet corn (corn-on-the-cob)]	0.3
Herbs	T20
Hops, dry	90
Leafy vegetables [except lettuce, head; rucola]	15
Legume vegetables	2
Lettuce, head	3
Linseed	T0.5
Liver (mammalian)	0.02
Meat (mammalian) (in the fat)	0.02
Mexican tarragon	T20
Milk fats	0.1
Milks	*0.01
Mung bean (dry)	0.7
Peanuts	0.06
Peppers, chili	1
Pistachio nut	T0.05
Plums	1
Pome fruits	1.2
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	2
Rhubarb	5

Rice	0.15
Root and tuber vegetables	T0.05
Rucola (rocket)	T20
Safflower seed	T0.5
Soya bean (dry)	0.07
Stone fruits [except cherries and plums]	4
Sunflower seed	2
Sweet corn (corn-on-the-cob)	*0.01
Tree nuts [except almonds; pistachio nut; walnuts]	0.02
Walnuts	T0.05

**Agvet chemical: Chlorfenapyr**

*Permitted residue: Chlorfenapyr*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Brassica leafy vegetables [except Chinese cabbage]	T3
Chinese cabbage	3
Cotton seed	0.5
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian) (in the fat)	0.05
Milks	*0.01
Mizuna	T3
Onion, Welsh	T1
Peach	1
Peppers, chili	0.01
Pome fruits	0.5
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rucola (rocket)	T5
Shallot	T1
Spices	0.05
Spring onion	T1
Tea, green, black	50

**Agvet chemical: Chlorfenvinphos**

*Permitted residue: Chlorfenvinphos, sum of E and Z isomers*

Cattle, edible offal of	T*0.1
Cattle meat (in the fat)	T0.2
Cattle milk (in the fat)	T0.2
Deer meat (in the fat)	0.2
Goat, edible offal of	T*0.1
Goat meat (in the fat)	T0.2
Sheep, edible offal of	T*0.1
Sheep meat (in the fat)	T0.2

**Agvet chemical: Chlorfluazuron**

*Permitted residue: Chlorfluazuron*

Cattle, edible offal of	0.1
Cattle meat (in the fat)	1
Cattle milk	0.1
Cotton seed	0.1

Cotton seed oil, crude	0.1
Cotton seed oil, edible	*0.05
Eggs	0.2
Poultry, edible offal of	0.1
Poultry meat (in the fat)	1

**Agvet chemical: Chlorhexidine**

*Permitted residue: Chlorhexidine*

Milks	0.05
Sheep, edible offal of	*0.5
Sheep fat	*0.5
Sheep meat	*0.5

**Agvet chemical: Chloridazon**

*Permitted residue: Chloridazon*

Beetroot	*0.05
Beetroot leaves	1
Chard (silver beet)	1
Spinach	1

**Agvet chemical: Chlormequat**

*Permitted residue: Chlormequat cation*

Barley	T2
Dried grapes	0.75
Edible offal (mammalian)	0.5
Eggs	0.1
Grapes	0.75
Meat (mammalian)	0.2
Milks	0.5
Poultry, edible offal of	0.1
Poultry meat	*0.05
Wheat	5

**Agvet chemical: Chloropicrin**

*Permitted residue: Chloropicrin*

Cereal grains	*0.1
---------------	------

**Agvet chemical: Chlorothalonil**

*Permitted residue—commodities of plant origin: Chlorothalonil*

*Permitted residue—commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite, expressed as chlorothalonil*

Almonds	T0.1
Apricot	7
Asparagus	T*0.1
Banana	3
Berries and other small fruits [except blackcurrant; grapes]	T10
Brussels sprouts	7
Carrot	7
Celery	10
Cherries	10

Coriander (leaves, roots, stems)	T20	<b>Agvet chemical: Chlorpyrifos</b>	
Currant, black	10	<i>Permitted residue: Chlorpyrifos</i>	
Edible offal (mammalian)	7		
Egg plant	T10	Asparagus	T0.5
Fennel, bulb	5	Avocado	0.5
Fennel, leaf	5	Banana	T0.5
Fennel, seed	5	Blackberries	0.5
Fruiting vegetables, cucurbits	5	Blueberries	*0.01
Galangal, Greater	T7	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.5
Galangal, Lesser	T7	Cassava	T*0.02
Garlic	10	Celery	T5
Grapes	10	Cereal grains [except sorghum]	T0.1
Leafy vegetables [except lettuce]	T100	Cherries	1
Leek	T10	Citrus fruits	1
Lettuce, head	T10	Coffee beans	T0.5
Lettuce, leaf	T10	Cotton seed	0.05
Mango	T1	Cotton seed oil, crude	0.2
Meat (mammalian) (in the fat)	2	Cranberry	1
Milks	0.05	Dried fruits	T2
Nectarine	7	Edible offal (mammalian)	T0.1
Onion, bulb	10	Eggs	T*0.01
Onion, Welsh	T10	Ginger, root	*0.02
Papaya (pawpaw)	10	Grapes	T1
Parsley	T20	Kiwifruit	2
Peach	30	Leek	T5
Peanut	0.2	Mango	*0.05
Peas (pods and succulent, immature seeds)	10	Meat (mammalian) (in the fat)	T0.5
Persimmon, American	T5	Milks (in the fat)	T0.2
Persimmon, Japanese	T5	Oilseed [except cotton seed; peanut]	T*0.05
Pistachio nut	T0.1	Olives	T*0.05
Plums (including prunes)	10	Onion, bulb	0.2
Potato	0.1	Parsley	0.05
Poultry, edible offal of	*0.05	Passionfruit	*0.05
Poultry meat	*0.05	Peanut	0.05
Pulses	3	Peppers, chili (dry)	20
Rice	T*0.1	Peppers, sweet	T1
Shallot	T10	Persimmon, American	T1
Spring onion	T10	Persimmon, Japanese	T1
Sunflower seed	T*0.01	Pineapple	T0.5
Tomato	10	Pitaya (dragon fruit)	T*0.05
Tree tomato	T10	Pome fruits	T0.5
Turmeric, root	T7	Potato	0.05
Vegetables [except asparagus; Brussels sprouts; carrot; celery; egg plant; fennel bulb; fruiting vegetables, cucurbits; garlic; leafy vegetables; leek; onion, bulb; peas (pods and succulent, immature seeds); potato; pulses; spring onion; tomato]	T7	Poultry, edible offal of	T0.1
Wasabi	T7	Poultry meat (in the fat)	T0.1
<b>Agvet chemical: Chlorpropham</b>		Sorghum	T3
<i>Permitted residue: Chlorpropham</i>		Spices	5
Garlic	*0.05	Star apple	T*0.05
Onion, bulb	*0.05	Stone fruits [except cherries]	T1
Potato	30	Strawberry	0.3
		Sugar cane	T0.1
		Swede	T0.3
		Sweet potato	T0.05
		Taro	0.05
		Tea, green, black	2
		Tomato	T0.5

Tree nuts	T0.05	Poultry meat	*0.05
Vegetables [except asparagus; brassica vegetables; cassava; celery; leek; peppers, chili (dry); peppers, sweet; potato; swede; sweet potato; taro; tomato]	T*0.01	Vegetables [except as otherwise listed under this chemical]	5
<b>Agvet chemical: Chlorpyrifos-methyl</b>		<b>Agvet chemical: Clavulanic acid</b>	
<i>Permitted residue: Chlorpyrifos-methyl</i>		<i>Permitted residue: Clavulanic acid</i>	
Cereal grains [except rice]	10	Cattle, edible offal of	*0.01
Cotton seed	*0.01	Cattle meat	*0.01
Edible offal (mammalian)	*0.05	Cattle milk	*0.01
Eggs	*0.05	<b>Agvet chemical: Clethodim</b>	
Lupin (dry)	10	see Sethoxydim	
Meat (mammalian) (in the fat)	*0.05	<i>Residues arising from the use of clethodim are covered by MRLs for sethoxydim</i>	
Milks (in the fat)	*0.05	<b>Agvet chemical: Clodinafop-propargyl</b>	
Poultry, edible offal of	*0.05	<i>Permitted residue: Clodinafop-propargyl</i>	
Poultry meat (in the fat)	*0.05	Barley	T*0.02
Rice	0.1	Edible offal (mammalian)	*0.05
Strawberry	0.5	Eggs	*0.05
Tea, green, black	0.1	Meat (mammalian)	*0.05
Wheat bran, unprocessed	20	Milks	*0.05
Wheat germ	30	Poultry, edible offal of	*0.05
<b>Agvet chemical: Chlorsulfuron</b>		Poultry meat	*0.05
<i>Permitted residue: Chlorsulfuron</i>		Wheat	*0.05
Cereal grains	*0.05	<b>Agvet chemical: Clodinafop acid</b>	
Edible offal (mammalian)	*0.05	<i>Permitted residue: (R)-2-[4-(5-chloro-3-fluoro-2- pyridinyloxy) phenoxy] propanoic acid</i>	
Meat (mammalian)	*0.05	Barley	T*0.02
Milks	*0.05	Edible offal (mammalian)	*0.1
<b>Agvet chemical: Chlortetracycline</b>		Eggs	*0.1
<i>Permitted residue: Inhibitory substance, identified as chlortetracycline</i>		Meat (mammalian)	*0.1
Cattle kidney	0.6	Milks	*0.1
Cattle liver	0.3	Poultry, edible offal of	*0.1
Cattle meat	0.1	Poultry meat	*0.1
Eggs	0.2	Wheat	*0.1
Pig kidney	0.6	<b>Agvet chemical: Clofentezine</b>	
Pig liver	0.3	<i>Permitted residue: Clofentezine</i>	
Pig meat	0.1	Almonds	T0.5
Poultry, edible offal of	0.6	Banana	*0.01
Poultry meat	0.1	Edible offal (mammalian)	T*0.05
<b>Agvet chemical: Chlorthal-dimethyl</b>		Grapes	1
<i>Permitted residue: Chlorthal-dimethyl</i>		Hops, dry	*0.2
Eggs	*0.05	Meat (mammalian)	T*0.05
Edible offal (mammalian)	*0.05	Milks	T*0.05
Meat (mammalian)	*0.05	Pome fruits	0.1
Lettuce, head	2	Stone fruits	0.1
Lettuce, leaf	2	Tomato	T1
Milks	*0.05		
Parsley	T2		
Poultry, edible offal of	*0.05		

<b>Agvet chemical: Clomazone</b>		<b>Agvet chemical: Clorsulon</b>	
<i>Permitted residue: Clomazone</i>		<i>Permitted residue: Clorsulon</i>	
Beans [except broad bean; soya bean]	*0.05	Cattle, edible offal of	*0.1
Common bean (pod and/or immature seeds)	T*0.05	Cattle meat	*0.1
Edible offal (mammalian)	*0.03	Cattle milk	1.5
Eggs	*0.03		
Fruiting vegetables, cucurbits	*0.05	<b>Agvet chemical: Closantel</b>	
Meat (mammalian)	*0.03	<i>Permitted residue: Closantel</i>	
Milks	0.03	Sheep, edible offal of	5
Potato	*0.05	Sheep meat	2
Poultry, edible offal of	0.03		
Poultry meat	0.03	<b>Agvet chemical: Clothianidin</b>	
Rape seed (canola)	0.01	<i>Permitted residue: Clothianidin</i>	
Rice	*0.01	All other foods except animal food commodities	0.02
<b>Agvet chemical: Clopyralid</b>		Banana	*0.02
<i>Permitted residue: Clopyralid</i>		Blueberries	T*0.01
All other foods except animal food commodities	0.1	Cherimoya	T2
Blueberries	0.5	Citrus fruits	T0.2
Cauliflower	T0.2	Common bean (dry) (navy bean)	T0.1
Cereal grains	2	Cotton seed	*0.02
Cherries	0.5	Cranberry	0.07
Cranberry	4	Custard apple	T2
Currants, black, red, white	0.5	Dried grapes	10
Edible offal (mammalian) [except kidney]	0.5	Edible offal (mammalian)	*0.02
Hops, dry	5	Eggs	*0.02
Kidney of cattle, goats, pigs and sheep	5	Fruiting vegetables, cucurbits	T0.5
Meat (mammalian)	0.1	Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T0.7
Milks	0.05	Grapes [except wine grapes]	3
Poppy seed	T1	llama	T2
Rape seed (canola)	0.5	Maize	*0.01
Raspberries, red, black	0.5	Mango	T2
Strawberry	4	Meat (mammalian)	*0.02
<b>Agvet chemical: Cloquintocet acid</b>		Milks	*0.01
<i>see Cloquintocet mexyl</i>		Mung bean (dry)	T0.1
<i>Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl</i>		Olives	T0.5
<b>Agvet chemical: Cloquintocet-mexyl</b>		Persimmon, American	2
<i>Permitted residue: Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxycetic acid, expressed as cloquintocet mexyl</i>		Persimmon, Japanese	2
Cereal grains	*0.1	Pome fruits	2
Edible offal (mammalian)	*0.1	Popcorn	*0.01
Eggs	*0.1	Poultry, edible offal of	*0.02
Meat (mammalian)	*0.1	Poultry meat	*0.02
Milks	*0.1	Rape seed (canola)	*0.01
Poppy seed	T*0.02	Sorghum	*0.01
Poultry, edible offal of	*0.1	Soursop	T2
Poultry meat	*0.1	Soya bean (dry)	T0.02
		Spices	0.05
		Stone fruits	3
		Sugar apple	T2
		Sugar cane	0.1
		Sunflower seed	*0.01



Sweet corn (corn-on-the-cob)	0.02
Tea, green, black	T0.7
Wine grapes	*0.02

---

**Agvet chemical: Cloxacillin**

*Permitted residue: Inhibitory substance, identified as Cloxacillin*

Cattle milk	*0.01
-------------	-------

---

**Agvet chemical: Coumaphos**

*Permitted residue: Sum of coumaphos and its oxygen analogue, expressed as coumaphos*

Cattle fat	*0.02
Cattle kidney	*0.02
Cattle liver	*0.02
Cattle milk	*0.01
Cattle milk fat	0.1
Cattle muscle	*0.02

---

**Agvet chemical: Coumatetralyl**

*Permitted residue: Coumatetralyl*

Pig, edible offal of [except liver]	T0.003
Pig fat	T*0.001
Pig liver	T0.004
Pig meat	T*0.001

---

**Agvet chemical: Cyanamide**

*Permitted residue: Cyanamide*

Apple	*0.02
Blueberries	*0.05
Grapes	*0.05
Kiwifruit	*0.1
Pear, Oriental (nashi)	*0.1
Plums (including prunes)	*0.02
Walnuts	T*0.02

---

**Agvet chemical: Cyanazine**

*Permitted residue: Cyanazine*

Bulb vegetables	*0.02
Cereal grains	*0.01
Leek	0.05
Peas	0.02
Podded pea (young pods) (snow and sugar snap)	0.05
Potato	0.02
Pulses	*0.01
Sweet corn (corn-on-the-cob)	*0.02

---

**Agvet chemical: Cyantraniliprole**

*Permitted residue: Cyantraniliprole*

All other foods	0.05
Apple	1.5

Apricot	0.5
Blueberries	4
Bulb vegetables [except onion, bulb]	7
Cherries	6
Citrus fruits	0.7
Cotton seed	*0.01
Cranberry	4
Currants, black, red	4
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	2
Gooseberry	4
Meat (mammalian) (in the fat)	*0.01
Milk fats	*0.01
Milks	*0.01
Oilseed	1.5
Onion, bulb	0.05
Peach	1.5
Pear	1.5
Plums (including prunes)	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Sweet potato	T0.05

---

**Agvet chemical: Cyazofamid**

*Permitted residue: Cyazofamid*

Broccoli	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Hops, dry	10
Meat (mammalian)	*0.01
Milks	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Cyclanilide**

*Permitted residue: Sum of cyclanilide and its methyl ester, expressed as cyclanilide*

Cotton seed	0.2
Cotton seed oil, crude	*0.01
Edible offal (mammalian)	2
Eggs	*0.01
Meat (mammalian)	0.05
Milks	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Cyclaniliprole**

*Permitted residue: Cyclaniliprole*

Apple	0.1
-------	-----

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Cycloxydim**

*Permitted residue: Cycloxydim, metabolites and degradation products which can be oxidized to 3-(3-thianyl) glutaric acid S-dioxide and 3-hydroxy-3-(3-thianyl) glutaric acid S-dioxide, expressed as cycloxydim*

Beans (dry)	30
Beans (green pods and immature seeds) [except broad bean; soya bean]	15
Carrot	5
Grapes	0.3
Leek	4
Linseed	7
Maize	0.2
Onion, bulb	3
Peas (dry)	30
Peas, shelled (succulent seeds)	15
Potato	15
Rape seed (canola)	3
Rice	0.09
Soya bean (dry)	80
Stone fruits	0.09
Strawberry	3
Sugar beet	0.2
Sunflower seed	6
Tomato	1.5

---

**Agvet chemical: Cyflufenamid**

*Permitted residue: Cyflufenamid*

Dried grapes (currants, raisins and sultanas)	0.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.1
Grapes	0.15
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Strawberry	T*0.01

---

**Agvet chemical: Cyflumetofen**

*Permitted residue: Cyflumetofen*

Citrus fruits	0.3
Grapes	0.6
Pome fruits	0.4
Strawberry	0.6
Tomato	0.3

Tree nuts	0.01
-----------	------

---

**Agvet chemical: Cyfluthrin**

*Permitted residue: Cyfluthrin, sum of isomers*

All other foods except animal food commodities	0.05
Avocado	0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Carambola	T0.1
Cereal grains	2
Chia	T0.5
Citrus fruits	0.2
Cotton seed	0.01
Cotton seed oil, crude	0.02
Custard apple	T0.1
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	*0.01
Grapes	1
Hops, dry	20
Legume vegetables	0.5
Lemon aspen	T1
Litchi	T0.3
Macadamia nuts	0.05
Mango	T0.1
Mammalian fats [except milk fats]	0.5
Meat (mammalian)	0.02
Milks	0.1
Okra	T0.2
Papaya (pawpaw)	T0.2
Pecan	T0.05
Peppers, sweet	T0.2
Persimmon, American	T0.1
Persimmon, Japanese	T0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.5
Rape seed (canola)	*0.05
Stone fruits	0.3
Tomato	0.2
Wheat bran, unprocessed	5

---

**Agvet chemical: Cyhalofop-butyl**

*Permitted residue: Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rice	*0.01

<b>Agvet chemical: Cyhalothrin</b>	
<i>Permitted residue: Cyhalothrin, sum of isomers</i>	
Barley	0.2
Beetroot	*0.01
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1
Cereal grains [except barley; sorghum; wheat]	*0.01
Chard	T0.5
Citrus fruits	*0.01
Coriander (leaves, roots, stems)	T1
Cotton seed	*0.02
Cucumber	T0.05
Edible offal (mammalian)	*0.02
Eggs	*0.02
Garlic	*0.05
Hops, dry	10
Legume vegetables	0.1
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.5
Onion, bulb	*0.05
Onion, Welsh	T0.05
Parsley	T1
Podded pea (young pods) (snow and sugar snap)	0.2
Potato	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses [except soya bean (dry)]	0.2
Radish	*0.01
Rape seed (canola)	0.02
Shallot	T0.05
Sorghum	0.5
Soya bean (dry)	*0.02
Spring onion	T0.05
Stone fruits	0.5
Sunflower seed	*0.01
Tea, green, black	1
Tomato	0.02
Wheat	*0.05

<b>Agvet chemical: Cypermethrin</b>	
<i>Permitted residue: Cypermethrin, sum of isomers</i>	
Adzuki bean (dry)	T0.05
All other foods	*0.01
Asparagus	0.5
Avocado	T0.2
Beetroot	T0.1
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Broad bean (dry) (fava bean)	0.05
Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.5

Celery	T1
Cereal grains [except wheat]	1
Chick-pea (dry)	0.2
Citrus fruits [except kumquats]	0.3
Common bean (dry) (navy bean)	0.05
Coriander (leaves, roots, stems)	T5
Coriander, seed	T1
Cotton seed	0.2
Cotton seed oil, crude	*0.02
Cumin seed	0.5
Deer meat (in the fat)	T0.5
Durian	1
Eggs	0.05
Field pea (dry)	0.05
Fruiting vegetables, cucurbits	T0.3
Fruiting vegetables, other than cucurbits [except sweet corn (corn on the cob); tomato]	T1
Goat, edible offal of	0.05
Goat meat (in the fat)	0.5
Grapes	2
Herbs	T5
Horse, edible offal of	*0.05
Horse meat (in the fat)	*0.05
Leafy vegetables [except lettuce, head]	T5
Leek	T0.5
Lemon balm	T5
Lentil (dry)	T0.05
Lettuce, head	2
Linola oil, edible	0.1
Linola seed	0.1
Linseed	0.5
Longan	1
Lupin (dry)	*0.01
Milks (in the fat)	1
Mung bean (dry)	0.05
Olives	T*0.05
Onion, bulb	*0.01
Onion, Welsh	T0.5
Peas	1
Peppers, chili	1
Pig, edible offal of	*0.05
Pig meat (in the fat)	*0.05
Persimmon, American	T2
Persimmon, Japanese	T2
Pome fruits	1
Poppy seed	T*0.05
Potato	*0.01
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Radish	T0.05
Rape seed (canola)	0.2
Rape seed oil, edible	0.2
Shallot	T0.5
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5
Soya bean (dry)	0.05

Soya bean oil, crude	0.1
Spring onion	T0.5
Stone fruits	1
Sunflower seed	0.1
Sunflower seed oil, crude	0.1
Sweet corn (corn-on-the-cob)	0.05
Tea, green, black	0.5
Tomato	0.5
Wheat	0.2

---

**Agvet chemical: Cyproconazole**

*Permitted residue: Cyproconazole, sum of isomers*

All other foods except animal commodities	0.01
Barley	*0.02
Edible offal (mammalian)	1
Eggs	*0.01
Maize	T*0.01
Meat (mammalian)	0.03
Milks	*0.01
Peanut	0.02
Potato	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	T0.07
Rape seed (canola)	T0.02
Wheat	*0.02

---

**Agvet chemical: Cyprodinil**

*Permitted residue: Cyprodinil*

All other foods except animal food commodities	0.05
Almonds	*0.01
Blackberries	10
Blueberries	3
Boysenberry	10
Broad bean (dry)	T0.2
Bulb vegetables [except fennel, bulb; garlic; onion, bulb]	T3
Chick-pea (dry)	T0.2
Chives	T3
Cloudberry	T3
Common bean (pods and/or immature seeds)	0.7
Cucumber	0.5
Currants, black, red, white	5
Dewberries (including boysenberry and loganberry) [except boysenberry]	T3
Dried grapes (currants, raisins and sultanas)	5
Dried stone fruits	0.05
Edible offal (mammalian)	*0.01
Egg plant	T0.2
Eggs	T*0.01
Grapes	3
Leafy vegetables	10

Litchi	T2
Meat (mammalian)	*0.01
Melons, except watermelon	T0.2
Milks	*0.01
Onion, bulb	0.2
Peas (pods and succulent, immature seeds)	0.5
Peppers, sweet	0.7
Pistachio nut	T0.1
Pome fruits	2
Poultry, edible offal of	T*0.01
Poultry meat	T*0.01
Raspberries, red, black	10
Stone fruits	2
Strawberry	5
Tomato	T1

---

**Agvet chemical: Cyromazine**

*Permitted residue: Cyromazine*

All other foods except animal food commodities	0.05
Cattle, edible offal of	0.05
Cattle meat	0.05
Eggs	0.2
Goat, edible offal of	0.2
Goat meat	0.2
Milks	*0.01
Mushrooms	10
Pig, edible offal of	0.05
Pig meat	0.05
Podded pea (young pods) (snow and sugar snap)	0.5
Poultry, edible offal of	0.1
Poultry meat	0.05
Sheep, edible offal of	0.2
Sheep meat	0.2

---

**Agvet chemical: 2,4-D**

*Permitted residue: 2,4-D*

Cereal grains	0.2
Citrus fruits	5
Edible offal (mammalian)	2
Eggs	*0.05
Grapes	T*0.05
Legume vegetables	*0.05
Lupin (dry)	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Oilseed	*0.05
Pear	*0.05
Potato	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.05
Sugar cane	5

<b>Agvet chemical: 2,4-DB</b>	
<i>Permitted residue: 2,4-DB</i>	
Cereal grains	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.05
Meat (mammalian)	0.2
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
<b>Agvet chemical: Decoquinat</b>	
<i>Permitted residue: Decoquinat</i>	
Chicken kidney	0.8
Chicken liver	1
Chicken meat	0.5
Chicken fat/skin	1
<b>Agvet chemical: Deltamethrin</b>	
<i>Permitted residue: Deltamethrin</i>	
All other foods except animal food commodities	0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Cattle, edible offal of	0.1
Cattle meat (in the fat)	0.5
Cereal grains	2
Currants, black, red, white	0.5
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.1
Goat, edible offal of	0.1
Goat meat (in the fat)	0.2
Legume vegetables	0.1
Milks	0.05
Oilseed	0.1
Pig, edible offal of	*0.01
Pig meat (in the fat)	0.1
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Pulses	0.1
Raspberries, red, black	0.5
Sheep, edible offal of	0.1
Sheep meat (in the fat)	0.2
Sweet corn (kernels)	0.1
Tea, green, black	5
Wheat bran, unprocessed	5
Wheat germ	3
<b>Agvet chemical: Derquantel</b>	
<i>Permitted residue: Derquantel</i>	
Sheep fat	0.0002
Sheep kidney	0.0002
Sheep liver	0.0002

Sheep muscle	0.0002
<b>Agvet chemical: Dexamethasone and Dexamethasone trimethylacetate</b>	
<i>Permitted residue: Dexamethasone</i>	
Cattle, edible offal of	0.1
Cattle meat	0.1
Cattle milk	*0.05
Horse, edible offal of	0.1
Horse meat	0.1
Pig, edible offal of	0.1
Pig meat	0.1
<b>Agvet chemical: Diafenthiuron</b>	
<i>Permitted residue: Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron</i>	
Cotton seed	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Peanut	T0.1
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
<b>Agvet chemical: Diazinon</b>	
<i>Permitted residue: Diazinon</i>	
Cereal grains	0.1
Citrus fruits	0.7
Coriander (leaves, roots, stems)	*0.05
Coriander, seed	*0.05
Edible offal (mammalian)	0.7
Eggs	*0.05
Fruit [except as otherwise listed under this chemical]	0.5
Kiwifruit	0.5
Meat (mammalian) (in the fat)	0.7
Milks (in the fat)	0.5
Olive oil, crude	2
Parsley	*0.05
Peach	0.7
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Shallot	T0.5
Spring onion	T0.5
Sugar cane	0.5
Sweet corn (corn-on-the-cob)	0.7
Tree nuts	0.1
Vegetable oils, crude [except olive oil, virgin]	0.1
Vegetables	0.7

<b>Agvet chemical: Dicamba</b>		Milks	*0.01
<i>Permitted residue: Dicamba</i>		Poultry, edible offal of	*0.05
		Poultry meat	*0.02
Cereal grains	*0.05	<b>Agvet chemical: Dichlorvos</b>	
Edible offal (mammalian)	0.05	<i>Permitted residue: Dichlorvos</i>	
Eggs	*0.05	Cereal grains	*0.01
Meat (mammalian)	0.05	Coffee beans	2
Milks	0.1	Edible offal (mammalian)	*0.01
Poultry, edible offal of	*0.05	Eggs	*0.01
Poultry meat	*0.05	Meat (mammalian)	*0.01
Sugar cane	0.1	Milks	*0.01
Sugar cane molasses	2	Oilseed [except peanut]	*0.01
<b>Agvet chemical: Dicamba</b>		Poultry, edible offal of	*0.01
<i>Permitted residue: Sum of dicamba, 3,6-dichloro-5-hydroxy-2-methoxybenzoic acid and 3,6-dichloro-2-hydroxybenzoic acid, expressed as dicamba</i>		Poultry meat	*0.01
Soya bean	10	Pulses	*0.01
<b>Agvet chemical: Dichlobenil</b>		<b>Agvet chemical: Diclofop-methyl</b>	
<i>Permitted residue: Dichlobenil</i>		<i>Permitted residue: Diclofop-methyl</i>	
Blueberries	T1	Cereal grains	0.1
Citrus fruits	0.1	Edible offal (mammalian)	*0.05
Cranberry	0.1	Eggs	*0.05
Currants, black, red, white	T1	Lupin (dry)	0.1
Gooseberry	T1	Meat (mammalian)	*0.05
Grapes	0.1	Milks	*0.05
Pome fruits	0.1	Oilseed	0.1
Raspberries, red, black	T1	Peas	0.1
Stone fruits	0.1	Poppy seed	0.1
Tomato	0.1	Poultry, edible offal of	*0.05
<b>Agvet chemical: Dichlofluanid</b>		Poultry meat	*0.05
<i>Permitted residue: Dichlofluanid</i>		<b>Agvet chemical: Dicofol</b>	
Berries and other small fruits [except grapes; strawberry]	T50	<i>Permitted residue: Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol</i>	
Grapes	0.5	Almonds	5
Peanut	*0.02	Cotton seed	0.1
Strawberry	10	Cucumber	2
Tomato	1	Fruit [except strawberry]	5
<b>Agvet chemical: 1,3-dichloropropene</b>		Gherkin	2
<i>Permitted residue: 1,3-dichloropropene</i>		Hops, dry	5
Grapes	0.018	Strawberry	1
<b>Agvet chemical: Dichlorprop-P</b>		Tea, green, black	5
<i>Permitted residue: Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid</i>		Tomato	1
Citrus fruits	0.2	Vegetables [except as otherwise listed under this chemical]	5
Edible offal (mammalian)	*0.05	<b>Agvet chemical: Dicyclanil</b>	
Eggs	*0.02	<i>Permitted residue: Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil</i>	
Meat (mammalian)	*0.02	Sheep fat	0.3
		Sheep kidney	0.3
		Sheep liver	0.3
		Sheep meat	0.3

<b>Agvet chemical: Didecyldimethylammonium chloride</b>		<b>Agvet chemical: Diflubenzuron</b>	
<i>Permitted residue: Didecyldimethylammonium chloride</i>		<i>Permitted residue: Diflubenzuron</i>	
Assorted tropical and sub-tropical fruits – inedible peel	20	Cattle, edible offal of	*0.02
<b>Agvet chemical: Dieldrin</b>		Cattle milk	0.05
<i>see Aldrin and Dieldrin</i>		Cereal grains	T2
<b>Agvet chemical: Difenoconazole</b>		Mushrooms	0.1
<i>Permitted residue: Difenoconazole</i>		Sheep kidney	0.05
Anise myrtle (dried)	T10	Sheep liver	0.05
Asparagus	*0.05	Sheep meat (in the fat)	0.05
Avocado	0.5	Sheep milk	0.05
Banana	*0.02	Stone fruits [except cherries]	0.07
Beetroot	0.5	Tea, green, black	0.1
Brassica leafy vegetables	2	Wheat bran, unprocessed	T5
Carrot	2	<b>Agvet chemical: Diflufenican</b>	
Cereal grains	*0.01	<i>Permitted residue: Diflufenican</i>	
Celeriac	T1	Barley	0.05
Celery	3	Edible offal (mammalian)	0.1
Chard (silver beet)	T3	Eggs	*0.02
Cherries	2.5	Grapes	*0.002
Chicory leaves (green and red cultivars)	T3	Meat (mammalian)	0.01
Chives	2	Milks	0.01
Coriander (leaves, roots, stems)	T20	Oats	0.05
Cotton seed	T0.05	Peas	0.05
Currants, black, red, white	0.2	Poultry, edible offal of	*0.02
Dried grapes	6	Poultry meat	*0.02
Edible offal (mammalian)	*0.05	Pulses	0.05
Eggs	*0.05	Rye	0.05
Endive	T3	Triticale	0.05
Grapes	4	Wheat	0.02
Lemon myrtle leaves (dried)	T10	<b>Agvet chemical: Dimethenamid-P</b>	
Macadamia nuts	*0.01	<i>Permitted residue: Sum of dimethenamid-P and its (R)-isomer</i>	
Meat (mammalian)	*0.05	Common bean (pods and/or immature seeds)	*0.02
Milks	*0.01	Edible offal (mammalian)	*0.01
Mizuna	T5	Eggs	*0.01
Papaya (pawpaw)	1	Hops, dry	0.05
Parsley	T20	Maize	*0.02
Pome fruits	0.3	Meat (mammalian)	*0.01
Poppy seed	T*0.01	Milks	*0.01
Potato	4	Onion, bulb	T*0.01
Poultry meat	*0.05	Peas	*0.02
Poultry, edible offal of	*0.05	Poppy seed	*0.01
Riberry	T1	Poultry, edible offal of	*0.01
Spinach	T3	Poultry meat	*0.01
Strawberry	0.4	Pulses	*0.02
Tomato	0.5	Pumpkins	*0.02
		Rape seed (canola)	T*0.01
		Sweet corn (corn-on-the-cob)	*0.02

<b>Agvet chemical: Dimethipin</b>			
<i>Permitted residue: Dimethipin</i>			
Cotton seed	0.5	Melons, except watermelon	T5
Cotton seed oil, crude	*0.1	Milks	*0.05
Cotton seed oil, refined	*0.1	Oilseed [except peanut]	0.2
Edible offal (mammalian)	*0.01	Olive oil, refined	T0.1
Eggs	*0.02	Onion, bulb	0.7
Meat (mammalian)	*0.01	Parsnip	T0.3
Milks	*0.01	Peanut	T*0.05
Poultry, edible offal of	*0.01	Peppers, chili	T5
Poultry meat	*0.01	Peppers, sweet	0.7
		Potato	0.1
		Poultry, edible offal of	*0.05
		Poultry meat	*0.05
		Pulses	T0.5
		Radish	T3
		Raspberries, red, black	T5
		Rhubarb	0.7
		Rollinia	5
		Santols	5
		Squash, summer (including zucchini)	0.7
		Stone fruits [except cherries]	T*0.02
		Strawberry	0.02
		Sweet corn (corn-on-the-cob)	T0.3
		Sweet potato	0.1
		Tomato	0.02
		Turnip, garden	*0.2
		Watermelon	T5
		Wheat bran, processed	T1
<b>Agvet chemical: Dimethirimol</b>			
<i>Permitted residue: Dimethirimol</i>			
Fruiting vegetables, cucurbits	1		
<b>Agvet chemical: Dimethoate</b>			
<i>Permitted residue: Sum of dimethoate and omethoate, expressed as dimethoate</i>			
see also <i>Omethoate</i>			
Abiu	5	<b>Agvet chemical: Dimethomorph</b>	
Artichoke, globe	T1	<i>Permitted residue: Sum of E and Z isomers of dimethomorph</i>	
Asparagus	0.02	All other foods except animal food commodities	0.2
Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango]	5	Beetroot	T0.3
Avocado	3	Brassica (cole or cabbage) vegetables, Head cabbage, flowerhead brassicas	6
Banana passionfruit	5	Corn salad (lamb's lettuce)	10
Bearberry	T5	Edible offal (mammalian)	*0.01
Beetroot	T*0.1	Fruiting vegetables, cucurbits	0.5
Bilberry	T5	Fruiting vegetables, other than cucurbits	1.5
Bilberry, bog	T5	Garlic	0.6
Bilberry, red	T5	Grapes	3
Blackberries	T5	Herbs [except parsley]	10
Blueberries	T5	Hops, dry	80
Boysenberry	0.02	Leafy vegetables	30
Broccoli	T0.3	Leek	0.5
Cabbages, head	T0.2	Lima bean (young pods and/or immature seeds)	0.6
Cactus fruit	5	Meat (mammalian)	*0.01
Carrot	T0.3	Milks	*0.01
Cauliflower	T0.3	Mizuna	T10
Celery	T0.5	Onion, bulb	0.6
Cereal grains	T0.05	Onion, Welsh	2
Cherries	T0.2	Parsley	T20
Citrus fruits	5	Peas	1
Cranberry	T5		
Edible offal (mammalian)	0.1		
Egg plant	T0.2		
Eggs	*0.05		
Elderberries	0.02		
Grapes	T*0.1		
Legume vegetables	T2		
Mango	1		
Meat (mammalian)	*0.05		



Poppy seed	*0.02
Potato	0.05
Radish	T0.3
Shallot	0.6
Spices	0.05
Spring onion	15

---

**Agvet chemical: Dinitolmide**

*Permitted residue: Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents*

Poultry, edible offal of	6
Poultry fats	2
Poultry meat	3

---

**Agvet chemical: Dinitro-o-toluamide**

*see Dinitolmide*

---

**Agvet chemical: Dinotefuran**

*Permitted residue—commodities of plant origin: Dinotefuran*

*Permitted residue—commodities of animal origin: Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran*

Cotton seed	0.1
Cranberry	0.2
Edible offal (mammalian)	*0.02
Eggs	*0.02
Grapes	0.9
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

---

**Agvet chemical: Diphenylamine**

*Permitted residue: Diphenylamine*

Apple	10
Edible offal (mammalian) [except liver]	*0.01
Eggs	0.05
Liver of cattle, goats, pigs and sheep	0.05
Meat (mammalian) (in the fat)	*0.01
Milks (in the fat)	*0.01
Pear	7
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

---

**Agvet chemical: Diquat**

*Permitted residue: Diquat cation*

Anise myrtle leaves	T0.5
Barley	5
Beans [except broad bean; soya bean]	1
Broad bean (green pods and/or immature seeds)	1

Edible offal (mammalian)	*0.05
Eggs	*0.01
Fruit	*0.05
Hops, dry	T0.2
Lemon myrtle leaves	T0.5
Linseed	*0.01
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper ( <i>Tasmannia lanceolata</i> ) leaves	T0.5
Oats	5
Oilseed [except linseed; poppy seed]	5
Onion, bulb	0.1
Peas	0.1
Poppy seed	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Quinoa	T5
Rice	5
Rice, polished	1
Rye	2
Sorghum	2
Sugar beet	0.1
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Triticale	2
Vegetable oils, crude	1
Vegetables [except beans; broad bean; onion, bulb; peas; potato; pulses; sugar beet]	*0.05
Wheat	2

---

**Agvet chemical: Dithianon**

*Permitted residue: Dithianon*

Blueberries	T7
Fruits [except blueberries]	2

---

**Agvet chemical: Dithiocarbamates**

*Permitted residue: Total dithiocarbamates, determined as carbon disulphide evolved during acid digestion and expressed as milligrams of carbon disulphide per kilogram of food*

Almonds	3
Asparagus	T1
Avocado	7
Banana	T15
Beans [except broad bean; soya bean]	2
Beetroot	1
Berries and other small fruits [except strawberry]	T10
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2

Broad bean (green pods and immature seeds)	2	Walnuts	T*0.2
Bulb vegetables [except garlic; onion, bulb]	T10	Wasabi	T2
Carrot	1	<b>Agvet chemical: Diuron</b>	
Celery	5	<i>Permitted residue: Sum of diuron and 3,4-dichloroaniline, expressed as diuron</i>	
Cereal grains	0.5	Asparagus	2
Citrus fruits	T7	Cereal grains	0.1
Coconut	5	Cotton seed oil, crude	0.5
Coffee beans	5	Edible offal (mammalian)	3
Common bean (pods and/or immature seeds)	2	Fruit	0.5
Cotton seed	10	Meat (mammalian)	0.1
Custard apple	5	Milks	0.1
Edible offal (mammalian)	2	Oilseed	0.5
Eggs	*0.5	Pulses	*0.05
Fig	3	Sugar cane	0.2
Fruiting vegetables, cucurbits	2	<b>Agvet chemical: Dodine</b>	
Fruiting vegetables, other than cucurbits [except roselle]	3	<i>Permitted residue: Dodine</i>	
Garlic	4	Cherries	3
Ginger, root	T3	Pome fruits	5
Herbs [except parsley]	T5	Stone fruits [except cherries]	*0.05
Hops	T10	<b>Agvet chemical: Doramectin</b>	
Leafy vegetables	5	<i>Permitted residue: Doramectin</i>	
Litchi	5	Cattle, edible offal of	0.1
Macadamia nuts	*0.2	Cattle fat	0.1
Mango	7	Cattle meat	0.01
Meat (mammalian)	*0.5	Cattle milk	0.05
Milks	*0.2	Pig kidney	0.03
Olives	T2	Pig liver	0.05
Onion, bulb	4	Pig meat (in the fat)	0.1
Papaya (pawpaw)	5	Sheep, edible offal of	0.05
Parsley	5	Sheep fat	0.1
Parsnip	T1	Sheep meat	0.02
Passionfruit (including granadilla)	3	<b>Agvet chemical: 2,2-DPA</b>	
Peanut	0.2	<i>Permitted residue: 2,2-dichloropropionic acid</i>	
Peas (pods and succulent, immature seeds)	2	Avocado	*0.1
Persimmon, Japanese	3	Banana	*0.1
Pistachio nut	T3	Cereal grains	*0.1
Pome fruits	3	Citrus fruits	*0.1
Pomegranate	3	Cotton seed	*0.1
Poppy seed	*0.2	Currants, black, red, white	15
Potato	1	Edible offal (mammalian)	0.2
Poultry meat	*0.5	Grapes	3
Poultry, edible offal of	*0.5	Meat (mammalian)	0.2
Pulses	0.5	Milks	*0.1
Radish	T1	Papaya (pawpaw)	*0.1
Rhubarb	2	Pecan	*0.1
Roselle (rosella)	5	Pineapple	*0.1
Stone fruits	3	Pome fruits	*0.1
Strawberry	5	Stone fruits	1
Sunflower seed	T*0.05		
Swede	T1		
Tree tomato	T5		
Turnip, garden	T1		

Sugar cane	*0.1
Sunflower seed	*0.1
Vegetables	*0.1

---

**Agvet chemical: EDC**

*see Ethylene dichloride*

---

**Agvet chemical: Emamectin**

*Permitted residue: Sum of emamectin B1a and emamectin B1b*

Beetroot	T0.05
Bergamot	T0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.02
Burnet, salad	T0.05
Celery	T0.2
Chia	T0.05
Coriander (leaves, roots, stems)	T0.05
Coriander, seed	T0.05
Cotton seed	0.005
Dill, seed	T0.05
Edible offal (mammalian)	0.02
Egg plant	T0.1
Fennel, seed	T0.05
Grapes	*0.002
Herbs	T0.05
Kaffir lime leaves	T0.05
Leafy vegetables [except lettuce, head; lettuce, leaf; mizuna]	T0.5
Lemon grass	T0.05
Lemon verbena (fresh weight)	T0.05
Lettuce, head	0.2
Lettuce, leaf	0.2
Meat (mammalian) (in the fat)	0.01
Milks	*0.001
Milk fats	0.01
Mizuna	T0.5
Parsnip	T0.05
Peppers, sweet	0.01
Podded pea (young pods) (snow and sugar snap)	T0.02
Pulses	*0.01
Radish	T0.05
Rape seed (canola)	*0.01
Strawberry	T0.1
Swede	T0.05
Sweet corn (corn-on-the-cob)	*0.002
Tomato	0.01
Turnip, garden	T0.05

---

**Agvet chemical: Endosulfan**

*Permitted residue: Sum of A- and B- endosulfan and endosulfan sulphate*

Tea, green, black	10
-------------------	----

---



---

**Agvet chemical: Endothal**

*Permitted residue: Endothal*

All other foods except animal food commodities	0.01
Cotton seed	0.1
Hops, dry	0.1
Potato	0.1

---

**Agvet chemical: Enilconazole**

*see Imazalil*

---

**Agvet chemical: Epoxiconazole**

*Permitted residue: Epoxiconazole*

Avocado	0.5
Banana	1
Cereal grains	0.05
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.005
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Wheat bran, unprocessed	0.3
Wheat germ	0.2

---

**Agvet chemical: Eprinomectin**

*Permitted residue: Eprinomectin B1a*

Cattle, edible offal of	2
Cattle fat	0.5
Cattle meat	0.1
Cattle milk	0.03
Deer, edible offal of	2
Deer meat	0.1

---

**Agvet chemical: EPTC**

*Permitted residue: EPTC*

Cereal grains	*0.04
Edible offal (mammalian)	*0.1
Eggs	*0.01
Meat (mammalian)	*0.1
Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	*0.04

---

**Agvet chemical: Erythromycin**

*Permitted residue: Inhibitory substance, identified as erythromycin*

Edible offal (mammalian)	*0.3
Meat (mammalian)	*0.3
Milks	*0.04

Poultry, edible offal of	*0.3
Poultry meat	*0.3

---

**Agvet chemical: Esfenvalerate**

see Fenvalerate

---

**Agvet chemical: Ethephon**

Permitted residue: Ethephon

---

Apple	1
Banana	T*0.05
Barley	1
Cherries	15
Cotton seed	2
Cotton seed oil, crude	*0.1
Currant, black	1
Edible offal (mammalian)	0.2
Eggs	*0.2
Grapes	10
Kiwifruit	0.1
Lychee	T*0.05
Macadamia nuts	*0.1
Mandarins	2
Mango	T*0.02
Meat (mammalian)	0.1
Milks	0.1
Nectarine	0.01
Olives	T20
Oranges, sweet, sour	2
Papaya	T1
Peach	0.5
Pineapple	2
Poultry, edible offal of	*0.2
Poultry meat	*0.1
Sugar cane	0.5
Sugar cane molasses	7
Tomato	2
Walnuts	T5
Wheat	T1

---

**Agvet chemical: Ethion**

Permitted residue: Ethion

---

Cattle, edible offal of	2.5
Cattle meat (in the fat)	2.5
Citrus fruits	1
Cotton seed	0.1
Cotton seed oil, crude	0.05
Grapes	2
Milks (in the fat)	0.5
Pome fruits	1
Stone fruits	1
Tea, green, black	5

---

**Agvet chemical: Ethofumesate**

Permitted residue: Ethofumesate

---

Beetroot	0.1
Bulb vegetables	*0.1
Chard (silver beet)	1
Edible offal (mammalian)	0.5
Meat (mammalian) (in the fat)	0.5
Milks (in the fat)	0.2
Poppy seed	*0.02
Spinach	T1
Sugar beet	0.1

---

**Agvet chemical: Ethopabate**

Permitted residue: Ethopabate

---

Poultry, edible offal of	15
Poultry meat	5

---

**Agvet chemical: Ethoprophos**

Permitted residue: Ethoprophos

---

Banana	*0.05
Cereal grains	*0.005
Custard apple	*0.02
Hops, dry	0.02
Litchi	*0.02
Potato	*0.02
Sugar cane	*0.1
Sweet potato	*0.02
Tomato	*0.01

---

**Agvet chemical: Ethoxyquin**

Permitted residue: Ethoxyquin

---

Crustaceans	1
Diadromous fish	1
Edible offal (mammalian)	1
Eggs	0.1
Freshwater fish	1
Marine fish	1
Meat (mammalian)	0.5
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.5

---

**Agvet chemical: Ethoxysulfuron**

Permitted residue—commodities of plant origin:  
Ethoxysulfuron

Permitted residue—commodities of animal origin: 2-amino-4, 6-dimethoxypyrimidine, expressed as ethoxysulfuron

---

Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01
Sugar cane	*0.01

<b>Agvet chemical: Ethyl formate</b>	
<i>Permitted residue: Ethyl formate</i>	
Dried fruits	1
<b>Agvet chemical: Ethylene dichloride (EDC)</b>	
<i>Permitted residue: 1,2-dichloroethane</i>	
Cereal grains	*0.1
<b>Agvet chemical: Etofenprox</b>	
<i>Permitted residue: Etofenprox</i>	
Hops, dry	5
<b>Agvet chemical: Etoxazole</b>	
<i>Permitted residue: Etoxazole</i>	
Almonds	*0.01
Banana	0.2
Cherries	1
Chervil	T1
Citrus fruits	0.5
Coriander (leaves, roots, stems)	T1
Cotton seed	0.2
Custard apple	T0.1
Dried grapes	1.5
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, other than cucurbits	0.05
Fruiting vegetables, cucurbits	T0.1
Grapes	0.5
Herbs	T1
Hops, dry	7
Ivy gourd	T0.1
Maize	T*0.01
Mango	T0.1
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Mizuna	T1
Papaya	T0.1
Podded pea (young pods) (snow and sugar snap)	T0.1
Pointed gourd	T0.1
Pome fruits	0.2
Popcorn	T*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.02
Rucola (Rocket)	T1
Stone fruits [except cherries]	0.3
Tea, green, black	15
<b>Agvet chemical: Etridiazole</b>	
<i>Permitted residue: Etridiazole</i>	
Beetroot	*0.02
Cotton seed	*0.02

Peanut	*0.02
Vegetables [except as otherwise listed under this chemical]	0.2

<b>Agvet chemical: Famoxadone</b>	
<i>Permitted residue: Famoxadone</i>	
Dried grapes (currants, raisins and sultanas)	5
Hops, dry	80

<b>Agvet chemical: Fenamiphos</b>	
<i>Permitted residue: Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos</i>	
Aloe vera	*0.05
Banana	*0.05
Strawberry	*0.05

<b>Agvet chemical: Fenarimol</b>	
<i>Permitted residue: Fenarimol</i>	
All other foods except animal food commodities	0.05
Berries and other small fruits [except grapes]	T0.1
Cherries	1
Fruiting vegetables, cucurbits	0.2
Grapes	0.1
Hops, dry	5
Pome fruits	0.2

<b>Agvet chemical: Fenbendazole</b>	
<i>Permitted residue: Fenbendazole</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Goat, edible offal of	0.5
Goat meat	0.5
Milks	0.1
Sheep, edible offal of	0.5
Sheep meat	0.5

<b>Agvet chemical: Fenbuconazole</b>	
<i>Permitted residue: Fenbuconazole</i>	
Banana	0.5
Blueberries	0.3
Cranberry	0.5
Edible offal (mammalian)	0.05
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Nectarine	0.5
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Stone fruits [except nectarine]	1
Wheat	*0.01

<b>Agvet chemical: Fenbutatin oxide</b>		Cabbages, head	0.5
<i>Permitted residue: Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide</i>		Cacao beans	0.1
Assorted tropical and sub-tropical fruits – inedible peel	5	Cereal grains	10
Berries and other small fruits [except table grapes]	1	Cherries	0.5
Cherries	6	Edible offal (mammalian)	*0.05
Citrus fruits	5	Eggs	*0.05
Citrus peel	30	Fruit [except as otherwise listed under this chemical]	0.1
Dried grapes	T10	Grapes	0.5
Fig	T10	Lettuce, head	0.5
Grapes [except wine grapes]	5	Lettuce, leaf	0.5
Hops, dry	20	Meat (mammalian)	T*0.05
Nectarine	3	Milks (in the fat)	T*0.05
Peach	3	Oilseed	0.1
Pome fruits	3	Poultry, edible offal of	*0.05
Tomato	T2	Poultry meat	*0.05
<b>Agvet chemical: Fenhexamid</b>		Pulses [except soya bean (dry)]	0.1
<i>Permitted residue: Fenhexamid</i>		Rice, polished	0.1
All other foods except animal food commodities	0.1	Soya bean (dry)	0.3
Blackberries	T20	Sugar cane	0.02
Blueberries	5	Tea, green, black	0.5
Chervil	T15	Tomato	0.5
Cloudberry	T20	Tree nuts	0.1
Coriander (leaves, roots, stems)	T15	Vegetables [except as otherwise listed under this chemical]	0.1
Cucumber	T10	Wheat bran, unprocessed	20
Dewberries (including boysenberry, loganberry and youngberry)	T20	Wheat germ	20
Dried grapes	20	<b>Agvet chemical: Fenoxaprop-ethyl</b>	
Edible offal (mammalian)	2	<i>Permitted residue: Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl</i>	
Grapes	10	Barley	*0.01
Herbs	T15	Chick-pea (dry)	*0.01
Kiwifruit	15	Edible offal (mammalian)	0.2
Lettuce, head	T50	Eggs	*0.02
Lettuce, leaf	T50	Meat (mammalian)	0.05
Meat (mammalian) (in the fat)	*0.05	Milks	0.02
Milks	*0.01	Poultry, edible offal of	*0.1
Mizuna	T15	Poultry meat	*0.01
Peas (pods and succulent, immature seeds)	T5	Rice	T*0.02
Peppers	T30	Rye	*0.01
Plums (including prunes)	1.5	Triticale	*0.01
Raspberries, red, black	T20	Wheat	*0.01
Rucola (rocket)	T15	<b>Agvet chemical: Fenoxycarb</b>	
Stone fruits [except plums]	10	<i>Permitted residue: Fenoxycarb</i>	
Strawberry	10	Currant, black	T2
Tomato	T2	Currant, red	T2
<b>Agvet chemical: Fenitrothion</b>		Gooseberry	T2
<i>Permitted residue: Fenitrothion</i>		Olive oil, virgin	T3
Apple	0.5	Olives	T1
		Pome fruits	2

<b>Agvet chemical: Fenpropathrin</b>		Coffee beans	*0.1
<i>Permitted residue: Fenpropathrin</i>		Peanut	*0.05
Blueberries	3	Pecan	*0.05
Cherries	5	Potato	0.1
Citrus fruits	2	Rice	*0.1
Grapes	5	Sugar beet	0.2
Stone fruits [except cherries]	1.4		
Tea, green, black	2		
<b>Agvet chemical: Fenpropimorph</b>		<b>Agvet chemical: Fenvalerate</b>	
<i>Permitted residue: Fenpropimorph</i>		<i>Permitted residue: Fenvalerate, sum of isomers</i>	
Banana	2	All other foods except animal food commodities	0.05
Barley	0.5	Almonds	0.2
Oats	0.5	Berries and other small fruits	1
Wheat	0.5	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
		Brassica leafy vegetables	1
<b>Agvet chemical: Fenpyrazamine</b>		Cereal grains	2
<i>Permitted residue: Fenpyrazamine</i>		Celery	2
Dried grapes (currants, raisins and sultanas)	10	Dried grapes	0.5
Edible offal (mammalian)	*0.01	Edible offal (mammalian)	0.05
Eggs	*0.01	Eggs	0.02
Meat (mammalian)	*0.01	Grapes	0.1
Milks	*0.005	Legume vegetables	0.5
Poultry, edible offal of	*0.01	Meat (mammalian) (in the fat)	1
Poultry meat	*0.01	Milks	0.2
Table grapes	3	Oilseed [except peanut]	0.5
Wine grapes	0.05	Olives	T1
		Olive oil, refined	T7
<b>Agvet chemical: Fenpyroximate</b>		Peanut	T0.1
<i>Permitted residue: Fenpyroximate</i>		Poultry, edible offal of	*0.02
All other foods except animal food commodities	0.1	Poultry meat (in the fat)	0.05
Apple	0.3	Pulses	0.5
Cherries	2	Sweet corn (corn-on-the-cob)	0.05
Citrus fruits	0.6	Tea, green, black	0.05
Cranberry	1	Tomato	0.2
Currants, black, red, white	1	Wheat bran, unprocessed	5
Grapes	1		
Hops, dry	10	<b>Agvet chemical: Fipronil</b>	
Pear	0.3	<i>Permitted residue: Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile)</i>	
Raspberries, red, black	1.5	Asparagus	0.2
Stone fruits [except cherries]	0.4	Assorted tropical and sub-tropical fruit – inedible peel [except banana; custard apple]	T*0.01
Strawberry	1	Banana	0.01
Tea, green, black	0.1	Bergamot	T0.1
<b>Agvet chemical: Fentin</b>		Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.05
<i>Permitted residue: Fentin hydroxide, excluding inorganic tin and Di- and Mono-phenyltin</i>		Burnet, salad	T0.1
Cacao beans	*0.1		
Carrot	0.2		
Celeriac	0.1		
Celery	1		

Celery	T0.3
Chervil	T0.1
Citrus fruits	T*0.01
Coriander (leaves, roots, stems)	T0.1
Coriander, seed	T0.1
Cotton seed	*0.01
Cotton seed oil, crude	*0.01
Custard apple	T0.05
Dill, seed	T0.1
Edible offal (mammalian)	0.02
Eggs	0.02
Fennel, seed	T0.1
Ginger, root	*0.01
Grapes [except wine grapes]	T*0.01
Herbs	T0.1
Honey	0.01
Kaffir lime leaves	T0.1
Lemon grass	T0.1
Lemon verbena (fresh weight)	T0.1
Lettuce, head	T0.1
Lettuce, leaf	T0.1
Meat (mammalian) (in the fat)	0.1
Milks	0.01
Mizuna	T0.1
Mushrooms	0.02
Peanut	T*0.01
Peanut oil, crude	T*0.01
Pecan	T*0.01
Peppers, chili	*0.005
Peppers, sweet	T0.1
Pome fruits	T*0.01
Poppy seed	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.02
Rape seed (canola)	*0.01
Rice	*0.005
Rucola (rocket)	T0.1
Sorghum	0.01
Stone fruits	0.01
Sugar cane	*0.01
Sunflower seed	*0.01
Swede	0.1
Sweet potato	*0.01
Turnip, garden	0.1
Wine grapes	*0.01

---

**Agvet chemical: Flamprop-methyl**

*Permitted residue: Flamprop-methyl*

Edible offal (mammalian)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Safflower seed	*0.05
Triticale	0.05
Wheat	0.05

---

**Agvet chemical: Flamprop-M-methyl**

*see Flamprop-methyl*

---

**Agvet chemical: Flavophospholipol**

*Permitted residue: Flavophospholipol*

Cattle fat	*0.01
Cattle kidney	*0.01
Cattle liver	*0.01
Cattle meat	*0.01
Cattle milk	T*0.01
Eggs	*0.02

---

**Agvet chemical: Flonicamid**

*Permitted residue: Flonicamid [N -(cyanomethyl)-4-(trifluoromethyl)-3-pyridinecarboxamide] and its metabolites TFNA [4-trifluoromethylnicotinic acid], TFNA-AM [4-trifluoromethylnicotinamide] TFNG [N -(4-trifluoromethylnicotinoyl)glycine]*

All other foods except animal food commodities	0.2
Cotton seed	1
Cranberry	1.5
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	0.7
Hops, dry	7
Meat (mammalian)	*0.02
Milks	*0.02
Pome fruits	0.7
Potato	0.2
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Stone fruits	0.6
Strawberry	T2
Tomato	T0.5

---

**Agvet chemical: Florasulam**

*Permitted residue: Florasulam*

Cereal grains	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Florfenicol**

*Permitted residue: Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine*

Cattle kidney	0.5
Cattle liver	3



Cattle meat	0.3
Fish	T0.5
Pig fat/skin	1
Pig kidney	1
Pig liver	3
Pig meat	0.5

---

**Agvet chemical: Fluazifop-p-butyl**

*Permitted residue: Sum of fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop*

---

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; banana]	0.05
Avocado	*0.02
Banana	*0.02
Berries and other small fruits	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Celery	*0.02
Chia	T2
Citrus fruits	*0.02
Coriander (leaves, roots, stems)	T2
Date	T0.2
Edible offal (mammalian)	*0.05
Egg plant	T0.7
Eggs	*0.05
Fruiting vegetables, cucurbits	0.1
Galangal, rhizomes	0.05
Garlic	0.05
Ginger, root	0.05
Herbs	T2
Hops, dry	0.05
Leafy vegetables [except lettuce, head]	T2
Leek	T1
Legume vegetables	0.1
Lettuce, head	0.05
Lotus root	T3
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	0.1
Oilseed	0.5
Olives	T0.05
Onion, bulb	0.05
Onion, Chinese	0.05
Onion, Welsh	0.05
Peppers, sweet	*0.02
Pome fruits	*0.01
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	0.5
Root and tuber vegetables [except potato; sweet potato; taro; yam bean; yams]	T1
Shallot	0.05
Spring Onion	0.05

Stone fruits	0.05
Sugar cane	T*0.1
Sweet potato	T0.3
Taro	T3
Tea, green, black	T50
Tomato	0.1
Turmeric, root	0.05
Water chestnut	T3
Yam bean	T3
Yams	T0.3

---

**Agvet chemical: Fluazinam**

*Permitted residue: Fluazinam*

---

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.01
Pome fruits	*0.01
Potato	*0.01
Strawberry	T*0.05
Wine grapes	*0.05

---

**Agvet chemical: Fluazuron**

*Permitted residue: Fluazuron*

---

Cattle, edible offal of	0.5
Cattle meat (in the fat)	7

---

**Agvet chemical: Flubendiamide**

*Permitted residue—commodities of plant origin: Flubendiamide*

*Permitted residue—commodities of animal origin: Sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide*

---

All other foods except animal food commodities	0.05
Almonds	0.06
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
Chia	1
Common bean (pods and/or immature seeds)	T2
Cotton seed	0.5
Edible offal (mammalian)	0.03
Eggs	*0.01
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	2
Grapes	1.4
Herbs	20
Leafy vegetables [except lettuce, head]	10
Lettuce, head	5
Meat (mammalian) (in the fat)	0.05
Milk fats	0.05
Milks	*0.01
Potato	*0.02

Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Root and tuber vegetables [except potato]	0.2
Spices	0.02
Stalk and stem vegetables	5
Stone fruits	1.6
Strawberry	0.3
Sweet corn (corn-on-the-cob)	T*0.05
Tea, green, black	0.02

**Agvet chemical: Flucythrinate**

*Permitted residue: Flucythrinate*

Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05

**Agvet chemical: Fludioxonil**

*Permitted residue—commodities of animal origin:  
Sum of fludioxonil and oxidisable metabolites,  
expressed as fludioxonil*

*Permitted residue—commodities of plant origin:  
Fludioxonil*

All other foods except animal food commodities	0.02
Apricot	10
Avocado	2
Blackberries	5
Blueberries	2
Boysenberry	5
Broccoli	T*0.01
Bulb vegetables [except fennel, bulb; garlic; onion, bulb]	T3
Chestnuts	T1
Chives	T3
Citrus fruits	10
Cloudberry	T2
Common bean (pods and/or immature seeds)	0.7
Cotton seed	*0.05
Cucumber	0.5
Currants, black, red, white	2
Dewberries (including boysenberry and loganberry) [except boysenberry]	T2
Edible offal (mammalian)	0.1
Egg plant	T0.2
Grapes	2
Kiwifruit	15
Leafy vegetables	10
Litchi	T2
Maize	*0.02

Mango	3
Meat (mammalian)	0.05
Melons, except watermelon	T0.2
Milks	0.05
Onion, bulb	0.2
Peach	10
Peanut	T*0.01
Peas (pods and succulent, immature seeds)	0.5
Peppers, sweet	2
Pineapple	T20
Pistachio nut	T0.2
Pome fruits	5
Pomegranate	5
Potato	5
Rape seed (canola)	*0.01
Raspberries, red, black	5
Sorghum	*0.01
Stone fruits [except apricot; peach]	5
Strawberry	5
Sunflower seed	T*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tomato	T1

**Agvet chemical: Fluensulfone**

*Permitted residue: Sum of fluensulfone, 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627) and 5-chloro-thiazole-2-sulfonic acid (M-3625)*

All other foods	1
Edible offal (mammalian)	*0.03
Eggs	*0.03
Fruiting vegetables, cucurbits	2
Fruiting vegetables, other than cucurbits	1
Meat (mammalian)	*0.03
Milks	*0.03
Poultry, edible offal of	*0.03
Poultry meat	*0.03
Sweet potato	T1

**Agvet chemical: Flumethrin**

*Permitted residue: Flumethrin, sum of isomers*

Cattle, edible offal of	0.05
Cattle meat (in the fat)	0.2
Honey	T*0.005
Horse, edible offal of	0.1
Horse meat	0.1
Milks	0.05

**Agvet chemical: Flumetsulam**

*Permitted residue: Flumetsulam*

Barley	*0.05
Edible offal (mammalian)	0.3
Eggs	*0.1
Garden pea	*0.1

Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Oats	*0.05
Peanut	*0.05
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.05
Rye	*0.05
Triticale	*0.05
Wheat	*0.05

---

**Agvet chemical: Flumiclorac pentyl**

*Permitted residue: Flumiclorac pentyl*

Cotton seed	0.1
Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Flumioxazin**

*Permitted residue: Flumioxazin*

All other foods except animal food commodities	0.02
Avocado	*0.02
Blueberries	0.02
Cereal grains	*0.05
Cherries	0.02
Citrus fruits	*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Grapes	*0.01
Hops, dry	0.05
Meat (mammalian)	*0.01
Milks	*0.01
Oilseed	*0.1
Olives	*0.02
Pome fruits	*0.02
Pomegranate	*0.02
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.1
Stone fruits	*0.02
Sugar cane	*0.01
Tree nuts	*0.02

---

**Agvet chemical: Flunixin**

*Permitted residue: Flunixin*

Cattle kidney	0.02
Cattle liver	0.02
Cattle meat (in the fat)	0.02

---

**Agvet chemical: Fluometuron**

*Permitted residue: Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron*

Cereal grains	*0.1
Citrus fruits	0.5
Cotton seed	*0.1
Pineapple	*0.1

---

**Agvet chemical: Fluopicolide**

*Permitted residue: Fluopicolide*

All other foods	0.01
Bulb vegetables [except onion, bulb]	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Grapes	2
Lettuce, head	30
Lettuce, leaf	30
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Onion, bulb	0.1
Poppy seed	0.5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

---

**Agvet chemical: Fluopyram**

*Permitted residue—commodities of plant origin: Fluopyram*

*Permitted residue—commodities of animal origin: Sum of fluopyram and 2-(trifluoromethyl)-benzamide, expressed as fluopyram*

All other foods except animal food commodities	0.1
Almonds	0.05
Banana	0.1
Beans [except broad bean; snap bean (immature seeds); soya bean]	1
Brussels sprouts	0.3
Cherries	3
Chicory witloof	0.3
Cranberry	2
Dried grapes (currants, raisins and sultanas)	15
Edible offal (mammalian)	0.2
Garden pea, shelled	0.2
Grapes	2
Hops, dry	100
Lentil (dry)	0.4
Meat (mammalian)	*0.02
Milks	*0.02
Peanut	0.09
Peas (dry)	0.7
Podded pea (young pods) (snow and sugar snap)	1

Pome fruits	0.5
Potato	0.03
Pulses [except lentil (dry); peas (dry); soya bean (dry)]	0.09
Rape seed (canola)	T*0.01
Snap bean (immature seeds)	0.2
Soya bean (dry)	0.04
Stone fruits [except cherries]	2
Strawberry	1.5
Sugar beet	0.04
Tomato	0.9
Tree nuts	0.05

**Agvet chemical: Fluoastrobine**

*Permitted residue: Sum of fluoastrobine and its Z isomer*

Cranberry	1.9
-----------	-----

**Agvet chemical: Flupropanate**

*Permitted residue: Flupropanate*

Edible offal (mammalian)	*0.1
Meat (mammalian) (in the fat)	*0.1
Milks	0.1

**Agvet chemical: Flupyradifurone**

*Permitted residue: Flupyradifurone*

Apple	0.7
Blueberry	4
Citrus fruits	3
Dried grapes (currants, raisins and sultanas)	5
Fruiting vegetables, other than cucurbits [except mushroom; sweet corn (corn-on-the-cob)]	1.5
Grapes	3
Hops, dry	10
Peanut	0.04
Potato	0.05
Strawberry	1.5
Tree nuts	0.02

**Agvet chemical: Fluquinconazole**

*Permitted residue: Fluquinconazole*

Barley	*0.02
Edible offal (mammalian)	0.2
Eggs	*0.02
Meat (mammalian) (in the fat)	0.5
Milks	*0.02
Pome fruits	0.3
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02
Rape seed (canola)	*0.01
Wheat	*0.02

**Agvet chemical: Fluroxypyr**

*Permitted residue: Fluroxypyr*

Cereal grains	0.2
Edible offal (mammalian) [except kidney]	0.1
Eggs	*0.01
Kidney (mammalian)	1
Meat (mammalian) (in the fat)	0.1
Milks	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane (in the juice)	0.2
Sweet corn (corn-on-the-cob)	0.2

**Agvet chemical: Flusilazole**

*Permitted residue: Flusilazole*

Sugar cane	*0.02
------------	-------

**Agvet chemical: Flutolanil**

*Permitted residue—commodities of plant origin: Flutolanil*

*Permitted residue—commodities of animal origin: Flutolanil and metabolites hydrolysed to 2-trifluoromethyl-benzoic acid and expressed as flutolanil*

Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian) (in the fat)	*0.05
Milks	*0.05
Potato	0.05
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05

**Agvet chemical: Flutriafol**

*Permitted residue: Flutriafol*

All other foods except animal food commodities	0.02
Barley	0.2
Cereal grains [except as otherwise listed under this chemical]	*0.02
Edible offal (mammalian)	0.5
Eggs	*0.05
Garden pea (young pods)	*0.01
Hops, dry	20
Grapes	1.5
Meat (mammalian)	*0.05
Milks	*0.05
Pome fruits	0.4
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rape seed (canola)	*0.02
Stone fruits	1.5
Sugar cane	*0.01

<b>Agvet chemical: Fluvalinate</b>			
<i>Permitted residue: Fluvalinate, sum of isomers</i>			
Apple	0.1	Rice [except rice bran, unprocessed; rice hulls]	5
Asparagus	0.2	Rice bran, unprocessed	8.5
Cauliflower	0.5	Rice hulls	15
Cotton seed	0.1	Root and tuber vegetables [except sugar beet]	0.9
Honey	T*0.01	Rye	3
Stone fruits	0.05	Sorghum	3
Table grapes	0.05	Soya bean (dry)	0.3
Tomato	0.5	Soya bean (immature seeds)	0.15
<b>Agvet chemical: Fluxapyroxad</b>		Stone fruits [except prunes]	3
<i>Permitted residue: Fluxapyroxad</i>		Strawberry	4
All other foods	0.1	Sugar beet	0.15
Barley	3	Sugar cane	3
Barley bran, unprocessed	0.5	Sweet corn (corn-on-the-cob)	0.15
Beans, shelled	0.5	Wheat	0.3
Blackberries	5	<b>Agvet chemical: Folpet</b>	
Blueberries	7	<i>Permitted residue: Folpet</i>	
Brassica leafy vegetables	4	Hops, dry	120
Broccoli	4	<b>Agvet chemical: Forchlorfenuron</b>	
Bulb vegetables	1.5	<i>Permitted residue: Forchlorfenuron</i>	
Cauliflower	4	Blueberries	T*0.01
Chick-pea (dry)	T*0.01	Grapes	0.03
Chicory	30	Kiwifruit	T*0.01
Citrus fruits	0.2	Mango	T*0.01
Cotton seed	0.5	Plums (including prunes)	T*0.01
Dried grapes (currants, raisins and sultanas)	5.7	Prunes	T*0.01
Edible offal (mammalian)	0.03	<b>Agvet chemical: Fosetyl</b>	
Eggs	0.005	<i>Permitted residue: Fosetyl</i>	
Fruiting vegetables, cucurbits	0.5	Apple	1
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	0.6	Avocado	5
Grapes [except dried grapes]	2	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
Legume vegetables [except beans, shelled; peas, shelled (succulent seeds)]	2	Durian	T5
Lentil (dry)	T*0.01	Fruiting vegetables, other than cucurbits	T0.02
Lettuce, head	30	Leafy vegetables [except rucola (rocket); spinach]	T0.2
Lettuce, leaf	30	Peach	1
Mango	0.5	Pineapple	5
Meat (mammalian) (in the fat)	0.05	Rucola (rocket)	T0.7
Milk fats	0.1	Spinach	T0.7
Milks	0.005	Stone fruits [except cherries; peach]	T1
Oilseed [except cotton; peanut]	0.9	<b>Agvet chemical: Fosetyl-aluminium</b>	
Peas, shelled (succulent seeds)	0.5	<i>Permitted residue: Fosetyl-aluminium</i>	
Pecan	0.06	Blueberries	40
Peppers, chili (dry)	6	Citrus fruits	5
Pome fruits	0.8	Cranberry	0.5
Poultry, edible offal of	*0.01	Hops, dry	45
Poultry meat (in the fat)	*0.01	Strawberry	75
Prunes	5		
Pulses [except soya bean (dry)]	0.4		
Raspberries, red, black	5		

<b>Agvet chemical: Furathiocarb</b>	
see Carbofuran	
<i>Residues arising from the use of furathiocarb are covered by MRLs for carbofuran</i>	
<b>Agvet chemical: Glufosinate and Glufosinate-ammonium</b>	
<i>Permitted residue: Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)</i>	
Assorted tropical and sub-tropical fruits – inedible peel	0.2
Berries and other small fruits	0.1
Cereal grains	*0.1
Citrus fruits	0.1
Coffee beans	T*0.05
Common bean (pods and immature seeds)	T*0.05
Cotton seed	3
Date	*0.05
Edible offal (mammalian)	5
Eggs	*0.05
Hops, dry	T1
Maize	0.2
Meat (mammalian)	0.1
Milks	*0.05
Native foods	*0.05
Oilseed [except cotton seed; rape seed (canola)]	*0.1
Olives	*0.1
Peppers, sweet	*0.05
Podded pea (young pods) (snow and sugar snap)	T1
Pome fruits	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.1
Rape seed (canola)	5
Saffron	T*0.05
Soya bean (dry)	2
Stone fruits	*0.05
Sugar cane	*0.2
Tomato	*0.05
Tea, green, black	*0.05
Tree nuts	0.1
<b>Agvet chemical: Glyphosate</b>	
<i>Permitted residue: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate</i>	
All other foods except animal food commodities	0.2
Adzuki bean (dry)	10
Avocado	*0.05

Sorghum	15
Soya bean (dry)	20
Stalk and stem vegetables	*0.01
Stone fruits	0.2
Sugar cane	T0.3
Sugar cane molasses	T5
Sunflower seed	T20
Tea, green, black	2
Tree nuts	0.2
Wheat	5
Wheat bran, unprocessed	20

**Agvet chemical: Guazatine**

*Permitted residue: Guazatine*

Citrus fruits	5
Melons, except watermelon	10
Tomato	5

**Agvet chemical: Halauxifen-methyl**

*Permitted residue—commodities of plant origin: Halauxifen-methyl*

*Permitted residue—commodities of animal origin: 4-Amino-3-chloro-6-(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl*

Cereal grains	*0.01
Edible offal (mammalian)	0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

**Agvet chemical: Halofuginone**

*Permitted residue: Halofuginone*

Cattle fat	0.025
Cattle kidney	0.03
Cattle liver	0.03
Cattle muscle	0.01

**Agvet chemical: Halosulfuron-methyl**

*Permitted residue: Halosulfuron-methyl*

Cotton seed	*0.05
Edible offal (mammalian)	0.2
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Sorghum	*0.05
Sugar cane	*0.05

**Agvet chemical: Haloxyfop**

*Permitted residue: Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop*

Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Berries and other small fruits	*0.05
Chia	T3
Citrus fruits	*0.05
Cotton seed	0.1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.5
Eggs	*0.01
Garlic	T0.05
Guar bean (dry)	T2
Leafy vegetables [except mizuna]	T0.5
Linola seed	0.1
Linseed	0.1
Meat (mammalian) (in the fat)	0.02
Milks	0.02
Mizuna	T0.5
Onion, bulb	T0.2
Peanut	0.05
Persimmon, Japanese	*0.05
Pome fruits	*0.05
Poultry, edible offal of	0.05
Poultry meat (in the fat)	*0.01
Pulses	0.1
Rape seed (canola)	0.1
Stone fruits	*0.05
Sugar cane	T0.03
Sunflower seed	*0.05
Tree nuts	*0.05

**Agvet chemical: Hexaconazole**

*Permitted residue: Hexaconazole*

Apple	0.1
Grapes	0.05
Pear	0.1

**Agvet chemical: Hexazinone**

*Permitted residue: Hexazinone*

Blueberries	0.6
Edible offal (mammalian)	*0.1
Eggs	*0.05
Meat (mammalian)	*0.1
Milks	*0.05
Pineapple	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Sugar cane	*0.1

<b>Agvet chemical: Hexythiazox</b>	
<i>Permitted residue: Hexythiazox</i>	
All other foods except animal food commodities	0.05
Almonds	0.3
Berries and other small fruits	1
Fruiting vegetables, cucurbits	T0.05
Fruiting vegetables, other than cucurbits [except mushrooms; sweet corn (corn-on-the-cob)]	T1
Hops, dry	2
Peas	T*0.05
Pome fruits	1
Potato	T*0.02
Stone fruits	1
Tea, green, black	4
<b>Agvet chemical: Hydrogen phosphide</b>	
see <i>Phosphine</i>	
<b>Agvet chemical: Imazalil</b>	
<i>Permitted residue: Imazalil</i>	
Chicken, edible offal of	*0.01
Chicken meat	*0.01
Citrus fruits	10
Eggs	*0.01
Melons, except watermelon	10
Mushrooms	T1
Onion, bulb	0.05
Pome fruits	5
Potato	5
<b>Agvet chemical: Imazamox</b>	
<i>Permitted residue: Imazamox</i>	
All other foods except animal food commodities'	0.05
Barley	*0.05
Beans (dry) [except soya bean (dry)]	0.05
Beans, shelled	0.05
Edible offal (mammalian)	*0.05
Lentil (dry)	0.25
Meat (mammalian)	*0.05
Milks	*0.05
Mung bean (dry)	T*0.05
Peanut	*0.05
Peas (dry)	0.05
Peas, shelled	0.05
Poppy seed	T*0.05
Rape seed (canola)	*0.05
Rice	2.5
Sorghum	*0.02
Soya bean (dry)	0.1
Sunflower seed	0.3
Wheat	0.3

<b>Agvet chemical: Imazapic</b>	
<i>Permitted residue: Sum of imazapic and its hydroxymethyl derivative</i>	
Barley	0.02
Edible offal (mammalian)	*0.05
Eggs	*0.01
Maize	0.1
Meat (mammalian) (in the fat)	*0.05
Milks	*0.01
Peanut	*0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.05
Rice	0.05
Soya bean (dry)	0.3
Sugar cane	0.1
Wheat	*0.05
<b>Agvet chemical: Imazapyr</b>	
<i>Permitted residue: Imazapyr</i>	
Barley	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.01
Lentil (dry)	0.2
Meat (mammalian) (in the fat)	*0.05
Maize	0.1
Milks	*0.01
Poppy seed	T*0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.05
Rice	0.05
Sorghum	0.02
Soya bean (dry)	3
Sugar cane	0.05
Sunflower seed	0.05
Wheat	*0.05
<b>Agvet chemical: Imazethapyr</b>	
<i>Permitted residue: Imazethapyr</i>	
Edible offal (mammalian)	*0.1
Eggs	*0.1
Legume vegetables	*0.1
Maize	*0.05
Meat (mammalian)	*0.1
Milks	*0.1
Peanut	*0.1
Poultry, edible offal of	*0.1
Poultry meat	*0.1
Pulses	*0.1
Rice	0.3



**Agvet chemical: Imidacloprid**

*Permitted residue: Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid*

All other foods except animal food commodities	0.05
Apple	0.3
Assorted tropical and sub-tropical fruits – inedible peel [except banana]	T1
Banana	0.5
Beetroot	T0.05
Beetroot leaves	T1
Bergamot	T5
Berries and other small fruits [except blueberries; cranberry; grapes; strawberry]	5
Blueberries	T0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Broad bean (dry)	*0.05
Burdock, greater	T0.05
Burnet, salad	T5
Carrot	T0.5
Cereal grains [except maize; popcorn; sorghum]	*0.05
Celery	0.3
Cherries	3
Citrus fruits	2
Common bean (dry) (navy bean)	T1
Common bean (pods and/or immature seeds)	T1
Coriander (leaves, roots, stems)	T5
Coriander, seed	T5
Cotton seed	*0.02
Cranberry	0.05
Date	T1
Dill, seed	T5
Edible offal (mammalian)	0.2
Eggs	*0.02
Fennel, bulb	T0.1
Fennel, seed	T5
Field pea (dry)	*0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.5
Galangal, Greater	T0.05
Garlic	T0.5
Ginger, Japanese	T5
Ginger, root	T0.3
Grapes	1
Hazelnuts	T*0.01
Herbs	T5
Hops, dry	T10
Kaffir lime leaves	T5
Leafy vegetables [except lettuce, head]	20

Lemon balm	T5
Lemon grass	T5
Lemon verbena (fresh weight)	T5
Lentil (dry)	0.2
Lettuce, head	5
Lupin (dry)	0.2
Maize	0.05
Meat (mammalian)	0.05
Milks	0.05
Peanut	*0.05
Persimmon, Japanese	T1
Podded Pea (young pods) (snow and sugar snap)	T0.1
Popcorn	0.05
Potato	0.3
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Radish, Japanese	T0.05
Rape seed (canola)	*0.05
Rhubarb	T0.2
Rose and dianthus (edible flowers)	T5
Sorghum	*0.02
Spices [except coriander (leaves, roots, stems); coriander seed; dill seed; fennel seed; ginger root]	0.05
Stone fruits [except cherries]	0.5
Strawberry	0.5
Sugar cane	*0.05
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.05
Sweet potato	0.3
Taro	T0.05
Teas (tea and herb teas)	T10
Tree tomato	T2
Yam bean	T0.05
Yams	T0.05

**Agvet chemical: Imidocarb (dipropionate salt)**

*Permitted residue: Imidocarb*

Cattle, edible offal of	5
Cattle meat	1
Cattle milk	0.2

**Agvet chemical: Indoxacarb**

*Permitted residue: Sum of indoxacarb and its R-isomer*

Asparagus	T1
Beans [except broad bean; soya bean]	0.9
Berries and other small fruits	2
Brassica (cole or cabbage) vegetables, head cabbages and flowerhead brassicas	2
Celery	T5
Cherries	T2
Chervil	T10
Chia	T0.5



Celeriac	T0.7	Pome fruits	*0.01
Celery	2	Poultry, edible offal of	*0.01
Chard (silver beet)	T15	Poultry meat	*0.01
Chestnuts	T10	Stone fruits	*0.01
Edible offal (mammalian)	*0.1	Tree nuts	*0.01
Egg plant	T1	Triticale	*0.01
Garlic	T0.3	Wheat	*0.01
Grapes	20		
Kiwifruit	10	<b>Agvet chemical: Isoxaflutole</b>	
Lettuce, head	5	<i>Permitted residue: Sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile, expressed as isoxaflutole</i>	
Lettuce, leaf	5		
Lupin (dry)	*0.1	Cereal grains	*0.02
Macadamia nuts	*0.01	Chick-pea (dry)	*0.02
Mandarins	T5	Edible offal (mammalian)	0.1
Meat (mammalian)	*0.1	Eggs	*0.05
Milks	*0.1	Meat (mammalian)	*0.05
Onion, bulb	T0.7	Milks	*0.05
Parsley	T20	Poppy seed	*0.02
Passionfruit	10	Poultry, edible offal of	*0.05
Peanut	0.05	Poultry meat	*0.05
Peanut oil, crude	0.05	Soya bean (dry)	0.05
Peppers	T3		
Pistachio nut	T0.2	<b>Agvet chemical: Ivermectin</b>	
Podded pea (young pods) (snow and sugar snap)	T2	<i>Permitted residue: H<sub>2</sub>B<sub>1a</sub></i>	
Pome fruits	3		
Potato	*0.05	Cattle kidney	*0.01
Rape seed (canola)	0.5	Cattle liver	0.1
Soya bean (dry)	0.05	Cattle meat (in the fat)	0.04
Spinach	T5	Cattle milk	0.05
Stone fruits	10	Deer kidney	*0.01
Tangelo, large-sized cultivars	T5	Deer liver	*0.01
Tomato	2	Deer meat (in the fat)	*0.01
		Horse, edible offal of	*0.01
<b>Agvet chemical: Isoeugenol</b>		Horse meat	*0.01
<i>Permitted residue: Isoeugenol, sum of cis- and trans- isomers</i>		Pig kidney	*0.01
Diadromous fish (whole commodity)	100	Pig liver	*0.01
Freshwater fish (whole commodity)	100	Pig meat (in the fat)	0.02
Marine fish (whole commodity)	100	Sheep kidney	*0.01
		Sheep liver	0.015
<b>Agvet chemical: Isoxaben</b>		Sheep meat (in the fat)	0.02
<i>Permitted residue: Isoxaben</i>			
Assorted tropical and sub-tropical fruits – edible peel	*0.01	<b>Agvet chemical: Ketoprofen</b>	
Assorted tropical and sub-tropical fruits – inedible peel	*0.01	<i>Permitted residue: Ketoprofen</i>	
Barley	*0.01	Cattle, edible offal of	*0.05
Citrus fruits	*0.01	Cattle meat	*0.05
Edible offal (mammalian)	*0.01	Cattle milk	*0.05
Eggs	*0.01		
Grapes	*0.01	<b>Agvet chemical: Kitasamycin</b>	
Hops, dry	*0.1	<i>Permitted residue: Inhibitory substance, identified as kitasamycin</i>	
Meat (mammalian)	*0.01	Eggs	*0.2
Milks	*0.01	Pig, edible offal of	*0.2
		Pig meat	*0.2

<b>Agvet chemical: Kresoxim-methyl</b>		<b>Agvet chemical: Lasalocid</b>	
<i>Permitted residue—commodities of plant origin: Kresoxim-methyl</i>		<i>Permitted residue: Lasalocid</i>	
<i>Permitted residue—commodities of animal origin: Sum of a-(p-hydroxy-o-tolyloxy)-o-tolyl (methoxyimino) acetic acid and (E)-methoxyimino[a-(o-tolyloxy)-o-tolyl]acetic acid, expressed as kresoxim-methyl</i>		Cattle milk	*0.01
Asparagus	0.05	Edible offal (mammalian)	0.7
Barley	0.1	Eggs	*0.05
Beetroot	0.05	Meat (mammalian)	*0.05
Berries and other small fruits	1.5	Poultry, edible offal of	0.4
Chard (beet leaves)	0.05	Poultry fat/skin	1
Coffee beans	0.05	Poultry meat	*0.1
Cotton seed	0.05		
Dried grapes (currants, raisins and sultanas)	2	<b>Agvet chemical: Levamisole</b>	
Edible offal (mammalian)	0.05	<i>Permitted residue: Levamisole</i>	
Egg plant	0.6	Edible offal (mammalian)	1
Fruiting vegetables, cucurbits	0.4	Eggs	1
Egg plant	0.6	Goat milk	0.1
Garlic	0.3	Meat (mammalian)	0.1
Ginseng (dried)	1	Milks [except goat milk]	0.3
Grape leaves	15	Poultry, edible offal of	0.1
Grapefruit	0.5	Poultry meat	0.1
Leek	5		
Mammalian fats [except milk fats]	0.05	<b>Agvet chemical: Lincomycin</b>	
Meat (mammalian)	0.05	<i>Permitted residue: Inhibitory substance, identified as lincomycin</i>	
Milks	0.05	Cattle milk	*0.02
Oats	0.1	Edible offal (mammalian) [except sheep, edible offal of]	0.2
Olive oil, virgin	0.7	Eggs	0.2
Olives	0.2	Goat milk	*0.1
Onion, bulb	0.3	Meat (mammalian) [except sheep meat]	0.2
Oranges, sweet, sour	0.5	Poultry, edible offal of	0.1
Pear	5	Poultry meat	0.1
Pecan	0.15		
Peppers, sweet	1	<b>Agvet chemical: Lindane</b>	
Pome fruits [except pear]	0.2	<i>Permitted residue: Lindane</i>	
Potato	0.1	Pineapple	0.5
Poultry meat	0.05		
Rice	0.02	<b>Agvet chemical: Linuron</b>	
Rye	0.1	<i>Permitted residue: Sum of linuron plus 3,4-dichloroaniline, expressed as linuron</i>	
Shallot	0.3	Celeriac	T0.5
Soya bean (dry)	0.05	Celery	*0.05
Sugar beet	0.05	Cereal grains	*0.05
Sunflower seed	0.1	Chervil	T1
Tea, green, black	15	Chia	T*0.05
Tomato	0.6	Coriander (leaves, roots, stems)	T1
Turnip, garden	0.05	Coriander, seed	0.2
Wheat	0.1	Edible offal (mammalian)	1
		Eggs	*0.05
		Herbs	T1
		Leek	*0.02
		Lemon grass	T1
		Lemon verbena (dry leaves)	T1
		Meat (mammalian)	*0.05
<b>Agvet chemical: Lambda-cyhalothrin</b>			
see <i>Cyhalothrin</i>			

Milks	*0.05	Grapes	8
Mizuna	T1	Hops, dry	1
Parsnip	T0.05	Kale	3
Poultry, edible offal of	*0.05	Kohlrabi	0.5
Poultry meat	*0.05	Lentil (dry)	8
Rucola (rocket)	T1	Meat (mammalian) (in the fat)	1
Turmeric, root	T*0.05	Milks (in the fat)	1
Vegetables [except celeriac; celery; leek; parsnip]	*0.05	Oilseed [except peanut]	T10
<b>Agvet chemical: Lufenuron</b>		Onion, Welsh	T0.1
<i>Permitted residue: Lufenuron</i>		Peanut	8
Cotton seed	T0.2	Poultry, edible offal of	1
Cotton seed oil, crude	T0.5	Poultry meat (in the fat)	1
Edible offal (mammalian)	T*0.01	Root and tuber vegetables	0.5
Eggs	T0.05	Shallot	T0.1
Meat (mammalian) (in the fat)	T1	Spring onion	T0.1
Milks	T0.2	Stone fruits	5
Poultry, edible offal of	T*0.01	Strawberry	1
Poultry meat (in the fat)	T1	Tree nuts	8
<b>Agvet chemical: Maduramicin</b>		Turnip, garden	0.5
<i>Permitted residue: Maduramicin</i>		Vegetables [except beans (dry); cauliflower; chard; cucumber; fruiting vegetables, other than cucurbits; garden pea; kale; kohlrabi; lentil (dry); onion, Welsh; root and tuber vegetables; shallot; spring onion; turnip, garden]	2
Poultry, edible offal of	1	Wheat bran, unprocessed	20
Poultry meat	0.1	<b>Agvet chemical: Maleic hydrazide</b>	
<b>Agvet chemical: Magnesium phosphide</b>		<i>Permitted residue: Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide</i>	
<i>see Phosphine</i>		Carrot	T40
<b>Agvet chemical: Malathion</b>		Garlic	15
<i>see Maldison</i>		Onion, bulb	15
<b>Agvet chemical: Maldison</b>		Potato	50
<i>Permitted residue: Maldison</i>		<b>Agvet chemical: Mancozeb</b>	
Beans (dry)	8	<i>see Dithiocarbamates</i>	
Berries and other small fruits [except grapes; strawberry]	10	<b>Agvet chemical: Mandestrobin</b>	
Cauliflower	0.5	<i>Permitted residue: Mandestrobin</i>	
Cereal grains	8	Stone fruits	3
Chard (silver beet)	0.5	<b>Agvet chemical: Mandipropamid</b>	
Cherries	8	<i>Permitted residue: Mandipropamid</i>	
Citrus fruits	4	All other foods except animal food commodities	0.5
Cucumber	3	Basil	T30
Currant, black	T2	Dried grapes (currants, raisins and sultanas)	2
Dried fruits	8	Edible offal (mammalian)	*0.01
Edible offal (mammalian)	1	Eggs	*0.01
Eggs	1	Grapes	2
Fruiting vegetables, other than cucurbits	3	Hops, dry	50
Fruits [except berries and other small fruits; citrus fruits; dried fruits; stone fruits]	2	Leafy vegetables	30
Garden pea	0.5		

Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Mizuna	30
Poppy seed	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

**Agvet chemical: MCPA**

*Permitted residue: MCPA*

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Field pea (dry)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Rhubarb	*0.02

**Agvet chemical: MCPB**

*Permitted residue: MCPB*

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Legume vegetables	*0.02
Meat (mammalian)	*0.05
Milks	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	*0.02

**Agvet chemical: Mebendazole**

*Permitted residue: Mebendazole*

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	0.02

**Agvet chemical: Mefenpyr-diethyl**

*Permitted residue—commodities of plant origin:  
Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl*

*Permitted residue—commodities of animal origin:  
Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl*

Cereal grains	*0.01
Edible offal (mammalian)	*0.05
Eggs	*0.01
Meat (mammalian)	*0.05
Milks	*0.01
Poultry, edible offal of	*0.05

Poultry meat	*0.05
--------------	-------

**Agvet chemical: Meloxicam**

*Permitted residue: Meloxicam*

Cattle kidney	0.2
Cattle liver	0.1
Cattle meat	*0.01
Cattle milk	0.005
Pig fat/skin	0.1
Pig kidney	*0.01
Pig liver	*0.01
Pig meat	0.02
Sheep fat	0.01
Sheep kidney	0.01
Sheep liver	0.01
Sheep meat	0.01

**Agvet chemical: Mepanipyrim**

*Permitted residue: Mepanipyrim*

Strawberry	2
------------	---

**Agvet chemical: Mepiquat**

*Permitted residue: Mepiquat*

Cotton seed	1
Cotton seed oil, crude	0.2
Edible offal (mammalian)	0.1
Eggs	0.05
Meat (mammalian)	0.1
Milks	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1

**Agvet chemical: Mesosulfuron-methyl**

*Permitted residue: Mesosulfuron-methyl*

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Wheat	*0.02

**Agvet chemical: Mesotrione**

*Permitted residue: Mesotrione*

Cranberry	0.02
Soya bean (dry)	0.03

<b>Agvet chemical: Metaflumizone</b>		Turmeric, root	T0.1
<i>Permitted residue: Sum of metaflumizone, its E and Z isomers and its metabolite 4-{2-oxo-2-[3-(trifluoromethyl) phenyl]ethyl}-benzonitrile expressed as metaflumizone</i>		Vegetables [except asparagus; beetroot; bulb vegetables [alliums]; fruiting vegetables, cucurbits; leafy vegetables; peppers; podded pea (young pods) (snow and sugar snap peas); tomatoes]	T0.1
Cherries	0.04	Walnuts	T0.3
Citrus fruits	0.04		
Grapes	0.04		
Potato	0.02		
Tomato	0.6		
Tree nuts	0.04		
<b>Agvet chemical: Metalaxyl</b>		<b>Agvet chemical: Metalaxyl-M</b>	
<i>Permitted residue: Metalaxyl</i>		see <i>Metalaxyl</i>	
All other foods except animal commodities	0.05	<b>Agvet chemical: Metaldehyde</b>	
Asparagus	0.05	<i>Permitted residue: Metaldehyde</i>	
Avocado	0.5	Cereal grains	1
Beetroot	T*0.01	Fruit	1
Beetroot leaves	T0.1	Herbs	1
Berries and other small fruits [except cranberry; grapes]	T0.5	Oilseed	1
Bulb vegetables	0.1	Pulses	1
Cereal grains	*0.01	Spices	1
Chives	2	Teas (tea and herb teas)	1
Coriander (leaves, roots, stems)	2	Vegetables	1
Cranberry	4		
Durian	T0.5		
Edible offal (mammalian)	*0.05		
Eggs	*0.05		
Fruiting vegetables, cucurbits	0.2		
Ginger, root	0.5		
Grapes	1		
Herbs [except chives; thyme]	T0.3		
Hops, dry	10		
Kaffir lime leaves	T0.3		
Leafy vegetables	0.3		
Lemon grass	T0.3		
Lemon verbena (dry leaves)	T0.3		
Macadamia nuts	1		
Meat (mammalian)	*0.05		
Milks	*0.01		
Papaya (pawpaw)	*0.01		
Peppers	T0.1		
Pineapple	0.1		
Podded pea (young pods) (snow and sugar snap)	T0.1		
Pome fruits	0.2		
Poppy seed	*0.02		
Poultry, edible offal of	*0.05		
Poultry meat	*0.05		
Rose and dianthus (edible flowers)	T0.3		
Spices	*0.1		
Stone fruits	0.2		
Thyme	T0.5		
Tomato	T0.5		
		<b>Agvet chemical: Metazachlor</b>	
		<i>Permitted residue—commodities of plant origin: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor</i>	
		<i>Permitted residue—commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor</i>	
		All other foods	1
		Cereal grains	*0.03
		Eggs	*0.05
		Edible offal (mammalian)	*0.05
		Meat (mammalian)	*0.05
		Milks	*0.01
		Oilseeds	*0.03
		Poultry, edible offal	*0.05
		Poultry meat	*0.05
		Pulses	*0.03
		<b>Agvet chemical: Metconazole</b>	
		<i>Permitted residue: Metconazole</i>	
		Blueberries	0.4
		Potato	0.04
		Stone fruits	0.2
		Sweet potato	0.04

<b>Agvet chemical: Methabenzthiazuron</b>			
<i>Permitted residue: Methabenzthiazuron</i>			
Garlic	T*0.01	Meat (mammalian) (in the fat)	0.5
Leek	T*0.05	Milks (in the fat)	0.5
Onion, bulb	*0.05	Oilseed	1
Onion, Welsh	T0.5	Olive oil, crude	T2
Shallot	T0.5	Olives	T1
Spring onion	T0.5	Onion, bulb	*0.01
<b>Agvet chemical: Metham</b>		Passionfruit	0.2
<i>see Dithiocarbamates</i>		Pear	0.2
<b>Agvet chemical: Metham-sodium</b>		Persimmon, Japanese	0.5
<i>see Metham</i>		Poultry, edible offal of	*0.05
<b>Agvet chemical: Methamidophos</b>		Poultry meat	*0.05
<i>Permitted residue: Methamidophos</i>		Pulses	0.1
<i>see also Acephate</i>		Root and tuber vegetables	*0.01
Banana	0.2	Stone fruits	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1	Strawberry	*0.01
Edible offal (mammalian)	*0.01	Tomato	0.1
Meat (mammalian)	*0.01	Vegetable oils, edible	0.1
Milks	*0.01	Vegetables [except garlic; lettuce, head; lettuce, leaf; onion, bulb; root and tuber vegetables]	0.1
Peppers, sweet	2	<b>Agvet chemical: Methiocarb</b>	
Potato	0.25	<i>Permitted residue: Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb</i>	
Tomato	2	Citrus fruits	0.1
<b>Agvet chemical: Methidathion</b>		Fruit [except as otherwise listed under this chemical]	T0.1
<i>Permitted residue: Methidathion</i>		Grapes	0.5
Apple	0.2	Vegetables	0.1
Avocado	0.5	Wine	0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1	<b>Agvet chemical: Methomyl</b>	
Cereal grains	*0.01	<i>Permitted residue: Methomyl</i>	
Citrus fruits [except mandarins]	2	All other foods except animal food commodities	0.05
Coffee beans	T1	Apple	1
Custard apple	0.2	Avocado	*0.1
Date	T*0.01	Blackberries	2
Dates, dried or dried and candied	T*0.01	Blueberries	2
Eggs	*0.05	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Fruiting vegetables, other than cucurbits	0.1	Celeriac	0.1
Garlic	*0.01	Celery	3
Grapes	0.5	Cereal grains	*0.1
Legume vegetables	0.1	Chard	2
Lettuce, head	1	Cherries	2
Lettuce, leaf	1	Chia	T1
Litchi	T0.1	Citrus fruits	1
Longan	0.1	Coffee beans	T1
Macadamia nuts	*0.01	Coriander (leaves, roots, stems)	T10
Mandarins	5	Cotton seed	*0.1
Mango	2	Cumin seed	0.07
		Dried grapes	*0.05
		Edible offal (mammalian)	0.05
		Eggs	*0.02
		Fig	T0.7



Fruiting vegetables, cucurbits	0.1
Fruiting vegetables, other than cucurbits [except peppers]	1
Ginger, Japanese	T2
Ginger, root	*0.1
Grapes	2
Guava	3
Herbs	T10
Hops, dry	0.5
Leafy vegetables [except chard; lettuce, head; lettuce, leaf]	1
Legume vegetables	1
Lettuce, head	2
Lettuce, leaf	2
Linseed	*0.1
Macadamia nuts	T1
Mango	T0.2
Meat (mammalian)	0.05
Milks	0.05
Mints	0.5
Nectarine	1
Onion, Chinese	T1
Onion, Welsh	T2
Peach	1
Peanut	*0.05
Pear	3
Peppers	T2
Persimmon, American	T0.2
Persimmon, Japanese	T0.2
Plantago ovata seed	0.05
Poppy seed	*0.05
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Pulses	1
Rape seed (canola)	0.5
Root and tuber vegetables	1
Sesame seed	*0.1
Shallot	T2
Spring onion	T2
Strawberry	3
Sunflower seed	*0.1
Sweet corn (corn-on-the-cob)	0.1
Tree tomato (tamarillo)	T1

---

**Agvet chemical: Methoprene**

*Permitted residue: Methoprene, sum of cis- and trans-isomers*

Cattle milk	0.1
Cereal grains	2
Edible offal (mammalian)	*0.01
Meat (mammalian) (in the fat)	0.3
Wheat bran, unprocessed	5
Wheat germ	10

---

**Agvet chemical: Methoxyfenozide**

*Permitted residue: Methoxyfenozide*

All other foods except animal food commodities	0.03
Almonds	
Avocado	0.2
Blueberries	2
Citrus fruits	3
Coffee beans	0.2
Coriander (leaves, roots, stems)	T20
Cotton seed	3
Cranberry	0.5
Cucumber	T2
Custard apple	0.3
Dried grapes	6
Edible offal (mammalian)	*0.01
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	3
Grapes	2
Herbs	T20
Kiwifruit	2
Lettuce, head	T30
Lettuce, leaf	T30
Litchi	2
Longan	2
Macadamia nuts	0.05
Meat (mammalian) (in the fat)	*0.01
Mexican tarragon	T20
Milks	*0.01
Persimmon, American	1
Persimmon, Japanese	1
Plums (including prunes)	0.3
Podded pea (young pods) (snow and sugar snap)	T3
Pome fruits	0.5
Rucola (rocket)	T20
Stone fruits [except plums (including prunes)]	3
Sweet corn (corn-on-the-cob)	T0.05

---

**Agvet chemical: Methyl benzoate**

*Permitted residue: Methyl benzoate*

Poultry, edible offal of	0.1
Poultry meat	0.1

---

**Agvet chemical: Methyl bromide**

*Permitted residue: Methyl bromide*

Cereal grains	50
Cucumber	*0.05
Dried fruits	*0.05
Fruit [except jackfruit; litchi; mango; papaya]	T*0.05
Herbs	*0.05
Jackfruit	*0.05

Litchi	*0.05	Peanut	*0.05
Mango	*0.05	Potato	*0.01
Papaya (pawpaw)	*0.05	Poultry, edible offal of	*0.01
Peppers, sweet	*0.05	Poultry meat	*0.01
Spices	*0.05	Pulses [except adzuki bean (dry); mung bean (dry); soya bean (dry)]	*0.01
Vegetables [except cucumber; peppers, sweet]	T*0.05	Rape seed (canola)	*0.02
<b>Agvet chemical: Methyl isothiocyanate</b>		Rhubarb	*0.05
<i>Permitted residue: Methyl isothiocyanate</i>		Rose and dianthus (edible flowers)	T*0.05
Barley	T0.1	Rucola (rocket)	T*0.05
Rape seed (canola)	T0.1	Safflower seed	*0.05
Wheat	T0.1	Shallot	*0.01
<b>Agvet chemical: Metiram</b>		Sorghum	*0.05
<i>see Dithiocarbamates</i>		Soya bean (dry)	*0.05
<b>Agvet chemical: Metolachlor</b>		Spinach	T*0.01
<i>Permitted residue: Metolachlor</i>		Spring onion	*0.01
Adzuki bean (dry)	T*0.05	Sugar cane	*0.05
All other foods except animal food commodities	0.02	Sunflower seed	*0.05
Beetroot	T0.7	Sweet corn (kernels)	0.1
Beetroot leaves	T15	Sweet potato	*0.2
Bergamot	T*0.05	Tomato	T*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.02	Turmeric, root	T0.5
Brassica leafy vegetables	*0.01	<b>Agvet chemical: Metosulam</b>	
Burnet, salad	T*0.05	<i>Permitted residue: Metosulam</i>	
Celeriac	T*0.2	Cereal grains	*0.02
Celery	T0.05	Edible offal (mammalian)	*0.01
Cereal grains [except maize; sorghum]	*0.02	Eggs	*0.01
Chard (silver beet)	T*0.01	Lupin (dry)	*0.02
Chervil	T*0.05	Meat (mammalian)	*0.01
Coriander (leaves, stems)	T*0.05	Milks	*0.01
Coriander, roots	T0.5	Poppy seed	*0.01
Coriander, seed	T*0.05	Poultry, edible offal of	*0.01
Cotton seed	*0.01	Poultry meat	*0.01
Dill, seed	T*0.05	<b>Agvet chemical: Metrafenone</b>	
Edible offal (mammalian)	*0.05	<i>Permitted residue: Metrafenone</i>	
Eggs	*0.01	Apple	1.5
Fennel, seed	T*0.05	Apricot	0.7
Fruiting vegetables, cucurbits	*0.05	Barley	0.5
Galangal, Greater	T0.5	Cherries	2
Herbs	T*0.05	Dried grapes (currants, raisins and sultanas)	17
Kaffir lime leaves	T*0.05	Edible offal (mammalian)	*0.05
Lemon grass	T*0.05	Eggs	*0.05
Lemon verbena (dry leaves)	T*0.05	Fruiting vegetables, cucurbits	0.2
Maize	0.1	Grapes	4.5
Meat (mammalian)	*0.05	Hops, dry	70
Milks	*0.05	Meat (mammalian) (in the fat)	*0.05
Mizuna	T*0.05	Milks	*0.01
Mung bean (dry)	T*0.05	Mushrooms	0.4
Onion, Welsh	*0.01	Nectarine	0.7
		Peach	0.7
		Peppers, chili	2
		Peppers, chili (dry)	20

Peppers, sweet (including pimento and pimiento)	2
Poultry, edible offal of	*0.05
Poultry meat (in the fat)	*0.05
Strawberry	0.6
Tomato	0.4
Wheat	0.06

---

**Agvet chemical: Metribuzin**

*Permitted residue: Metribuzin*

Asparagus	0.2
Carrot	T0.3
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.05
Peas [except peas, shelled]	T*0.05
Peas, shelled	*0.05
Potato	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	*0.01
Rape seed (canola)	*0.02
Root and tuber vegetables [except carrot; potato]	T*0.05
Soya bean (dry)	*0.05
Sugar cane	*0.02
Sugar cane molasses	0.1
Tomato	0.1

---

**Agvet chemical: Metsulfuron-methyl**

*Permitted residue: Metsulfuron-methyl*

Cereal grains	*0.02
Chick-pea (dry)	T*0.05
Edible offal (mammalian)	*0.1
Linseed	*0.02
Meat (mammalian)	*0.1
Milks	*0.1
Mung bean (dry)	T0.2
Poppy seed	*0.01
Safflower seed	*0.02

---

**Agvet chemical: Mevinphos**

*Permitted residue: Mevinphos*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.3
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.05

---

**Agvet chemical: Milbemectin**

*Permitted residue: Sum of milbemycin MA<sub>3</sub> and milbemycin MA<sub>4</sub> and their photoisomers, milbemycin (Z) 8,9-MA<sub>3</sub> and (Z) 8,9Z-MA<sub>4</sub>*

Edible offal (mammalian)	*0.002
Fruiting vegetables, other than cucurbits	0.02
Meat (mammalian) (in the fat)	*0.002
Milk fats	*0.0005
Milks	*0.0005
Pome fruits	0.03
Stone fruits	0.1
Strawberry	0.2

---

**Agvet chemical: Molinate**

*Permitted residue: Molinate*

Rice	*0.05
------	-------

---

**Agvet chemical: Monensin**

*Permitted residue: Monensin*

Cattle, edible offal of	*0.05
Cattle meat	*0.05
Cattle milk	*0.01
Goat, edible offal of	*0.05
Goat meat	*0.05
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Sheep fat	0.07
Sheep kidney	0.015
Sheep liver	0.2
Sheep muscle	0.005

---

**Agvet chemical: Monepantel**

*Permitted residue: Monepantel*

Cattle fat	7
Cattle kidney	1
Cattle liver	2
Cattle meat	0.3
Milks	*0.05
Sheep fat	7
Sheep kidney	2
Sheep muscle	0.7
Sheep liver	5

---

**Agvet chemical: Morantel**

*Permitted residue: Morantel*

Cattle, edible offal of	2
Goat, edible offal of	2
Meat (mammalian)	0.3
Milks	*0.1
Pig, edible offal of	5
Sheep, edible offal of	2

<b>Agvet chemical: Moxidectin</b>	
<i>Permitted residue: Moxidectin</i>	
Cattle, edible offal of	0.5
Cattle meat (in the fat)	1
Cattle milk (in the fat)	2
Deer meat (in the fat)	1
Deer, edible offal of	0.2
Sheep, edible offal of	0.05
Sheep meat (in the fat)	0.5
<b>Agvet chemical: MSMA</b>	
<i>Permitted residue: Total arsenic, expressed as MSMA</i>	
Sugar cane	0.3
<b>Agvet chemical: Myclobutanil</b>	
<i>Permitted residue: Myclobutanil</i>	
All other foods except animal food commodities	0.05
Asparagus	T0.02
Blackberries	2
Boysenberry	2
Cherries	5
Chervil	T2
Coriander (leaves, roots, stems)	T2
Grapes	1
Herbs	T2
Herbs [except hops, dry]	T2
Hops, dry	10
Mizuna	T2
Pome fruits	0.5
Raspberries, red, black	2
Rucola (rocket)	T2
Stone fruits [except cherries]	2
Strawberry	2
<b>Agvet chemical: Naled</b>	
<i>Permitted residue: Sum of naled and dichlorvos, expressed as naled</i>	
Cotton seed	T*0.02
Edible offal (mammalian)	T*0.05
Hops, dry	0.5
Meat (mammalian)	T*0.05
Milks	T*0.05
<b>Agvet chemical: Naphthalene acetic acid</b>	
<i>Permitted residue: 1-Naphthelene acetic acid</i>	
Apple	1
Pear	1
Pineapple	1
Rambutan	T*0.05

<b>Agvet chemical: Naphthalophos</b>	
<i>Permitted residue: Naphthalophos</i>	
Sheep, edible offal of	*0.01
Sheep meat	*0.01
<b>Agvet chemical: Napropamide</b>	
<i>Permitted residue: Napropamide</i>	
Almonds	*0.1
Berries and other small fruits	*0.1
Edible offal (mammalian)	*0.08
Eggs	*0.08
Meat (mammalian)	*0.08
Milks	*0.08
Poultry, edible offal of	*0.08
Poultry meat	*0.08
Rape seed (canola)	*0.01
Stone fruits	*0.1
Tomato	*0.1
<b>Agvet chemical: Narasin</b>	
<i>Permitted residue: Narasin</i>	
Cattle, edible offal of	0.05
Cattle meat	0.05
Poultry, edible offal of	0.1
Poultry meat	0.1
<b>Agvet chemical: Neomycin</b>	
<i>Permitted residue: Inhibitory substance, identified as neomycin</i>	
Eggs	T0.5
Fats (mammalian) [except milk fats]	T0.5
Kidney of cattle, goats, pigs and sheep	T10
Liver of cattle, goats, pigs and sheep	T0.5
Meat (mammalian)	T0.5
Milks	T1.5
Poultry kidney	T10
Poultry liver	T0.5
Poultry meat	T0.5
<b>Agvet chemical: Netobimin</b>	
<i>see Albendazole</i>	
<b>Agvet chemical: Nicarbazin</b>	
<i>Permitted residue: 4,4'-dinitrocarbanilide (DNC)</i>	
Chicken fat/skin	10
Chicken kidney	20
Chicken liver	35
Chicken muscle	5
Eggs	0.3

<b>Agvet chemical: Niclosamide</b>	
<i>Permitted residue: Niclosamide</i>	
Edible offal (mammalian)	T*0.01
Eggs	T*0.01
Meat (mammalian)	T*0.01
Milks	T*0.01
Poultry, edible offal of	T*0.01
Poultry meat	T*0.01
Rice	T*0.01

<b>Agvet chemical: Nitrothal-isopropyl</b>	
<i>Permitted residue: Nitrothal-isopropyl</i>	
Apple	1

<b>Agvet chemical: Nitroxynil</b>	
<i>Permitted residue: Nitroxynil</i>	
Cattle, edible offal of	1
Cattle meat	1
Cattle milk	T0.5
Goat, edible offal of	1
Goat meat	1
Sheep, edible offal of	1
Sheep meat	1

<b>Agvet chemical: Norflurazon</b>	
<i>Permitted residue: Norflurazon</i>	
All other foods except animal food commodities	0.05
Asparagus	0.05
Citrus fruits	0.2
Cotton seed	0.1
Cranberry	0.1
Grapes	0.1
Hops, dry	3
Pome fruits	*0.2
Stone fruits	*0.2
Tree nuts	*0.2

<b>Agvet chemical: Norgestomet</b>	
<i>Permitted residue: Norgestomet</i>	
Edible offal (mammalian)	*0.0001
Meat (mammalian)	*0.0001

<b>Agvet chemical: Novaluron</b>	
<i>Permitted residue: Novaluron</i>	
All other foods except animal food commodities	0.1
Apple	0.3
Cherries	8
Cotton seed	T1
Cotton seed oil, crude	T2
Cranberry	0.45

Edible offal (mammalian)	*0.01
Eggs	*0.01
Meat (mammalian) (in the fat)	0.1
Milk fats	0.2
Milks	*0.01
Pear	0.3
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01

<b>Agvet chemical: Novobiocin</b>	
<i>Permitted residue: Novobiocin</i>	
Cattle, edible offal of	*0.1
Cattle meat	*0.1
Cattle milk	*0.1

<b>Agvet chemical: ODB</b>	
<i>Permitted residue: 1,2-dichlorobenzene</i>	
Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

<b>Agvet chemical: Olaquinox</b>	
<i>Permitted residue: Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxalone, expressed as olaquinox</i>	
Pig, edible offal of	0.3
Pig meat	0.3
Poultry, edible offal of	0.3
Poultry meat	0.3

<b>Agvet chemical: Oleandomycin</b>	
<i>Permitted residue: Oleandomycin</i>	
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

<b>Agvet chemical: Omethoate</b>	
<i>Permitted residue: Omethoate</i>	
see also <i>Dimethoate</i>	
Cereal grains	*0.05
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	2
Lupin (dry)	0.1
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	0.05
Peppers, sweet	1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Tomato	1
Vegetables [except as otherwise listed under this chemical]	2

<b>Agvet chemical: OPP</b>		<b>Agvet chemical: Oxathiapiprolin</b>	
see 2-phenylphenol		Permitted residue: Oxathiapiprolin	
<b>Agvet chemical: Oryzalin</b>		All other foods except animal food commodities	0.02
Permitted residue: Oryzalin		Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Cereal grains	*0.01	Bulb vegetables [except onion, bulb]	2
Coffee beans	T0.1	Cardoon	15
Fruit	0.1	Edible offal (mammalian)	*0.01
Garlic	T*0.05	Eggs	*0.01
Ginger, root	T*0.05	Fruiting vegetables, other than cucurbits	0.5
Rape seed (canola)	*0.05	Leafy vegetables [except lettuce, head]	15
Tree nuts	0.1	Lettuce, head	2
<b>Agvet chemical: Oxabetrinil</b>		Meat (mammalian) (in the fat)	*0.01
Permitted residue: Oxabetrinil		Milks	*0.01
Edible offal (mammalian)	*0.1	Onion, bulb	0.04
Eggs	*0.1	Peas (pods and succulent, immature seeds)	1
Meat (mammalian)	*0.1	Peas, shelled (succulent seeds)	0.05
Milks	*0.05	Poppy seed	*0.01
Poultry, edible offal of	*0.1	Potato	0.04
Poultry meat	*0.1	Poultry, edible offal of	*0.01
<b>Agvet chemical: Oxadixyl</b>		Poultry meat (in the fat)	*0.01
Permitted residue: Oxadixyl		<b>Agvet chemical: Oxfendazole</b>	
Fruiting vegetables, cucurbits	0.5	Permitted residue: Oxfendazole	
Grapes	2	Edible offal (mammalian)	3
Lettuce, head	1	Meat (mammalian)	*0.1
Lettuce, leaf	1	Milks	0.1
Onion, bulb	0.5	<b>Agvet chemical: Oxycarboxin</b>	
<b>Agvet chemical: Oxamyl</b>		Permitted residue: Oxycarboxin	
Permitted residue: Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl		Beans [except broad bean; soya bean]	5
Banana	0.2	Blueberries	T10
Cereal grains	*0.02	Broad bean (green pods and immature seeds)	5
Edible offal (mammalian)	*0.02	<b>Agvet chemical: Oxyclozanide</b>	
Eggs	*0.02	Permitted residue: Oxyclozanide	
Meat (mammalian)	*0.02	Cattle, edible offal of	2
Milks	*0.02	Cattle meat	0.5
Onion, Welsh	T0.5	Goat, edible offal of	2
Peppers, sweet	1	Goat meat	0.5
Poultry, edible offal of	*0.02	Milks	0.05
Poultry fats	*0.02	Sheep, edible offal of	2
Poultry meat	*0.02	Sheep meat	0.5
Shallot	T0.5	<b>Agvet chemical: Oxydemeton-methyl</b>	
Spring onion	T0.5	Permitted residue: Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl	
Sweet potato	T0.5	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
Tomato	*0.05	Cotton seed	*0.01

Cotton seed oil, crude	*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lupin (dry)	*0.01
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

**Agvet chemical: Oxyfluorfen**

*Permitted residue: Oxyfluorfen*

Assorted tropical and sub-tropical fruits – inedible peel	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Cereal grains	*0.05
Coffee beans	T0.05
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Eggs	0.05
Grapes	0.05
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Olives	1
Pome fruits	0.05
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	0.2
Stone fruits	0.05
Tree nuts	0.05

**Agvet chemical: Oxytetracycline**

*Permitted residue: Inhibitory substance, identified as oxytetracycline*

Fish	T0.2
Honey	0.3
Kidney of cattle, goats, pigs and sheep	0.6
Liver of cattle, goats, pigs and sheep	0.3
Meat (mammalian)	0.1
Milks	0.1
Poultry, edible offal of	0.6
Poultry meat	0.1

**Agvet chemical: Oxythioquinox**

*Permitted residue: Oxythioquinox*

Fruiting vegetables, cucurbits	0.5
Pome fruits	0.5
Stone fruits	0.5

**Agvet chemical: Paclobutrazol**

*Permitted residue: Paclobutrazol*

Assorted tropical and sub-tropical fruits – inedible peel [except avocado; mango]	*0.01
---	-------

Avocado	0.1
Barley	T0.1
Broccoli	T*0.01
Mango	T1
Pome fruits	1
Potato	T*0.01
Stone fruits	*0.01
Tomato	T*0.01
Wheat	T0.1

**Agvet chemical: Paraquat**

*Permitted residue: Paraquat cation*

Anise myrtle leaves	T0.5
Cassava	T*0.05
Cereal grains [except as otherwise listed under this chemical]	*0.05
Cotton seed	0.2
Cotton seed oil, edible	0.05
Edible offal (mammalian)	0.5
Eggs	*0.01
Fruit [except olives]	*0.05
Hops, dry	0.5
Lemon myrtle leaves	T0.5
Maize	0.1
Meat (mammalian)	*0.05
Milks	*0.01
Native pepper ( <i>Tasmannia lanceolata</i> ) leaves	T0.5
Olives	1
Peanut	*0.01
Peanut, whole	*0.01
Potato	0.2
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses	1
Rice	10
Rice, polished	0.5
Sugar cane	*0.05
Tea, green, black	T0.5
Tree nuts	*0.05
Vegetables [except as otherwise listed under this chemical]	*0.05

**Agvet chemical: Pebulate**

*Permitted residue: Pebulate*

Fruiting vegetables, other than cucurbits	*0.1
---	------

**Agvet chemical: Penconazole**

*Permitted residue: Penconazole*

Brussels sprouts	0.05
Grapes	0.1
Herbs	0.05
Pome fruits	0.1
Spices	0.1

Strawberries	0.5
Tea, green, black	0.1

---

**Agvet chemical: Pencycuron**

*Permitted residue: Pencycuron*

Potato	0.05
--------	------

---

**Agvet chemical: Pendimethalin**

*Permitted residue: Pendimethalin*

Artichoke, globe	0.05
Asparagus	0.15
Assorted tropical and sub-tropical fruits – inedible peel	*0.05
Barley	*0.05
Berries and other small fruits	*0.05
Brassica leafy vegetables	0.2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
Bulb vegetables	*0.05
Citrus fruits	*0.05
Coffee beans	T*0.01
Date	T*0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Herbs	*0.05
Hops, dry	*0.1
Leafy vegetables [except brassica leafy vegetables; lettuce, leaf]	*0.05
Legume vegetables	*0.05
Lettuce, leaf	4
Maize	*0.05
Meat (mammalian)	*0.01
Melons, including watermelon	0.1
Milk	*0.01
Oilseed	*0.05
Olives	*0.05
Pome fruits	*0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Pulses	*0.05
Rice	*0.05
Root and tuber vegetables	*0.05
Sorghum	0.1
Stone fruits	*0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	*0.05
Tomato	*0.05
Tree nuts	*0.05
Wheat	*0.05

---

**Agvet chemical: Penflufen**

*Permitted residue: Penflufen*

Cereal grains	*0.01
Chick-pea (dry)	T*0.01

Cotton seed	T*0.01
Edible offal (mammalian)	*0.01
Eggs	*0.01
Lentil (dry)	T*0.01
Meat (mammalian) (in the fat)	*0.01
Milks	*0.01
Milk fats	*0.01
Potato	*0.01
Poultry, edible offal of	*0.01
Poultry meat (in the fat)	*0.01
Rape seed (canola)	*0.01

---

**Agvet chemical: Penthioopyrad**

*Permitted residue—commodities of plant origin: Penthioopyrad*

*Permitted residue—commodities of animal origin: Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-ylcarboxamide, expressed as penthiopyrad*

All other foods except animal food commodities	0.05
Brassica leafy vegetables	70
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	7
Cranberry	3
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	1
Fruiting vegetables, other than cucurbits	5
Leafy vegetables [except brassica leafy vegetables; lettuce, head]	50
Lettuce, head	10
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	1
Onion, Welsh	5
Pome fruits	0.5
Potato	0.1
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Root and tuber vegetables [except potato]	2
Shallot	5
Spring onion	5
Stone fruits	5
Strawberry	5
Tree nuts	0.1

---

**Agvet chemical: Permethrin**

*Permitted residue: Permethrin, sum of isomers*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except Brussels sprouts]	1
Brussels sprouts	2
Celery	5



Cereal grains	2	Milks	*0.1
Cherries	4	Radicchio	T1
Common bean (dry) (navy bean)	0.1		
Common bean (pods and/or immature seeds)	0.5		
Coriander (leaves, roots, stems)	30	<b>Agvet chemical: 2-Phenylphenol</b>	
Cotton seed	0.2	<i>Permitted residue: Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol</i>	
Edible offal (mammalian)	0.5	All other foods except animal food commodities	0.1
Eggs	0.1	Citrus fruits	10
Fruiting vegetables, cucurbits	0.2		
Galangal, rhizomes	T5		
Herbs	30	<b>Agvet chemical: Phorate</b>	
Kaffir lime leaves	30	<i>Permitted residue: Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate</i>	
Kiwifruit	2		
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5	Cotton seed	0.5
Lemon balm	30	Edible offal (mammalian)	*0.05
Lemon grass	30	Eggs	*0.05
Lemon verbena	T5	Meat (mammalian)	*0.05
Lettuce, head	5	Milks	*0.05
Lettuce, leaf	5	Poultry, edible offal of	*0.05
Linseed	0.1	Poultry meat	*0.05
Lupin (dry)	0.1	Vegetables	0.5
Meat (mammalian) (in the fat)	1		
Milks	0.05	<b>Agvet chemical: Phosmet</b>	
Mung bean (dry)	0.1	<i>Permitted residue: Sum of phosmet and its oxygen analogue, expressed as phosmet</i>	
Mushrooms	2		
Nectarine	2	Blueberries	10
Peach	1	Cattle, edible offal of	1
Peas	1	Cattle meat (in the fat)	1
Peppers, chili (dry)	10	Cereal grains	*0.05
Potato	0.05	Cranberry	10
Poultry meat (in the fat)	0.1	Goat, edible offal of	*0.05
Rape seed (canola)	0.2	Goat meat	*0.05
Rhubarb	1	Grapes	10
Soya bean (dry)	0.1	Kiwifruit	15
Sugar cane	*0.1	Lemon	5
Sunflower seed	0.2	Mandarins	5
Sweet corn (corn-on-the-cob)	*0.05	Milks (in the fat)	0.2
Tea, green, black	0.1	Pig, edible offal of	0.1
Tomato	0.4	Pig meat	0.1
Turmeric, root	T5	Pome fruits	1
Wheat bran, unprocessed	5	Sheep, edible offal of	*0.05
Wheat germ	2	Sheep meat	*0.05
		Stone fruits	1
<b>Agvet chemical: Phenmedipham</b>			
<i>Permitted residue—commodities of plant origin: Phenmedipham</i>		<b>Agvet chemical: Phosphine</b>	
<i>Permitted residue—commodities of animal origin: 3-methyl-N-(3-hydroxyphenyl)carbamate</i>		<i>Permitted residue: All phosphides, expressed as hydrogen phosphide (phosphine)</i>	
Beetroot	0.5	Cereal grains	*0.1
Chard (silver beet)	2	Citrus fruits	0.01
Edible offal (mammalian)	*0.1	Dried foods [except as otherwise listed under this chemical]	*0.01
Leafy vegetables [except chard (silver beet)]	T1	Dried fruits	*0.01
Meat (mammalian)	*0.1	Dried vegetables	*0.01

Honey	*0.01
Oilseed	*0.01
Peanut	*0.01
Pulses	*0.01
Seed for beverages	T*0.01
Spices	*0.01
Sugar cane	*0.01
Tree nuts	*0.01

**Agvet chemical: Phosphorous acid**

*Permitted residue: Phosphorous acid*

Anise myrtle leaves	T1000
Assorted tropical and sub-tropical fruits – inedible peel [except avocado]	T100
Avocado	T500
Berries and other small fruit [except ribberries; strawberry]	T50
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except flowerhead brassicas]	T1
Bulb vegetables	T10
Citrus fruits	100
Coriander (leaves, roots, stems)	T150
Edible offal (mammalian)	5
Flowerhead brassicas	50
Fruiting vegetables, cucurbits	T100
Fruiting vegetables, other than cucurbits	T100
Galangal, rhizomes	T100
Ginger, root	T100
Herbs	T150
Kaffir lime leaves	T150
Leafy vegetables	T150
Lemon balm	T150
Lemon grass	T150
Lemon myrtle leaves	T1000
Lemon verbena	T150
Meat (mammalian)	1
Peach	100
Peas, shelled	T100
Poppy seed	1
Rhubarb	T100
Riberry	T1000
Root and tuber vegetables	T100
Rose and dianthus (edible flowers)	T150
Stone fruits [except cherries; peach]	T100
Strawberry	T500
Tree nuts	T3000
Turmeric, root	T100

**Agvet chemical: Picloram**

*Permitted residue: Picloram*

Cereal grains	0.2
Edible offal (mammalian)	5
Meat (mammalian)	*0.05

Milks	*0.05
Sugar cane	*0.01

**Agvet chemical: Picolinafen**

*Permitted residue—commodities of plant origin: Picolinafen*

*Permitted residue—commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridine carboxylic acid*

Cereal grains	*0.02
Edible offal (mammalian)	0.05
Eggs	*0.01
Field pea (dry)	*0.02
Lupin (dry)	*0.02
Meat (mammalian) (in the fat)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat (in the fat)	*0.02

**Agvet chemical: Pinoxaden**

*Permitted residue: Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo [1,2-d][1,4,5] oxadiazepine-7,9-dione, expressed as Pinoxaden*

Barley	0.1
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Wheat	0.1
Wheat bran, unprocessed	0.5

**Agvet chemical: Piperonyl butoxide**

*Permitted residue: Piperonyl butoxide*

Cattle milk	0.05
Cereal bran, unprocessed	40
Cereal grains	20
Dried fruits	8
Dried vegetables	8
Edible offal (mammalian)	0.1
Eggs	*0.1
Fruit	8
Meat (mammalian)	0.1
Oilseed	8
Poultry, edible offal of	*0.5
Poultry meat (in the fat)	*0.5
Tree nuts	8
Vegetables	8
Wheat germ	50

<b>Agvet chemical: Pirimicarb</b>		Rice	10
<i>Permitted residue: Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb</i>		Rice, husked	2
		Rice, polished	1
		Rye	10
		Sorghum	10
		Triticale	10
		Wheat	10
		Wheat germ	30
		<b>Agvet chemical: Praziquantel</b>	
		<i>Permitted residue: Praziquantel</i>	
All other foods except animal food commodities		0.05	
Blackberries		T2	
Celeriac		0.1	
Celery		T15	
Cereal grains		*0.02	
Coriander (leaves, roots, stems)		T20	
Cotton seed		0.05	
Cotton seed oil, crude		T0.1	
Edible offal (mammalian)		*0.1	
Eggs		*0.1	
Fruit [except blackberries; strawberry]		0.5	
Herbs		T20	
Hops, dry		0.5	
Leafy vegetables [except mizuna]		T30	
Lemon balm		T20	
Meat (mammalian)		*0.1	
Milks		*0.1	
Mizuna		T30	
Onion, Welsh		T7	
Peppers		1	
Poultry, edible offal of		*0.1	
Poultry meat		*0.1	
Pulses		T*0.02	
Rape seed (canola)		0.2	
Shallot		T7	
Spices		*0.05	
Spring onion		T7	
Strawberry		3	
Sweet corn (corn-on-the-cob)		T0.1	
Tree nuts		T*0.05	
Vegetables [except celeriac; celery; leafy vegetables; onion, Welsh; shallot; spring onion; sweet corn (corn-on-the-cob)]		1	
		<b>Agvet chemical: Prochloraz</b>	
		<i>Permitted residue: Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as prochloraz</i>	
		Avocado	5
		Banana	5
		Custard apple	T2
		Lettuce, head	2
		Lettuce, leaf	T3
		Litchi	T1
		Mandarins	T10
		Mango	5
		Mushrooms	3
		Papaya (pawpaw)	5
		Pineapple	2
		Pistachio nut	T0.5
		Sugar cane	*0.05
		<b>Agvet chemical: Procymidone</b>	
		<i>Permitted residue: Procymidone</i>	
<b>Agvet chemical: Pirimiphos-methyl</b>		Adzuki bean (dry)	T0.2
<i>Permitted residue: Pirimiphos-methyl</i>		Bergamot	T3
Barley		7	
Cereal bran, unprocessed		20	
Edible offal (mammalian)		*0.05	
Eggs		*0.05	
Maize		7	
Meat (mammalian)		*0.05	
Milks		*0.05	
Millet		10	
Oats		7	
Peanut		5	
Peanut oil, edible		15	
Poultry, edible offal of		*0.05	
Poultry meat		*0.05	
		Broad bean (dry)	T10
		Broad bean (green pods and immature seeds)	T10
		Burnet, salad	T3
		Chervil	T2
		Chick-pea (dry)	T0.5
		Common bean (dry) (navy bean)	T10
		Common bean (pods and/or immature seeds)	T3
		Coriander (leaves, roots, stems)	T3
		Coriander, seed	T3

Dill, seed	T3	Meat (mammalian)	*0.05
Edible offal (mammalian)	T0.05	Milks	*0.01
Eggs	T*0.01	Poultry, edible offal of	*0.05
Fennel, bulb	T1	Poultry meat	*0.05
Fennel, seed	T3	Rice	0.05
Galangal, Greater	T0.5		
Garlic	T5	<b>Agvet chemical: Prohexadione-calcium</b>	
Herbs	T3	<i>Permitted residue: Sum of the free and conjugated forms of prohexadione expressed as prohexadione</i>	
Kaffir lime leaves	T3	Apple	*0.02
Lemon grass	T3	Cherries	0.4
Lemon verbena (fresh weight)	T3	Edible offal (mammalian)	*0.05
Lentil (dry)	0.5	Meat (mammalian)	*0.05
Lupin (dry)	T*0.01	Milks	*0.01
Meat (mammalian) (in the fat)	T0.2		
Milks	T0.02	<b>Agvet chemical: Prometryn</b>	
Mizuna	T2	<i>Permitted residue: Prometryn</i>	
Onion, bulb	T0.2	Adzuki bean (dry)	T*0.1
Peppers	T2	Cattle milk	*0.05
Pome fruits	T1	Cereal grains	*0.1
Potato	T0.1	Coriander (leaves, roots, stems)	T1
Poultry, edible offal of	T*0.01	Coriander, seed	T1
Poultry meat (in the fat)	T0.1	Cotton seed	*0.1
Rape seed (canola)	T1	Edible offal (mammalian)	*0.05
Rape seed oil, crude	T2	Meat (mammalian)	*0.05
Root and tuber vegetables [except potato]	T1	Peanut	*0.1
Rose and dianthus (edible flowers)	T3	Sunflower seed	*0.1
Rucola (rocket)	T2	Turmeric, root	T*0.01
Snow pea	T5	Vegetables	*0.1
Spinach	T2		
Strawberry	*0.02	<b>Agvet chemical: Propachlor</b>	
Stone fruits	T10	<i>Permitted residue: Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor</i>	
Turmeric, root (fresh)	T0.5	Beetroot	*0.05
Wine grapes	T2	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.6
		Cereal grains [except sorghum]	0.05
<b>Agvet chemical: Profenofos</b>		Edible offal (mammalian)	0.1
<i>Permitted residue: Profenofos</i>		Eggs	*0.02
Cattle milk	*0.01	Garlic	2.5
Cotton seed	1	Leafy vegetables [except lettuce, head; lettuce, leaf]	T1
Cotton seed oil, edible	0.3	Leek	*0.02
Edible offal (mammalian)	*0.05	Meat (mammalian) (in the fat)	*0.02
Eggs	*0.02	Milks	*0.02
Mangosteen	5	Onion, bulb	2.5
Meat (mammalian)	*0.05	Onion, Welsh	T1
Poultry, edible offal of	*0.05	Poultry, edible offal of	*0.02
Poultry meat	*0.05	Poultry meat (in the fat)	*0.02
		Radish	*0.02
<b>Agvet chemical: Profoxydim</b>		Shallot	T1
<i>Permitted residue: Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim</i>		Sorghum	0.2
Edible offal (mammalian)	0.5	Spring onion	T1
Eggs	*0.05	Swede	*0.02

Sweet corn (corn-on-the-cob)	0.05
Turnip, garden	*0.02

---

**Agvet chemical: Propamocarb**

*Permitted residue: Propamocarb (base)*

Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
Bulb vegetables [except onion, bulb]	30
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	5
Fruiting vegetables, other than cucurbits	T0.3
Leafy vegetables [except lettuce, head; lettuce, leaf]	T20
Lettuce, head	70
Lettuce, leaf	70
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.5
Poppy seed	5
Potato	0.05
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Propanil**

*Permitted residue: Propanil*

Cattle, edible offal of	*0.1
Cattle meat	*0.1
Eggs	*0.1
Milks	*0.01
Poultry, edible offal of	3
Poultry meat	*0.1
Rice	2
Sheep, edible offal of	*0.1
Sheep meat	*0.1

---

**Agvet chemical: Propaquizafop**

*Permitted residue: Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop*

Edible offal (mammalian)	*0.02
Meat (mammalian)	*0.02
Milks	*0.01
Oilseed	*0.05
Onion, bulb	*0.05
Peas	*0.05
Pulses	*0.05

---

**Agvet chemical: Propargite**

*Permitted residue: Propargite*

Apple	3
Banana	3
Cotton seed	0.2

Currant, black	T3
Edible offal (mammalian)	*0.1
Eggs	*0.1
Hops, dry	3
Mangosteen	T3
Meat (mammalian) (in the fat)	*0.1
Milks	*0.1
Passionfruit	3
Pear	3
Poultry, edible offal of	*0.1
Poultry meat (in the fat)	*0.1
Rambutan	T3
Stone fruits	3
Strawberry	7
Vegetables	3

---

**Agvet chemical: Propazine**

*Permitted residue: Propazine*

Vegetables	*0.1
------------	------

---

**Agvet chemical: Propetamphos**

*Permitted residue: Propetamphos*

Sheep, edible offal of	*0.01
Sheep meat (in the fat)	*0.01

---

**Agvet chemical: Propiconazole**

*Permitted residue: Propiconazole*

All other foods except animal food commodities	0.05
Almonds	0.2
Anise myrtle leaves	T10
Asparagus	T*0.1
Avocado	*0.02
Banana	0.2
Beetroot	*0.02
Blackberries	1
Boysenberry	1
Blueberries	2
Celery	T5
Cereal grains	*0.05
Chard (silver beet)	T0.5
Chervil	T10
Chicory leaves	T1
Citrus fruits	T7
Coriander (leaves, roots, stems)	T10
Cranberry	0.3
Edible offal (mammalian)	1
Eggs	*0.05
Endive	T1
Gai lum	T1
Grapes	1
Herbs [except parsley]	T10
Lemon balm	T10
Lemon myrtle leaves	T10

Meat (mammalian)	0.1	Poultry, edible offal of	*0.05
Milks	*0.01	Poultry meat	*0.05
Mint oil	*0.02	Pulses	*0.01
Mizuna	T10	Quinoa	T02
Mushrooms	*0.05	Rape seed (canola)	0.02
Parsley	T30		
Peanut	*0.05		
Persimmon, American	T0.2	<b>Agvet chemical: Proquinazid</b>	
Pineapple	0.05	<i>Permitted residue—commodities of plant origin:</i>	
Poppy seed	*0.01	<i>Proquinazid</i>	
Poultry, edible offal of	0.1	<i>Permitted residue—commodities of animal origin:</i>	
Poultry meat	0.1	<i>Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yloxy)propionic acid, expressed as proquinazid</i>	
Pulses	T0.3		
Radicchio	T1	Dried grapes (currants, raisins and sultanas)	2
Radish	T0.2	Edible offal (mammalian)	0.05
Raspberries, red, black	1	Eggs	*0.01
Riberry	T5	Fruiting vegetables, cucurbits	0.2
Rucola (rocket)	T10	Grapes	0.5
Spices	*0.1	Meat (mammalian)	*0.01
Spinach	T0.7	Milks	*0.01
Stone fruits	2	Peppers, sweet	0.2
Sugar cane	*0.02	Poultry, edible offal of	*0.01
Sunflower seed	T0.5	Poultry meat	*0.01
Sweet corn (corn-on-the-cob)	*0.02	Tomato	0.3
Tree nuts [except almonds]	T0.2		
		<b>Agvet chemical: Prosulfocarb</b>	
<b>Agvet chemical: Propineb</b>		<i>Permitted residue: Prosulfocarb</i>	
see <i>Dithiocarbamates</i>			
		Barley	*0.01
<b>Agvet chemical: Propoxur</b>		Edible offal (mammalian)	*0.02
<i>Permitted residue: Propoxur</i>		Eggs	*0.02
Potato	10	Meat (mammalian)	*0.02
		Milks	*0.02
<b>Agvet chemical: Propylene oxide</b>		Potato	*0.01
<i>Permitted residue: Propylene oxide</i>		Poultry, edible offal of	*0.02
Almonds	100	Poultry meat	*0.02
		Pulses	*0.01
<b>Agvet chemical: Propyzamide</b>		Wheat	*0.01
<i>Permitted residue: Propyzamide</i>			
All other foods except animal food commodities	0.02		
Artichoke, globe	T*0.02		
Cherries	0.1		
Chicory leaves	*0.2		
Currants, black, red, white	0.01		
Edible offal (mammalian)	*0.2		
Eggs	*0.05		
Endive	*0.2		
Lettuce, head	1		
Lettuce, leaf	1		
Meat (mammalian)	*0.05		
Milks	*0.01		
Poppy seed	0.02		

<b>Agvet chemical: Prothioconazole</b>			
<i>Permitted residue—commodities of plant origin:</i>			
<i>Sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</i>			
<i>Permitted residue—commodities of animal origin:</i>			
<i>Sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</i>			
All other foods except animal food commodities	0.02	Leafy vegetables	5
Blueberries	2	Meat (mammalian)	*0.01
Cereal bran, unprocessed	0.5	Milks	*0.01
Cereal grains	0.3	Mizuna	5
Cranberry	0.2	Pistachio nut	*0.01
Edible offal (mammalian)	0.2	Podded pea (young pods) (snow and sugar snap)	0.3
Eggs	*0.01	Potato	*0.02
Meat (mammalian) (in the fat)	0.02	Poultry, edible offal of	*0.01
Milks	*0.004	Poultry meat	*0.01
Peanut	*0.02	Stone fruits	*0.05
Poultry, edible offal of	*0.05	Strawberry	T0.3
Poultry meat (in the fat)	*0.05	Sweet corn (corn-on-the-cob)	*0.01
Pulses	T0.7		
Rape seed (canola)	*0.02	<b>Agvet chemical: Pyraclofos</b>	
Wheat germ	0.5	<i>Permitted residue: Pyraclofos</i>	
<b>Agvet chemical: Prothiofos</b>		Sheep fat	0.5
<i>Permitted residue: Prothiofos</i>		Sheep kidney	*0.01
Banana	*0.01	Sheep liver	*0.01
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2	Sheep muscle	*0.01
Grapes	2		
Pome fruits	0.05	<b>Agvet chemical: Pyraclostrobin</b>	
<b>Agvet chemical: Pymetrozine</b>		<i>Permitted residue—commodities of plant origin:</i>	
<i>Permitted residue: Pymetrozine</i>		<i>Pyraclostrobin</i>	
Almonds	*0.01	<i>Permitted residue—commodities of animal origin:</i>	
Beetroot	*0.02	<i>Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin</i>	
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5	Artichoke, globe	2
Celery	0.2	Banana	*0.02
Cotton seed	*0.02	Barley	1
Cotton seed oil, edible	*0.02	Beans (dry)	0.3
Edible offal (mammalian)	*0.01	Berries and other small fruits [except blackberries; blueberries; boysenberry; grapes]	3
Eggs	*0.01	Blackberries	4
Fruiting vegetables, cucurbits	1	Blueberries	T5
Fruiting vegetables, other than cucurbits [except mushroom; sweet corn]	0.5	Boysenberry	4
Leafy herbs	T10	Brassica leafy vegetables	T3
		Broccoli, Chinese	T1
		Brussels sprouts	0.3
		Cabbages, head	0.2
		Cereal grains [except barley; oats; rye; triticale; wheat]	*0.01
		Cherries	3
		Chick-pea (dry)	T0.5
		Coffee beans	0.3
		Corn salad (lamb's lettuce)	10
		Cress, garden	10
		Custard apple	T3
		Endive	0.4
		Dried grapes	5
		Edible offal (mammalian)	0.1
		Eggs	*0.05
		Flowerhead brassicas (including broccoli; broccoli, Chinese; cauliflower)	0.1

Fruiting vegetables, cucurbits	0.5	Edible offal (mammalian)	*0.02
Fruiting vegetables, other than cucurbits [except peppers]	0.3	Eggs	*0.02
Garlic	0.3	Field pea (dry)	*0.02
Grapes	2	Meat (mammalian)	*0.02
Herbs	2	Milks	*0.02
Hops, dry	23	Poultry, edible offal of	*0.02
Leek	0.7	Poultry meat	*0.02
Lentil (dry)	0.5		
Lettuce, head	2	<b>Agvet chemical: Pyrasulfotole</b>	
Lettuce, leaf	2	<i>Permitted residue: Sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesyl-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole</i>	
Litchi	T2	Cereal bran, unprocessed	0.03
Mango	0.1	Cereal grains	*0.02
Meat (mammalian) (in the fat)	0.5	Edible offal (mammalian)	0.5
Milks	0.03	Eggs	*0.01
Mung bean (dry)	T0.2	Meat (mammalian)	*0.01
Oats	1	Milks	*0.01
Oilseed [except peanut]	0.4	Poultry, edible offal of	*0.01
Olives	T1	Poultry meat	*0.01
Onion, bulb	1.5		
Onion, Welsh	1.5	<b>Agvet chemical: Pyrethrins</b>	
Papaya (pawpaw)	T0.5	<i>Permitted residue: Sum of pyrethrins i and ii, Cinerins i and ii and jasmolins i and ii, determined after calibration by means of the International Pyrethrum Standard</i>	
Passionfruit	T1	Cereal grains	3
Peanut	0.04	Cucumber	T2
Peas (dry)	0.3	Dried fruits	1
Peppers	0.5	Dried vegetables	1
Pistachio nut	T1	Fruit	1
Pome fruits	1	Fruiting vegetables, cucurbits [except cucumber]	0.2
Poppy seed	*0.05	Oilseed	1
Poultry, edible offal of	*0.05	Tree nuts	1
Poultry meat (in the fat)	*0.05	Vegetables	1
Raspberries, red, black	4		
Root and tuber vegetables	0.5	<b>Agvet chemical: Pyridaben</b>	
Rucola	10	<i>Permitted residue: Pyridaben</i>	
Rye	0.2	Banana	0.5
Shallot	0.3	Cranberry	0.5
Silvanberries	T3	Citrus fruits	0.5
Sorghum	0.5	Grapes	5
Spices	0.1	Hops, dry	10
Spinach	0.5	Pome fruits	0.5
Spring onion	1.5	Stone fruits	0.5
Stone fruits	2.5	Strawberry	1
Sunflower seed	T0.3	Tree nuts	T*0.05
Tree nuts [except pistachio nut]	*0.01		
Triticale	0.2	<b>Agvet chemical: Pyridate</b>	
Wheat	0.2	<i>Permitted residue: sum of pyridate and metabolites containing 6 chloro-4-hydroxyl-3-phenyl pyridazine, expressed as pyridate</i>	
		Chick-pea (dry)	*0.1
<b>Agvet chemical: Pyraflufen-ethyl</b>			
<i>Permitted residue: Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)</i>			
Broad bean (dry) (fava bean)	*0.02		
Cereal grains	*0.02		
Cherries	0.01		
Cotton seed	*0.05		



Edible offal (mammalian)	*0.2
Eggs	*0.2
Meat (mammalian)	*0.2
Milks	*0.2
Peanut	*0.1
Poultry, edible offal of	*0.2
Poultry meat	*0.2

**Agvet chemical: Pyrimethanil**

*Permitted residue: Pyrimethanil*

All other foods except animal food commodities	0.1
Banana	2
Berries and other small fruits [except blueberries; grapes; strawberry]	T5
Blueberries	8
Citrus fruits [except lemon]	10
Coriander (leaves)	3
Cucumber	5
Edible offal (mammalian)	*0.05
Grapes	5
Herbs	3
Leafy vegetables [except lettuce, head; lettuce, leaf]	T5
Lemon	11
Lettuce, head	20
Lettuce, leaf	20
Meat (mammalian)	*0.05
Milks	*0.01
Onion, bulb	0.2
Peppers, sweet	1
Podded pea (young pods) (snow and sugar snap)	T10
Pome fruits	15
Potato	0.05
Spices	0.1
Stone fruits	10
Strawberry	5
Sweet potato	0.05
Tomato	1

**Agvet chemical: Pyriofenone**

*Permitted residue: Pyriofenone*

All other foods	0.05
Dried grapes (currants, raisins and sultanas)	2
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.7
Grapes	0.5
Meat (mammalian)	*0.01
Milks	*0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

**Agvet chemical: Pyriproxyfen**

*Permitted residue: Pyriproxyfen*

All other foods except animal food commodities	0.1
Beans [except broad bean; soya bean]	T0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.7
Chervil	T5
Citrus fruits	0.5
Coffee beans	0.1
Coriander (leaves, roots, stems)	T5
Cotton seed	*0.01
Cotton seed oil, crude	*0.02
Cranberry	1
Edible offal (mammalian)	*0.02
Eggs	0.05
Fruiting vegetables, cucurbits	0.2
Fruiting vegetables, other than cucurbits	1
Galangal, Greater	T*0.05
Galangal, Lesser	T*0.05
Grapes	2.5
Herbs	T5
Lettuce, leaf	5
Mango	0.05
Meat (mammalian) (in the fat)	*0.02
Milks	*0.02
Mizuna	T5
Olive oil, crude	3
Olives	1
Passionfruit	0.1
Poultry, edible offal of	0.1
Poultry meat (in the fat)	0.1
Rose and dianthus (edible flowers)	T5
Rucola (rocket)	T5
Stone fruits	1
Strawberry	T0.5
Sweet potato	*0.05
Turmeric, root	T*0.05
Yard-long bean (pods)	T0.5

**Agvet chemical: Pyriproxybac sodium**

*Permitted residue: Pyriproxybac sodium*

Cotton seed	*0.02
Cotton seed oil, crude	*0.01
Cotton seed oil, edible	*0.01
Edible offal (mammalian)	*0.02
Eggs	*0.02
Meat (mammalian)	*0.02
Milks	*0.02
Poultry, edible offal of	*0.02
Poultry meat	*0.02

<b>Agvet chemical: Pyroxasulfone</b>		Milk fats	0.2
<i>Permitted residue—commodities of plant origin:</i>		Milks	0.01
<i>Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone</i>		Mizuna	T5
<i>Permitted residue—commodities of animal origin: 5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone</i>		Poultry, edible offal of	*0.01
		Poultry meat (in the fat)	*0.01
		Rucola (rocket)	T5
		Stone fruits	0.7
		Strawberry	T*0.01
		<b>Agvet chemical: Quintozene</b>	
		<i>Permitted residue: Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene</i>	
Cereal grains	*0.01	Peanut	0.3
Edible offal (mammalian)	*0.02	<b>Agvet chemical: Quizalofop-ethyl</b>	
Eggs	*0.02	<i>Permitted residue: Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl</i>	
Meat (mammalian)	*0.02	Beetroot	0.02
Milks	*0.002	Cabbages, head	*0.01
Poultry, edible offal of	*0.02	Carrot	*0.02
Poultry meat	*0.02	Cauliflower	*0.05
Pulses	*0.01	Common bean (pods and immature seeds)	*0.02
		Cucumber	*0.02
<b>Agvet chemical: Pyroxsulam</b>		Edible offal (mammalian)	0.2
<i>Permitted residue: Pyroxsulam</i>		Eggs	*0.02
Edible offal (mammalian)	*0.01	Grapes	*0.02
Eggs	*0.01	Meat (mammalian)	*0.02
Meat (mammalian)	*0.01	Melons, except watermelon	*0.02
Milks	*0.01	Milks	0.1
Poppy seed	T*0.01	Onion, bulb	*0.02
Poultry, edible offal of	*0.01	Peanut	*0.02
Poultry meat	*0.01	Pineapple	*0.05
Rye	*0.01	Potato	*0.01
Triticale	*0.01	Poultry, edible offal of	*0.05
Wheat	*0.01	Poultry meat	*0.05
		Pulses	0.2
<b>Agvet chemical: Quinclorac</b>		Pumpkins	*0.02
<i>Permitted residue: Quinclorac</i>		Quinoa	T*0.02
Barley	2	Radish	*0.02
Cranberry	1.5	Rape seed (canola)	*0.02
Rape seed (canola)	1.5	Sunflower seed	*0.05
Rice	5	Tomato	*0.02
Wheat	0.5	<b>Agvet chemical: Quizalofop-p-tefuryl</b>	
		<i>Permitted residue: Sum of quizalofop-p-tefuryl and quizalofop acid, expressed as quizalofop-p-tefuryl</i>	
<b>Agvet chemical: Quinoxifen</b>		Beetroot	0.02
<i>Permitted residue: Quinoxifen</i>		Cabbages, head	*0.01
Barley	*0.01	Carrot	*0.02
Chard (silver beet)	T3	Cauliflower	*0.05
Cherries	0.7	Common bean (pods and/or immature seeds)	*0.02
Chervil	T5		
Coriander (leaves, roots, stems)	T5		
Dried grapes	2		
Edible offal (mammalian)	*0.01		
Eggs	*0.01		
Grapes	2		
Herbs	T5		
Hops, dry	3		
Meat (mammalian) (in the fat)	0.1		

Cucumber	*0.02	Eggs	*0.01
Edible offal (mammalian)	0.2	Grapes	*0.03
Eggs	*0.02	Legume vegetables	*0.03
Grapes	*0.02	Meat (mammalian)	*0.01
Meat (mammalian)	*0.02	Milks	*0.01
Melons, except watermelon	*0.02	Oilseed	*0.03
Milks	0.1	Pome fruits	*0.03
Onion, bulb	*0.02	Poultry, edible offal of	*0.01
Peanut	*0.02	Poultry meat	*0.01
Pineapple	*0.05	Pulses	0.2
Potato	*0.01	Stone fruits	*0.03
Poultry, edible offal of	*0.05	Tree nuts	*0.03
Poultry meat	*0.05	Wheat (desiccant use)	0.6
Pulses	0.2		
Pumpkins	*0.02	<b>Agvet chemical: Salinomycin</b>	
Radish	*0.02	<i>Permitted residue: Salinomycin</i>	
Rape seed (canola)	*0.02	Cattle, edible offal of	0.5
Sunflower seed	*0.05	Cattle meat	*0.05
Tomato	*0.02	Eggs	*0.02
		Pig, edible offal of	*0.1
		Pig meat	*0.1
		Poultry, edible offal of	0.5
		Poultry meat	0.1
		<b>Agvet chemical: Sedaxane</b>	
		<i>Permitted residue: Sedaxane, sum of isomers</i>	
		All other foods except animal food commodities	0.01
		Cereal grains	*0.01
		Edible offal (mammalian)	*0.01
		Eggs	*0.01
		Meat (mammalian)	*0.01
		Milks	*0.01
		Poppy seed	T*0.01
		Potato	0.02
		Poultry, edible offal of	*0.01
		Poultry meat	*0.01
		<b>Agvet chemical: Semduramicin</b>	
		<i>Permitted residue: Semduramicin</i>	
		Chicken fat/skin	0.5
		Chicken kidney	0.2
		Chicken liver	0.5
		Chicken meat	*0.05
		<b>Agvet chemical: Sethoxydim</b>	
		<i>Permitted residue: Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim</i>	
		Asparagus	1
		Barley	*0.1

  

<b>Agvet chemical: Ractopamine</b>	
<i>Permitted residue: Ractopamine</i>	
Pig fat	0.05
Pig kidney	0.2
Pig liver	0.2
Pig meat	0.05

  

<b>Agvet chemical: Rimsulfuron</b>	
<i>Permitted residue: Rimsulfuron</i>	
Almonds	0.01
Cherries	0.01
Tomato	*0.05

  

<b>Agvet chemical: Robenidine</b>	
<i>Permitted residue: Robenidine</i>	
Poultry, edible offal of	*0.1
Poultry meat	*0.1

  

<b>Agvet chemical: Saflufenacil</b>	
<i>Permitted residue—commodities of plant origin:</i>	
<i>Sum of saflufenacil, N'-(2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl-N-isopropyl sulfamide and N-[4-chloro-2-fluoro-5-({(isopropylamino)sulfonyl}amino)carbonyl]phenyl)urea, expressed as saflufenacil equivalents</i>	
<i>Permitted residue—commodities of animal origin:</i>	
<i>Saflufenacil</i>	
All other foods except animal food commodities	0.03
Barley (desiccant use)	1
Cereal grains	*0.03
Citrus fruits	*0.03
Edible offal (mammalian)	7

Beans [except broad bean; soya bean]	T0.5	Broad bean (green pods and immature seeds)	*0.01
Blueberries	0.2	Chick-pea (dry)	*0.05
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5	Chick-pea (green pods)	*0.05
Broad bean (green pods and immature seeds)	*0.1	Citrus fruits	0.25
Celery	0.1	Edible offal (mammalian)	*0.05
Cherries	0.2	Eggs	*0.01
Chia	T0.7	Fruit [except citrus fruits]	*0.1
Coriander (leaves, roots, stems)	*0.1	Ginger, root	T*0.05
Coriander, seed	*0.1	Leek	*0.01
Cotton seed	0.2	Lupin (dry)	*0.05
Cranberry	2.5	Meat (mammalian)	*0.05
Edible offal (mammalian)	*0.05	Milks	*0.02
Egg plant	T0.1	Poultry, edible offal of	*0.01
Eggs	*0.05	Poultry meat	*0.01
Fruiting vegetables, cucurbits	*0.1	Rape seed (canola)	*0.02
Garlic	0.3	Tree nuts	*0.1
Hops, dry	0.5		
Leafy vegetables [except lettuce, head; lettuce, leaf]	T0.5	<b>Agvet chemical: Spectinomycin</b>	
Leek	0.7	<i>Permitted residue: Inhibitory substance, identified as spectinomycin</i>	
Lettuce, head	0.2	Edible offal (mammalian) [except sheep, edible offal of]	*1
Lettuce, leaf	0.2	Eggs	2
Linseed	0.5	Meat (mammalian) [except sheep meat]	*1
Lupin (dry)	0.2	Poultry, edible offal of	*1
Meat (mammalian)	*0.05	Poultry meat	*1
Milks	*0.05		
Onion, bulb	0.3	<b>Agvet chemical: Spinetoram</b>	
Onion, Welsh	0.7	<i>Permitted residue: Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L</i>	
Peanut	3	All other foods except animal food commodities	0.01
Peas (pods and succulent, immature seeds)	T0.7	Almonds	0.1
Peppers	T2	Assorted tropical and sub-tropical fruits – inedible peel	0.3
Poppy seed	0.2	Berries and other small fruits	0.5
Poultry, edible offal of	*0.05	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
Poultry meat	*0.05	Chia	T0.05
Pulses [except lupin (dry)]	*0.1	Citrus fruits	3
Quinoa	T0.5	Coffee beans	*0.01
Radicchio	T0.5	Coriander (leaves, roots, stems)	5
Rape seed (canola)	0.5	Coriander, seed	5
Rhubarb	0.1	Cotton seed	*0.01
Root and tuber vegetables	1	Dill, seed	5
Shallot	0.7	Dried grapes (currants, raisins and sultanas)	1
Spring onion	0.7	Edible offal (mammalian)	0.2
Strawberry	10	Eggs	*0.01
Sunflower seed	*0.1	Fennel, seed	5
Tomato	0.1	Fruiting vegetables, cucurbits	0.05
Turmeric, root	1	Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	0.1
Wheat	*0.1	Ginger, root	T0.02
<b>Agvet chemical: Simazine</b>			
<i>Permitted residue: Simazine</i>			
Asparagus	*0.1		
Broad bean (dry)	*0.01		

Ginger, Japanese	T1	Fruiting vegetables, other than	0.2
Herbs	1	cucurbits [except sweet corn (corn-on-the-cob)]	
Hops, dry	22	Galangal, Greater	0.02
Kaffir lime leaves	5	Grapes	0.5
Leafy vegetables	0.7	Herbs	5
Leek	T0.2	Hops, dry	22
Legume vegetables	0.2	Kaffir lime leaves	5
Lemon grass	5	Japanese greens	5
Lemon verbena (dry leaves)	5	Leafy vegetables	5
Meat (mammalian) (in the fat)	2	Lemon grass	5
Milk fats	0.2	Lemon verbena (dry leaves)	5
Milks	0.01	Meat (mammalian) (in the fat)	2
Mizuna	0.7	Milk fats	0.7
Onion, Welsh	T0.3	Milks	0.1
Poultry, edible offal of	*0.01	Onion, Welsh	0.3
Poultry meat (in the fat)	*0.01	Peas (pods and succulent, immature seeds)	0.5
Pome fruits	0.1	Pome fruits	0.5
Pulses	0.01	Poultry, edible offal of	0.05
Rape seed (canola)	*0.01	Poultry meat (in the fat)	0.5
Root and tuber vegetables	0.02	Pulses	0.01
Shallot	T0.3	Root and tuber vegetables	0.02
Spring onion	T0.3	Rucola (rocket)	5
Stalk and stem vegetables	2	Safflower seed	T*0.01
Stone fruits	0.2	Shallot	0.3
Sweet corn (corn-on-the-cob)	*0.01	Spring onion	0.3
Tree nuts [except almonds]	0.02	Stone fruits	1
Turmeric, root	0.02	Sweet corn (corn-on-the-cob)	0.02
<b>Agvet chemical: Spinosad</b>		Tree nuts	T*0.01
<i>Permitted residue: Sum of spinosyn A and spinosyn D</i>		Turmeric, root	0.02
All other foods except animal food commodities	0.01	Wheat bran, unprocessed	2
Assorted tropical and sub-tropical fruits – inedible peel	0.3	<b>Agvet chemical: Spirodiclofen</b>	
Beans [except broad bean; soya bean]	0.5	<i>Permitted residue: Spirodiclofen</i>	
Berries and other small fruits [except grapes]	0.7	Citrus fruits	0.5
Bergamot	5	Grapes	2
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5	Hops, dry	30
Burnet, salad	5	Stone fruits	1
Celery	2	<b>Agvet chemical: Spiromesifen</b>	
Cereal grains	1	<i>Permitted residue: Sum of spiromesifen and 4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one, expressed as spiromesifen</i>	
Chervil	5	Cranberry	2
Citrus fruits	0.3	Tea, green, black	50
Coffee beans	*0.01	<b>Agvet chemical: Spirotetramat</b>	
Coriander (leaves, roots, stems)	5	<i>Permitted residue: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat</i>	
Coriander, seed	5	All other foods except animal food commodities	0.1
Cotton seed	*0.01	Almonds	0.25
Dill, seed	5		
Edible offal (mammalian)	0.5		
Eggs	0.05		
Fennel, seed	5		
Fruiting vegetables, cucurbits	0.2		

Banana	0.3	Barley	T*0.05
Blueberries	T2	Dried grapes	3
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except Brussels sprouts]	7	Edible offal (mammalian)	0.5
Brassica leafy vegetables	10	Grapes	2
Brussels sprouts	1	Hops, dry	50
Bulb vegetables	0.5	Mammalian fats [except milk fats]	0.05
Celery	5	Meat (mammalian)	0.05
Chia	T1	Milks	0.05
Citrus fruits	1	Podded pea (young pods) (snow and sugar snap)	T*0.02
Cotton seed	0.7		
Cranberry	0.3	<b>Agvet chemical: Streptomycin and Dihydrostreptomycin</b>	
Dried grapes	4	<i>Permitted residue: Inhibitory substance, identified as streptomycin or dihydrostreptomycin</i>	
Edible offal (mammalian)	0.5		
Eggs	*0.02	Edible offal (mammalian)	*0.3
Fig	T1	Meat (mammalian)	*0.3
Fruiting vegetables, cucurbits [except melons]	2	Milks	*0.2
Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	7		
Grapes	2	<b>Agvet chemical: Sulfosulfuron</b>	
Herbs	15	<i>Permitted residue: Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron</i>	
Hops, dry	10		
Kiwifruit	T0.1	Edible offal (mammalian)	*0.005
Leafy vegetables [except brassica leafy vegetables; lettuce, head; lettuce, leaf]	5	Eggs	*0.005
Legume vegetables	2	Meat (mammalian)	*0.005
Lettuce, head	7	Milks	*0.005
Lettuce, leaf	15	Poultry, edible offal of	*0.005
Maize	T*0.02	Poultry meat	*0.005
Mango	0.3	Triticale	*0.01
Meat (mammalian)	0.02	Wheat	*0.01
Melons, except watermelon	0.5		
Milks	*0.005	<b>Agvet chemical: Sulfoxaflo</b>	
Passionfruit	0.5	<i>Permitted residue: Sulfoxaflo</i>	
Pineapple	T0.1		
Pome fruits	0.5	All other foods except animal food commodities	0.01
Potato	5	Avocado	0.3
Poultry, edible offal of	*0.02	Beans (dry)	0.7
Poultry meat	*0.02	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas [except cauliflower]	3
Rhubarb	5	Cauliflower	0.1
Sorghum	T*0.02	Cereal grains	*0.01
Soya bean (dry)	T5	Cherimoya	T1
Stone fruits	4.5	Cherries	3
Sweet corn (corn-on-the-cob)	1	Citrus fruits	0.7
Sweet potato	5	Cotton seed	0.3
Watermelon	0.5	Cranberry	0.7
		Custard apple	T1
<b>Agvet chemical: Spiroxamine</b>		Dried grapes (currants, raisins and sultanas)	T10
<i>Permitted residue—commodities of plant origin: Spiroxamine</i>		Edible offal (mammalian)	0.5
<i>Permitted residue—commodities of animal origin: Spiroxamine carboxylic acid, expressed as spiroxamine</i>		Eggs	*0.01
Banana	T5	Fruiting vegetables, cucurbits	0.5

Fruiting vegetables, other than cucurbits [except sweet corn (corn-on-the-cob)]	1
Grapes [except wine grapes]	T3
Ilama	T1
Leafy vegetables [except lettuce, head]	5
Lettuce, head	1
Macadamia nuts	*0.01
Meat (mammalian)	0.2
Milks	0.1
Persimmon, Japanese	T1
Pineapple	T0.1
Pome fruits	0.5
Potato	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Rape seed (canola)	*0.01
Root and tuber vegetables [except potato]	0.05
Soursop	T1
Soya bean (dry)	0.3
Stone fruits [except cherries]	1
Sugar apple	T1
Strawberry	0.5
Sweet corn (corn-on-the-cob)	*0.01
Tree nuts [except macadamia nuts]	0.02
Wine grapes	*0.01

**Agvet chemical: Sulfuryl fluoride**

*Permitted residue: Sulfuryl fluoride*

Cereal grains	0.05
Dried fruits	0.07
Peanut	7
Tree nuts	7

**Agvet chemical: Sulphadiazine**

*Permitted residue: Sulphadiazine*

Cattle milk	0.1
Edible offal (mammalian)	0.1
Eggs	T*0.02
Meat (mammalian)	0.1
Poultry, edible offal of	0.1
Poultry meat	0.1

**Agvet chemical: Sulphadimidine**

*Permitted residue: Sulphadimidine*

Meat (mammalian)	0.1
Edible offal (mammalian)	0.1
Eggs	*0.005
Poultry, edible offal of [except turkey]	0.1
Poultry meat	0.1
Turkey, edible offal of	0.2

**Agvet chemical: Sulphadoxine**

*Permitted residue: Sulphadoxine*

Cattle milk	*0.1
Edible offal (mammalian)	*0.1
Meat (mammalian)	*0.1

**Agvet chemical: Sulphaquinoxaline**

*Permitted residue: Sulphaquinoxaline*

Eggs	T*0.01
Poultry, edible offal of	0.1
Poultry meat	0.1

**Agvet chemical: Sulphatroxazole**

*Permitted residue: Sulphatroxazole*

Cattle milk	0.1
Edible offal (mammalian)	0.1
Meat (mammalian)	0.1

**Agvet chemical: Sulphur dioxide**

*Permitted residue: Sulphur dioxide*

Blueberries	10
Longan, edible aril	10
Strawberry	T30
Table grapes	10

**Agvet chemical: Sulprofos**

*Permitted residue: Sulprofos*

Cotton seed	0.2
Peppers, sweet	0.2
Tomato	1

**Agvet chemical: Tebuconazole**

*Permitted residue: Tebuconazole*

All other foods except animal food commodities	0.05
Almonds	*0.01
Anise myrtle leaves (dried)	T5
Asparagus	T*0.02
Avocado	0.2
Banana	0.2
Barley	1
Beetroot	T0.3
Beetroot leaves	T2
Blackberries	1
Bulb vegetables [except garlic]	*0.01
Carrot	T0.5
Cereal grains [except barley and oats]	0.2
Chard (silver beet)	T2
Cherries	5
Chervil	T0.5
Chicory leaves	T2
Citrus fruits	T0.05

Coriander (leaves, roots, stems)	T0.5	Meat (mammalian) (in the fat)	*0.02
Cotton seed	2	Milks	*0.01
Cucumber	0.4	Nectarine	T1
Dried grapes (currants, raisins and sultanas)	7	Peach	T1
Edible offal (mammalian)	0.5	Persimmon, Japanese	0.1
Eggs	0.1	Pistachio nut	T0.05
Endive	T2	Pome fruits	1
Garlic	T0.2	Rambutan	T3
Grapes	6		
Herbs	T0.5	<b>Agvet chemical: Tebufenpyrad</b>	
Hops, dry	40	<i>Permitted residue: Tebufenpyrad</i>	
Legume vegetables	0.5	Cucumber	*0.02
Lemon balm	T0.5	Peach	1
Lemon myrtle leaves (dried)	T5	Pome fruits	1
Lettuce, head	0.1	Tea, green, black	0.1
Lettuce, leaf	0.1		
Meat (mammalian)	0.1	<b>Agvet chemical: Tebuthiuron</b>	
Melons, except watermelon	0.4	<i>Permitted residue: Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron</i>	
Milks	0.05	Edible offal (mammalian)	2
Mizuna	T0.5	Meat (mammalian)	0.5
Oats	1	Milks	0.2
Papaya (pawpaw)	0.2	Sugar cane	T0.2
Peanut	0.1		
Peppers, chili (dry)	10	<b>Agvet chemical: Temephos</b>	
Pome fruits	*0.01	<i>Permitted residue: Sum of temephos and temephos sulfoxide, expressed as temephos</i>	
Poultry, edible offal of	0.5	Cattle, edible offal of	T2
Poultry meat	0.1	Cattle meat (in the fat)	T5
Pulses [except soya bean (dry)]	T1	Sheep, edible offal of	0.5
Radish	T0.3	Sheep meat (in the fat)	3
Radish leaves	T2		
Rape seed (canola)	0.3	<b>Agvet chemical: Tepraloxym</b>	
Rucola (rocket)	T0.5	<i>Permitted residue: Sum of tepraloxym and metabolites converted to 3-(tetrahydro-pyran-4-yl) glutaric and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxym</i>	
Soya bean (dry)	0.1	Edible offal (mammalian)	*0.1
Spices	1	Eggs	*0.1
Spinach	T2	Meat (mammalian)	*0.1
Stone fruits [except cherries]	1	Milks	*0.02
Sugar cane	0.1	Poultry, edible offal of	*0.1
Sunflower seed oil, edible	0.2	Poultry meat	*0.1
Tree nuts [except almonds]	0.05	Pulses	*0.1
		Rape seed (canola)	*0.1
<b>Agvet chemical: Tebufenozide</b>			
<i>Permitted residue: Tebufenozide</i>		<b>Agvet chemical: Terbacil</b>	
Avocado	0.5	<i>Permitted residue: Terbacil</i>	
Blueberries	T2	Almonds	0.5
Citrus fruits	1	Peppermint oil	*0.1
Coffee beans	T0.05	Pome fruits	*0.04
Cranberry	0.5	Stone fruits	*0.04
Custard apple	0.3		
Dried grapes	4		
Edible offal (mammalian)	*0.02		
Grapes	2		
Kiwifruit	2		
Litchi	2		
Longan	2		
Macadamia nuts	0.05		



<b>Agvet chemical: Terbufos</b>		Grapes	0.5
<i>Permitted residue: Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos</i>		Meat (mammalian) (in the fat)	*0.01
		Milks	*0.01
<b>Agvet chemical: Terbutylazine</b>		<b>Agvet chemical: Tetracycline</b>	
<i>Permitted residue: Terbutylazine</i>		<i>Permitted residue: Inhibitory substance, identified as tetracycline</i>	
Banana	0.05	Milks	*0.1
Cattle, edible offal of	*0.05	<b>Agvet chemical: Tetradifon</b>	
Cattle meat	*0.05	<i>Permitted residue: Tetradifon</i>	
Cattle milk	*0.01	Fruit	5
Cereal grains	*0.01	Vegetables	5
Eggs	*0.01	<b>Agvet chemical: Thiabendazole</b>	
Peanut	*0.05	<i>Permitted residue—commodities of plant origin: Thiabendazole</i>	
Poultry, edible offal of	*0.05	<i>Permitted residue—commodities of animal origin: Sum of thiabendazole and 5-hydroxylthiabendazole, expressed as thiabendazole</i>	
Poultry meat	*0.05	All other foods except animal food commodities	0.03
Sunflower seed	*0.05	Apple	10
Sweet corn (corn-on-the-cob)	*0.05	Banana	3
<b>Agvet chemical: Terbutylazine</b>		Citrus fruits	10
<i>Permitted residue: Terbutylazine</i>		Edible offal (mammalian)	0.2
Cereal grains [except maize]	*0.01	Meat (mammalian)	0.2
Cotton seed	0.01	Milks	0.05
Edible offal (mammalian)	*0.01	Mushrooms	0.5
Eggs	*0.01	Onion, bulb	0.05
Maize	T*0.02	Peanut	T*0.01
Meat (mammalian)	*0.01	Pear	10
Milks	*0.01	Potato	5
Poultry, edible offal of	*0.01	Sweet potato	0.05
Poultry meat	*0.01	<b>Agvet chemical: Thiacloprid</b>	
Pulses	*0.02	<i>Permitted residue: Thiacloprid</i>	
Rape seed (canola)	*0.02	All other foods except animal food commodities	0.1
Sweet corn (corn-on-the-cob)	T*0.02	Coriander (leaves)	5
<b>Agvet chemical: Terbutryn</b>		Cotton seed	0.1
<i>Permitted residue: Terbutryn</i>		Currants, black, red, white	1
Cereal grains	*0.1	Edible offal (mammalian)	*0.02
Edible offal (mammalian)	3	Eggs	*0.02
Eggs	*0.05	Herbs	5
Meat (mammalian)	0.1	Meat (mammalian)	*0.02
Milks	0.1	Milks	*0.01
Peas	*0.1	Peppers, chili	1
Poultry, edible offal of	*0.05	Pome fruits	1
Poultry meat	0.1	Poultry, edible offal of	*0.02
Sugar cane	*0.05	Poultry meat	*0.02
<b>Agvet chemical: Tetrachlorvinphos</b>		Raspberries, red, black	6
<i>Permitted residue: Tetrachlorvinphos</i>		Spices	0.1
Edible offal (mammalian)	0.05	Stone fruits	2
Meat (mammalian)	0.05		
Milks (in the fat)	0.05		
<b>Agvet chemical: Tetraconazole</b>			
<i>Permitted residue: Tetraconazole</i>			
Edible offal (mammalian)	0.2		

Strawberry	1
Tea, green, black	10

---

**Agvet chemical: Thiamethoxam**

*Permitted residue—commodities of plant origin:*  
*Thiamethoxam*

*Permitted residue—commodities of animal origin:*  
*Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as thiamethoxam*

All other foods except animal food commodities	0.02
Beans [except broad bean; soya bean]	T0.2
Berries and other small fruits [except grapes]	0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	3
Cereal grains [except maize; sorghum]	*0.01
Citrus fruits	1
Cotton seed	*0.02
Edible offal (mammalian)	*0.02
Eggs	*0.02
Fruiting vegetables, cucurbits	T1
Fruiting vegetables, other than cucurbits	T0.5
Grapes	0.2
Hops, dry	0.1
Leafy vegetables	2
Maize	*0.02
Mango	0.07
Meat (mammalian)	*0.02
Milks	*0.005
Podded pea (young pods) (snow and sugar snap)	0.01
Poultry, edible offal of	*0.02
Poultry meat	*0.02
Rape seed (canola)	*0.01
Root and tuber vegetables	T0.7
Sorghum	*0.02
Stone fruits	0.5
Sunflower seed	*0.02
Sweet corn (corn-on-the-cob)	*0.02
Tea, green, black	20

---

**Agvet chemical: Thidiazuron**

*Permitted residue: Thidiazuron*

Cotton seed	*0.5
Edible offal (mammalian)	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

---

**Agvet chemical: Thifensulfuron-methyl**

*Permitted residue: Thifensulfuron-methyl*

Cereal grains [except maize; rice]	*0.02
Edible offal (mammalian)	*0.01

Eggs	*0.01
Meat (mammalian)	*0.01
Milks	0.01
Poultry, edible offal of	*0.01
Poultry meat	*0.01

---

**Agvet chemical: Thiobencarb**

*Permitted residue: Thiobencarb*

Rice	*0.05
------	-------

---

**Agvet chemical: Thiodicarb**

*Permitted residue: Sum of thiodicarb and methomyl, expressed as thiodicarb*

All other foods except animal food commodities	0.1
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
Chia	T1
Cotton seed	*0.1
Cotton seed oil, crude	*0.1
Edible offal (mammalian)	*0.05
Maize	*0.1
Meat (mammalian)	*0.05
Milks	*0.05
Peppers, sweet	T5
Potato	0.1
Pulses	*0.1
Sorghum	T0.5
Sweet corn (corn-on-the-cob)	*0.1
Tomato	2

---

**Agvet chemical: Thiometon**

*Permitted residue: Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon*

Cereal grains	1
Edible offal (mammalian)	*0.05
Eggs	*0.05
Fruit	1
Lupin (dry)	0.5
Meat (mammalian)	*0.05
Milks	*0.05
Oilseed	*0.05
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Vegetables	1

---

**Agvet chemical: Thiophanate**

*see Carbendazim*

<b>Agvet chemical: Thiophanate-methyl</b>	
<i>Permitted residue: Sum of thiophanate-methyl and 2-aminobenzimidazole, expressed as thiophanate-methyl</i>	
Apricot	15
Cherries	20
Grapes	5
Nectarine	3
Peach	3
Plums	0.5

Cattle liver	2
Cattle muscle	0.25
Chicken, edible offal of	5
Chicken meat	2
Eggs	*0.03
Pig, edible offal of	2
Pig meat (in the fat)	1

Tea, green, black	0.2
<b>Agvet chemical: Triadimenol</b>	
<i>Permitted residue: Triadimenol</i>	
see also <i>Triadimefon</i>	
All other foods except animal food commodities	0.05
Berries and other small fruits [except grapes; riberry; strawberry]	T0.5
Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
Cereal grains [except sorghum]	*0.01
Chives	T3
Cotton seed	T0.01
Cotton seed oil, crude	T0.05
Edible offal (mammalian)	*0.01
Eggs	*0.01
Fruiting vegetables, cucurbits	0.5
Fruiting vegetables, other than cucurbits	1
Grapes	0.5
Leek	T3
Lemon grass	T*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Onion, bulb	0.05
Onion, Chinese	T3
Onion, Welsh	T3
Papaya (pawpaw)	0.2
Parsnip	T0.2
Poultry, edible offal of	*0.01
Poultry meat	*0.01
Radish	T0.2
Riberry	T0.3
Shallot	T3
Sorghum	0.5
Spring onion	T3
Strawberry	0.5
Sugar cane	*0.05
Swede	T0.2
Tea, green, black	0.2
Turnip, garden	T0.2

**Agvet chemical: Triallate**

*Permitted residue: Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPSA), expressed as triallate*

Cereal grains	*0.05
Edible offal (mammalian) [except kidney]	*0.1
Eggs	*0.01
Fats (mammalian)	0.2
Kidney of cattle, goats, pigs and sheep	0.2
Legume vegetables	*0.05
Meat (mammalian)	*0.1

Milks	*0.1
Oilseed	0.1
Poultry, edible offal of	0.2
Poultry fats	0.2
Poultry meat	*0.1
Pulses	0.1

**Agvet chemical: Triasulfuron**

*Permitted residue: Triasulfuron*

Cereal grains	*0.02
Edible offal (mammalian)	*0.05
Eggs	*0.05
Meat (mammalian)	*0.05
Milks	*0.01

**Agvet chemical: Tribenuron-methyl**

*Permitted residue: Tribenuron-methyl*

Barley	*0.01
Chick-pea (dry)	*0.01
Cotton seed	*0.05
Edible offal (mammalian)	*0.01
Maize	*0.05
Meat (mammalian)	*0.01
Milks	*0.01
Mung bean (dry)	*0.01
Oats	*0.01
Rape seed (canola)	*0.01
Sorghum	*0.01
Soya bean (dry)	*0.01
Sunflower seed	*0.01
Wheat	*0.01

**Agvet chemical: Trichlorfon**

*Permitted residue: Trichlorfon*

Achachairu	T3
Assorted tropical and sub-tropical fruits – edible peel	T3
Assorted tropical and sub-tropical fruits – inedible peel	T3
Babaco	T3
Beetroot	0.2
Berries and other small fruits	T2
Brussels sprouts	0.2
Cape gooseberry (ground cherry)	T0.5
Cattle, edible offal of	0.1
Cattle fat	0.1
Cattle meat	0.1
Cauliflower	0.2
Celery	0.2
Cereal grains	0.1
Dried fruits	2
Egg plant	T0.5
Eggs	*0.05

Fruit [except achachairu; assorted tropical and sub-tropical fruits – edible peel; assorted tropical and sub-tropical fruits – inedible peel; babaco; berries and other small fruits; dried fruits; loquat; medlar; miracle fruit; quince; rollinia; shaddock (pomelo); stone fruits]	T0.1
Goat, edible offal of	0.1
Goat meat	0.1
Kale	0.2
Loquat	T3
Medlar	T3
Milks	*0.05
Miracle fruit	T3
Oilseed [except peanut]	0.1
Peanut	0.1
Pepino	T5
Peppers	0.2
Pig, edible offal of	0.1
Pig fat	0.1
Pig meat	0.1
Poultry, edible offal of	*0.05
Poultry meat	*0.05
Pulses [except soya bean (dry)]	0.2
Quince	T3
Rollinia	T3
Shaddock (pomelo)	T3
Soya bean (dry)	0.1
Stone fruits	T3
Sugar beet	0.05
Sugar cane	*0.05
Sweet corn (corn-on-the-cob)	0.2
Tree nuts	0.1
Thai egg plant	T0.5
Vegetables [except beetroot; Brussels sprouts; cape gooseberry (ground cherry); cauliflower; celery; egg plant; kale; pepino; peppers; pulses (dry); sugar beet; sweet corn (corn-on-the-cob); Thai egg plant]	0.1
<b>Agvet chemical: Trichloroethylene</b>	
<i>Permitted residue: Trichloroethylene</i>	
Cereal grains	*0.1
<b>Agvet chemical: Triclabendazole</b>	
<i>Permitted residue: Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents</i>	
Fats (mammalian)	1
Kidney (mammalian)	1
Liver (mammalian)	2
Meat (mammalian)	0.5
Milks	0.01

<b>Agvet chemical: Triclopyr</b>	
<i>Permitted residue: Triclopyr</i>	
Cattle, edible offal of	5
Cattle meat (in the fat)	0.2
Citrus fruits	0.2
Goat, edible offal of	5
Goat meat (in the fat)	0.2
Litchi	0.1
Milks (in the fat)	0.1
Poppy seed	*0.01
Sheep, edible offal of	5
Sheep meat (in the fat)	0.2
<b>Agvet chemical: Tridemorph</b>	
<i>Permitted residue: Tridemorph</i>	
Banana	T*0.05
Barley	0.1
Fruiting vegetables, cucurbits	0.1
Tea, green, black	0.05
<b>Agvet chemical: Trifloxystrobin</b>	
<i>Permitted residue: Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxyethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents</i>	
All other foods except animal food commodities	0.05
Almonds	0.05
Banana	0.5
Barley	0.5
Beans [except broad bean; soya bean]	0.06
Beetroot	T0.5
Beetroot leaves	T10
Broccoli	2
Carrot	0.1
Cauliflower	2
Celery	T5
Chard (silver beet)	T10
Chick-pea (dry)	T*0.02
Chicory leaves	T10
Cotton seed	T*0.01
Cucumber	0.5
Currants, black, red, white	1.5
Dried grapes	2
Edible offal (mammalian)	*0.05
Endive	T10
Grapefruit	0.6
Grapes	3
Hops, dry	11
Lemon	0.6
Lentil (dry)	T*0.02
Macadamia nuts	T*0.05
Maize	0.05
Meat (mammalian)	*0.05

Melons, except watermelon	0.5	Poultry, edible offal of	0.01
Milks	*0.02	Poultry meat (in the fat)	0.1
Oranges	0.6	Sheep, edible offal of	0.1
Peanut	0.05	Sheep meat (in the fat)	2
Peanut oil, crude	0.05		
Peppers, sweet, chili	0.5	<b>Agvet chemical: Trifluralin</b>	
Pistachio nut	0.04	<i>Permitted residue: Trifluralin</i>	
Podded pea (young pods) (snow and sugar snap)	0.06	Adzuki bean (dry)	*0.05
Pome fruits	0.7	Bergamot	T*0.05
Popcorn	0.05	Broad bean (dry)	*0.05
Rape seed (canola)	*0.02	Burnet, salad	T*0.05
Spinach	T10	Carrot	0.5
Stone fruits	5	Cereal grains	*0.05
Strawberry	2	Chia	T*0.01
Sugar beet	0.1	Chick-pea (dry)	*0.05
Sweet corn (corn-on-the-cob)	0.04	Coriander (leaves, roots, stems)	T*0.05
Tomato	0.7	Coriander, seed	T*0.05
Walnuts	0.04	Cowpea (dry)	*0.05
Wheat	0.2	Dill, seed	T*0.05
		Edible offal (mammalian)	*0.05
<b>Agvet chemical: Trifloxysulfuron sodium</b>		Eggs	*0.05
<i>Permitted residue: Trifloxysulfuron</i>		Fennel, bulb	T0.5
Cotton seed	*0.01	Fennel, seed	T*0.05
Cotton seed oil, crude	*0.01	Fruit	*0.05
Cotton seed oil, edible	*0.01	Galangal, Greater	T0.5
Edible offal (mammalian)	*0.01	Herbs	T*0.05
Eggs	*0.01	Hyacinth bean (dry)	*0.05
Meat (mammalian)	*0.01	Kaffir lime leaves	T*0.05
Milks	*0.01	Lemon grass	T*0.05
Poultry, edible offal of	*0.01	Lemon verbena (fresh weight)	T*0.05
Poultry meat	*0.01	Lupin (dry)	*0.05
Sugar cane	*0.01	Meat (mammalian)	*0.05
		Milks	*0.05
<b>Agvet chemical: Triflumizole</b>		Mizuna	T*0.05
<i>Permitted residue: Sum of triflumizole and (E)-4-chloro-a,a,a-trifluoro- N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole</i>		Mung bean (dry)	*0.05
Cherries	1.5	Oilseed	*0.05
Grapes	2.5	Parsnip	T0.5
Hops, dry	50	Poultry meat	*0.05
Pome fruits	0.5	Poultry, edible offal of	*0.05
		Rose and dianthus (edible flowers)	T*0.05
<b>Agvet chemical: Triflumuron</b>		Sugar cane	*0.05
<i>Permitted residue: Triflumuron</i>		Turmeric, root (fresh)	T0.5
Cereal grains	*0.05	Vegetables [except as otherwise listed under this chemical]	0.05
Edible offal (mammalian) [except sheep, edible offal of]	*0.05		
Eggs	0.01	<b>Agvet chemical: Triforine</b>	
Hops, dry	50	<i>Permitted residue: Triforine</i>	
Meat (mammalian) [except sheep meat (in the fat)]	*0.05	Pome fruits	1
Milks	*0.05	Stone fruits	10
Mushrooms	0.1		
		<b>Agvet chemical: Trimethoprim</b>	
		<i>Permitted residue: Trimethoprim</i>	
		Cattle milk	0.05
		Edible offal (mammalian)	0.05

Eggs	*0.01	Fish muscle	T*0.002
Meat (mammalian)	0.05	Milks	*0.05
Poultry, edible offal of	0.05	Pig, edible offal of	*0.2
Poultry meat	0.05	Pig fat	*0.1
<hr/>		Pig meat	*0.2
<b>Agvet chemical: Trinexapac-ethyl</b>		Poultry, edible offal of	*0.2
<i>Permitted residue: Trinexapac acid</i>		Poultry fats	*0.1
<hr/>		Poultry meat	*0.2
Bran, unprocessed of cereal grains	0.5	<hr/>	
Cereal grains	0.2	<b>Agvet chemical: Uniconazole-p</b>	
Edible offal (mammalian)	0.05	<i>Permitted residue: Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p</i>	
Eggs	*0.01	<hr/>	
Meat (mammalian)	*0.02	Avocado	0.5
Milks	*0.005	Custard apple	T*0.01
Poppy seed	7	Poppy seed	*0.01
Poultry, edible offal of	*0.01	<hr/>	
Poultry meat	*0.01	<b>Agvet chemical: Virginiamycin</b>	
Sugar cane	T0.2	<i>Permitted residue: Inhibitory substance, identified as virginiamycin</i>	
<hr/>		<hr/>	
<b>Agvet chemical: Triticonazole</b>		Cattle, edible offal of	0.2
<i>Permitted residue: Triticonazole</i>		Cattle fat	0.2
<hr/>		Cattle milk	0.1
Cereal grains	*0.05	Cattle meat	*0.1
Edible offal (mammalian)	*0.05	Poultry, edible offal of	0.2
Eggs	*0.05	Poultry fats	0.2
Meat (mammalian)	*0.05	Poultry meat	0.1
Milks	*0.01	Sheep, edible offal of	0.2
Poultry, edible offal of	*0.05	Sheep meat	0.1
Poultry meat	*0.05	<hr/>	
<hr/>		<b>Agvet chemical: Warfarin</b>	
<b>Agvet chemical: Tulathromycin</b>		<i>Permitted residue: Warfarin</i>	
<i>Permitted residue: Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents</i>		Pig, edible offal [except liver]	T0.007
<hr/>		Pig fat	T0.007
Cattle fat	0.1	Pig liver	T0.04
Cattle kidney	1	Pig meat	T0.007
Cattle liver	3	<hr/>	
Cattle muscle	0.1	<b>Agvet chemical: Zeranol</b>	
Pig fat/skin	0.3	<i>Permitted residue: Zeranol</i>	
Pig kidney	3	<hr/>	
Pig liver	2	Cattle, edible offal of	0.02
Pig muscle	0.5	Cattle meat	0.005
<hr/>		<hr/>	
<b>Agvet chemical: Tylosin</b>		<b>Agvet chemical: Zeta-cypermethrin</b>	
<i>Permitted residue: Tylosin A</i>		see Cypermethrin	
<hr/>		<hr/>	
Cattle, edible offal of	*0.1	<b>Agvet chemical: Zetacypermethrin</b>	
Cattle meat	*0.1	see Cypermethrin	
Eggs	*0.2	<hr/>	

## Amendment History

The Amendment History provides information about each amendment to the Schedule. The information includes commencement or cessation information for relevant amendments.

These amendments are made under section 92 of the *Food Standards Australia New Zealand Act 1991* unless otherwise indicated. Amendments do not have a specific date for cessation unless indicated as such.

### About this compilation

This is compilation No. 27 of Schedule 20 as in force on **7 December 2017** (up to Amendment No. 175). It includes any commenced amendment affecting the compilation to that date.

Prepared by Food Standards Australia New Zealand on **7 December 2017**.

### Uncommenced amendments or provisions ceasing to have effect

To assist stakeholders, the effect of any uncommenced amendments or provisions which will cease to have effect, may be reflected in the Schedule as shaded boxed text with the relevant commencement or cessation date. These amendments will be reflected in a compilation registered on the Federal Register of Legislation including or omitting those amendments and provided in the Amendment History once the date is passed.

The following abbreviations may be used in the table below:

ad = added or inserted	am = amended
exp = expired or ceased to have effect	rep = repealed
rs = repealed and substituted	

**Schedule 20** was published in the Food Standards Gazette No. FSC96 on 10 April 2015 as part of Amendment 154 (F2015L00468 — 1 April 2015) and has since been amended as follows:

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Std heading	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	am	Remove number from Note.
2(b), (c)	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am, ad	Insert new paragraph (c) with consequential formatting amendment to paragraph (b).
table to S20—3	161	F2016L00118 17 Feb 2016 FSC103 22 Feb 2016	1 March 2016	rs	Table.
table to S20—3	APVMA 1, 2016	F2016L00141 24 Feb 2016 APVMA Special 1 March 2016	1 March 2016	am	Abamectin, Azoxystrobin, Chlorothalonil, Clothianidin, Cyazofamid, Dithiocarbamates, Flumioxazin, Imidacloprid, Methabenzthiazuron, Propachlor, Pymetrozine, Spinetoram, Tebuconazole and Trichlorfon.
table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	ad	Oxathiapiprolin.



Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
table to S20—3	APVMA 2, 2016	F2016L00247 8 March 2016 APVMA 5 8 March 2016	8 March 2016	am	Aminoethoxyvinyl-glycine, Chlorantraniliprole, Difenoconazole, Etoazole, Flumioxazin, Glyphosate, Prochloraz, Propiconazole, Sethoxydim, Spirotetramat and Triclabendazole.
table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Permitted residue for Abamectin.
table to S20—3	APVMA 3, 2016	F2016L00489 5 April 2016 APVMA 7 5 April 2016	5 April 2016	am	Abamectin and Sethoxydim.
table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	ad	Decoquinate.
table to S20—3	APVMA 4, 2016	F2016L00616 2 May 2016 APVMA 9 3 May 2016	3 May 2016	am	Azoxystrobin, Bifenthrin, Cyproconazole, Difenoconazole, Ethephon, Etoazole, Maldison and Spinetoram.
table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Permitted residue for Clethodim.
table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	ad	Cycloxydim, Famoxadone, Flupyradifurone, Folpet, Fosetyl-aluminium and Mesotrione.
table to S20—3	163	F2016L00788 12 May 2016 FSC105 19 May 2016	19 May 2016	am	Acetamiprid, Boscalid, Buprofezin, Carbaryl, Carbendazim, Clopyralid, Clothianidin, Cyantraniliprole, Cyprodinil, Dichlobenil, Difenoconazole, Dimethenamid-P, Dodine, Fenhexamid, Fenpropathrin, Fenpyrazamine, Fludioxonil, Fluopyram, Flutriafol, Fluxapyroxad, Fosetyl, Glyphosate, Imazamox, Imazapic, Imazapyr, Imazethapyr, Indoxacarb, Maldison, Metaflumizone, Metalaxyl, Metrafenone, Norflurazon, Penconazole, Pyraclostrobin, Spinetoram, Spinosad, Tebuconazole, Thiamethoxam, Thiophanate-methyl and Triadimefon.
table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Residue definition for Glyphosate.
table to S20—3	APVMA 5, 2016	F2016L00863 31 May 2016 APVMA 11 31 May 2016	31 May 2016	am	Acetamiprid, Acibenzolar-S-methyl, Boscalid, Clothianidin, Flonicamid, Metalaxyl, Metsulfuron-methyl, Pymetrozine and Sulfoxaflor.
table to S20—3	APVMA 6, 2016	F2016L01088 28 June 2016 APVMA 13 28 June 2016	28 June 2016	am	Bixafen, Difenoconazole, Fenvalerate, Imazapic, Imazapyr, Milbemectin and Quinoxifen.
table to S20—3	APVMA 7, 2016	F2016L01238 26 July 2016 APVMA 15 26 July 2016	26 July 2016	am	Azoxystrobin, Chloridazon, Flamprop-methyl, Fluensulfone, Mandipropamid, Meloxicam.
table to S20—3	APVMA 8, 2016	F2016L01316 23 Aug 2016 APVMA 17 23 Aug 2016	23 Aug 2016	am	Azoxystrobin, Buprofezin, Cyproconazole, Prothioconazole and Spirotetramat.
table to S20—3	APVMA 9, 2016	F2016L01579 4 Oct 2016 APVMA 20 4 Oct 2016	4 Oct 2016	am	Bromoxynil, Carbendazim, Clothianidin, Ethephon, Iprodione, Linuron, Methabenzthiazuron and Pirimicarb.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	ad	Amisulbrom and Mandestrobin.
table to S20—3	APVMA 10, 2016	F2016L01749 14 Nov 2016 APVMA 23 15 Nov 2016	15 Nov 2016	am	Abamectin, Acibenzolar-S-methyl, Boscalid, Buprofezin, Chlorantraniliprole, Chlorothalonil, Difenoconazole, Dithiocarbamates, Etoxazole, Flubendiamide, Iprodione and Saflufenacil.
table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	ad	Pyriofenone.
table to S20—3	APVMA 11, 2016	F2016L01817 28 Nov 2016 APVMA 24 29 Nov 2016	29 Nov 2016	am	Azoxystrobin, Boscalid and Propachlor.
table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA1 10 Jan 2017	10 Jan 2017	ad	Niclosamide.
table to S20—3	APVMA 1, 2017	F2017L00033 6 Jan 2017 APVMA 1 10 Jan 2017	10 Jan 2017	am	Azoxystrobin, Captan, Cyproconazole, Cypermethrin, Dimethomorph, Emamectin, Metribuzin, Prothioconazole and Tebuconazole.
table to S20—3	166	F2017L00026 5 Jan 2017 FSC108 12 Jan 2017	12 Jan 2017	am	Ametoctradin, Azoxystrobin, Bifenthrin, Captan, Cyfluthrin, Deltamethrin, Fenhexamid, Fludioxonil, Glyphosate, Iprodione, Methomyl, Penthiopyrad, 2-Phenylphenol, Pyrimethanil, Spinosad, Thiabendazole, Thiodicarb, Triadimefon and Triadimenol.
table to S20—3	APVMA 2, 2017	F2017L00096 6 Feb 2017 APVMA 3 7 Feb 2017	7 Feb 2017	am	Azoxystrobin, Clothianidin, Fluopicolide, Propamocarb, Propiconazole, Sulfoxaflor and Tebuconazole.
table to S20—3	APVMA 3, 2017	F2017L00264 20 March 2017 APVMA 6 21 March 2017	21 March 2017	am	Abamectin, Acetamiprid, Boscalid, Chlorantraniliprole, Cypermethrin, Cyprodinil, Dithianon, Dithiocarbamates, Fludioxonil, Novaluron, Spirotetramat, Sulfoxaflor and Trifloxystrobin.
table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	ad	Metazachlor.
table to S20—3	APVMA 4, 2017	F2017L00449 18 April 2017 APVMA 8 18 April 2017	18 April 2017	am	Boscalid, Flonicamid, Fluopyram, Imazamox, Propiconazole and Pyrimethanil.
table to S20—3	APVMA 5, 2017	F2017L00522 12 May 2017 APVMA 10 16 May 2017	16 May 2017	am	Flonicamid, Imazamox, Monepantel, Pirimicarb, Propiconazole, Pyriproxyfen and Spirotetramat.
table to S20—3	170	F2017L00591 23 May 2017 FSC112 25 May 2017	25 May 2017	am	Avilamycin.
table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 13 June 2017	13 June 2017	ad	Cloquintocet acid.
table to S20—3	APVMA 6, 2017	F2017L00649 8 June 2017 APVMA 12 8 June 2017	13 June 2017	am	Fluopicolide, Metolachlor, Propamocarb and Propyzamide.

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
table to S20—3	APVMA 7 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	ad	Bicyclopyrone.
table to S20—3	APVMA 7 2017	F2017L00897 7 July 2017 APVMA 14 11 July 2017	11 July 2017	am	Iprodione, Metalaxyl and Propyzamide.
Table to S20—3	APVMA 8 2017	F2017L00995 8 August 2017 APVMA 16 8 August 2017	8 August 2017	am	Bixafen, Buprofezin, Clopyralid, Clothianidin, Flumioxazin, Imazamox and Imazapyr.
Table to S20—3	APVMA 9 2017	F2017L01129 5 Sept 2017 APVMA 18 5 Sept 2017	5 September 2017	am	Fluazinam, Pyraflufen-ethyl and Spirotetramat
Table to S20—3	APVMA 10 2017	F2017L01317 3 October 2017 APVMA 20 3 October 2017	3 October 2017	am	Abamectin, Azoxystrobin, Cyproconazole, Fludioxonil, Fluxapyroxad, Penflufen, Sulfoxaflor, Trifloxystrobin,
Table to S20—3	APVMA 11 2017	F2017L01404 31 Oct 2017 APVMA 22 31 October 2017	31 October 2017	am	Cloquintocet-mexyl, Diquat, Fludioxonil, Tebuconazole
Table to S20—3	APVMA 12 2017	F2017L01522 28 Nov 2017 APVMA 24 28 November 2017	28 Nov 2017	ad	Clothianidin, Cyclaniliprole, Chlorantraniliprole, Clomazone, Cyanamide, Cyantraniliprole, Cyprodinil, Dimethomorph, Fludioxonil, Haloxypop Mandipropamid, Methomyl, Methoxyfenozide, Napropamide, Phosphorous acid

Section affected	A'ment No.	FRL registration Gazette	Commencement (Cessation)	How affected	Description of amendment
Table to S20—3	175	F2017L01594 7 December 2017 FSC116 7 December 2017	7 December 2017	ad	Acequinocyl, Acephate, Acetamiprid, Aminocyclopyrachlor, Azoxystrobin, Benzovindiflupyr, Bifenthrin, Brodifacoum, Buprofezin, Carbaryl, Carbendazim, Chlorantraniliprole, Chlorfenvinphos, Clopyralid, Chlorpyrifos-methyl, Cyflumetofen, Cyfluthrin, Cyhalothrin, Cypermethrin, Cyprodinil, Cyromazine, Deltamethrin, Dichlorvos, Dicloran, Difenconazole, Disulfoton, Endothal, Ethoprophos, Etofenprox, Fenamiphos, Fenarimol, Fenpropathrin, Fenpropimorph, Fenthion, Fenpyroximate, Fenvaterate, Flonicamid, Flubendiamide, Fludioxonil, Flumioxazin, Fluopyram, Flusilazole, Flutriafol, Fosetyl-aluminium, Glyphosate, Hexythiazox, Imazamox, Inorganic bromide, Iprodione, Imidacloprid, Metalaxyl, Methamidophos, Myclobutanil, Maldison, Mesotrione, Metaflumizone, Metalaxyl, Metconazole, Methomyl, Myclobutanil, Naled, Nicarbazine, Norflurazon, Novaluron, Oxathiapiprolin, Paraquat, Phenothrin, 2-Phenylphenol, Phosphine, Propyzamide, Prothioconazole, Pyraflufen-ethyl, Pyridaben, Pyrimethanil, Phosphine, Quintozene, Rimsulfuron, Saflufenacil, Sedaxane, Sethoxydim, Spinetoram, Spirotetramat, Tebuconazole, Tetradifon, Thiacloprid, Thiamethoxam, Thifensulfuron, Thifensulfuron-methyl, Triadimenol, Trifloxystrobin, Virginiamycin,